





# Table of Contents

# PRICE LIST® 2022

## serv over counters

JUMBO	9
SAMOS DEEP	11
SAMOS	13
SANTIAGO DEEP	15
Santiago	17
LUZON DEEP	19
LUZON	21
BASIA 2	23
PICO DEEP	25
PICO	27
MONIKA DEEP	29
MONIKA	31
SUMBA	33
PROXIMA	35
PROXIMA SQR	37
TATIANA	39
WIKTORIA	41

# multidecks

NEW	VARIO 3	45
NEW	VARIO 3 VE	47
	VARIO L	49
	VARIO H	51
	BALI	53
	TIMOR	55
	KING AT	57
	KING EVO	59
	COSTA	61
	PAROS	63
	RODOS	65
NEW	TOBAGO 3	67
	TOBAGO 2	69
NEW	PROXIMA SLIM OPEN	71
NEW	PROXIMA SLIM HOT OPEN	73
	MIŁOSZ 2	75
	MAX	77
	MAXIM	79
NEW	MAXIM 2	81

cooling cabbinets	
EWA P	87
EWA 1	89
EWA 500.1 BEVERAGES	91
JOLA P	93
JOLA 1	95
JOLA 700.1 BEVERAGES	97
OLA P	99
OLA 2	101
OLA 1400.2 BEVERAGES	103
MALTA P	105
MALTA 1	107

# cooling cabbinets GASTRO

JOLA P GASTRO	111
JOLA 1 GASTRO	113
OLA P GASTRO	115
OLA 2 GASTRO	117

# freezing cabbinets

EWA P M	121
EWA 1 M	123
JOLA P M	125
JOLA 1 M	127
OLA P M	129
OLA 2 M	131

# freezing cabbinets GASTRO

JOLA P M GASTRO	135
JOLA 1 M GASTRO	137
OLA P M GASTRO	139
OLA 2 M GASTRO	141

# combi freezer and freezing island

ICECRAFT	145
ADVANTA	147
LEVEL L	149
LEVEL H	151
	ADVANTA LEVEL L LEVEL H

# freezing counters and islands

NEW

VARIO 3 M	155
VARIO M - L	157
VARIO M - H	159
SANTIAGO M	161
BASIA 2 M	163
KING AT M	165

	pastry display counters	
NEW	PASTELLA SWEET	171
NEW	PASTELLA SWEET N	173
NEW	PASTELLA	175
NEW	PASTELLA N	177
NEW	PASTELLA BAKE	179
	INNOVA	181
	INNOVA - NEUTRAL	183
	INNOVA T	185
	CUBE 2	187
	CUBE 2 NEUTRAL	189
	CUBE 2 OPEN	191
NEW	CUBE 2 BAKE	193
	CUBE	195
	CUBE OPEN	197
	GASTROLINE CUBE	199
	GASTROLINE CUBE OPEN	201
	KAMELEO	203
	KAMELEO N	205
	JAMAJKA	207
	JAMAJKA OPEN	209
	JAMAJKA N	211
	BEATA 2	213
	JULIA	215
	JULIA NADSTAWKA	217
	JOLA 4	219
	ice-cream dispensers	
NEW	INNOVA ICE	223
NEW	INNOVA DEEP ICE	225
NEW	CUBE 2 ICE	227
NEW	CUBE 2 DEEP ICE	229
	KAMELEO ICE	231
	ARUBA	233
	ARUBA 2	235
	GELATO 2	237
	GELATO 2 (REMOTE)	239
	WOJTEK	241
	Adria ice	243

salad display units	
GASTROLINE	247
IBIZA	249

# cash counters & bakery display units

COUNTER INNOVA	255
COUNTER INNOVA LS P	255
COUNTER CUBE 2	257
COUNTER CUBE 2 P	257
COUNTER PASTELLA / PS	259
COUNTER PASTELLA / PS2	259
HORNADA	261
MICHAŁ	263
TADEUSZ	263
LADA KAMELEO	265
LADA JAMAJKA	265
COUNTER GASTROLINE/ COUNTER CUBE	267
Counter samos	267
Counter santiago	269
COUNTER LUZON	269
COUNTER BASIA 2	271
Counter sumba	273
COUNTER MONIKA	273
COUNTER BEATA	275

# special units

NEW NEW NEW NEW

FLORES	279
KOMORA ODP	281
IMPULS	283
ROBBEN	285
SMOKING CHAMBER W200	287

# petrol collection

NEW

LUNA	291
PETRO SELECT	293
PETRO	295
ECOMAX	297
PIZZA BAR	299
HDM	301
FRESH ISLAND	303

# serv over counters

JUMBO SAMOS DEEP SAMOS SANTIAGO DEEP SANTIAGO LUZON DEEP LUZON BASIA 2 PICO DEEP PICO MONIKA DEEP MONIKA SUMBA PROXIMA PROXIMA SQR TATIANA WIKTORIA

25





					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JUMBO (I	PLUG-IN)				
JMB130	JUMBO 1.25	1350	400	0,98	6 230
JMB150	JUMBO 1.88	1975	600	1,48	8 820
JMB160	JUMBO 2.50	2600	800	1,98	11 540
JMB180	JUMBO 3.75	3850	1200	2,96	16 240
JUMBO (I	REMOTE)				
JMB130-c	JUMBO 1.25-mod/C	1250	400	0,98	4 950
JMB150-c	JUMBO 1.88-mod/C	1875	600	1,48	6 570
JMB160-c	JUMBO 2.50-mod/C	2500	800	1,98	8 830
JMB180-c	JUMBO 3.75-mod/C	3750	1200	2,96	12 960

Devices va	riants	PLUG-IN	REMOTE	
DRE	wooden front panel, stainless steel base, without bumper	+440	+440	€/meter
FISH	exposition tank made of acid resistant stainless steel, painted evaporator	+440	+440	€/meter
GASTRO	stainless steel frame for GN containers	+285	+285	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-75	-75	€/meter

Standard equipment	PLUG-IN	REMOTE
internal refrigeration unit with innovative low noise HITACHI Scroll compressor	+	-
dynamic cooling (2 evaporators)	+	+
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	+	-
body with service-side base flashing composed of white, coated sheet metal	+	+
front base sheets and front panel with color - coated sheet - selectable color (IGLOO pattern book)	+	+
ecological polyurethane foam insulation	+	+
exposition area made of stainless steel	+	+
non-threshold storage chamber made of stainless sheets (height 415 mm / 2 x E2 box)	+	+
storage chamber back doors - hinged	+	+
worktop - stainless steel	+	+
anodised aluminum profiles color gold or silver (IGLOO pattern book)	+	+
an innovative system for raising the front window	+	+
night blinds made of plexi glass	+	+
modern LED lighting (lighting colour options: white confectionery, pink)	+	+
automatic defrost (electric heaters)	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+

Options	PLUG-IN	REMOTE	
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	S	680	€/set
wooden sides + glass sides - selectable colour (IGLOO pattern book)	130	805	€/set
device without side panels prepared for multiplexing (MOD/A)	-310	S	€/pcs
housing with base panel from staff side made of stinaless steel	270	270	€/meter
front panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	60	60	€/meter
front panel made of stainless steel	165	165	€/meter
base panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	45	45	€/meter
base panel made of stainless steel	115	115	€/meter
exposition area made of acid resistant stinless steel	115	115	€/meter
storage chamber made of acid - resistant stainless steel	190	190	€/meter
exposition stepped overlay made of stainless steel (1 step)	155	155	€/meter
exposition stepped overlay made of acid resistant stainless steel (1 step)	220	220	€/meter
exposition stepped overlay made of stainless steel (2 step)	205	205	€/meter
exposition stepped overlay made of acid resistant stainless steel (2 step)	275	275	€/meter
powder painted evaporators	170	170	€/meter
worktop - acid-resistant stainless steel	85	85	€/meter
device with temperature range from - 2 °C to +4 °C	180	75	€/meter
display space thermometer	35	35	€/pcs
electronic temperature recorder + software (Igloo)	115	115	€/pcs
temperature recorder wire	45	45	€/pcs
no thermostat - 2 x temperature sensor NTC [10k $\Omega$ ]	-25	-25	€/pcs
front buffer with stainless steel profile	215	215	€/meter
customer front shelf (aluminum profile anodised color silver or gold)	125	125	€/meter
front shelf for the customer with wooden profiles and stainless steel inserts - selectable colour (IGLOO pattern book)	240	240	€/meter
movable partition (low, glass on stands, placed in expositon area)	75	75	€/pcs
fixed partition (high, glass in exposition area stinless steel in storage chamber)	85	85	€/pcs
bottom fixed partition (made from stainless steel in storage chamber)	75	75	€/pcs
runner for small movable table	60	60	€/meter
small movable table for scale or cash register (400x500mm)	215	215	€/pcs
electronic expansion valve*	-	820	€/set
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	-	500	€/meter
box UVC - model 1.25 / 1.88	500	500	€/set
box UVC - model 2.50 / 3.75	705	705	€/set



					EUR
ld	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
SAMOS D	EEP (PLUG-IN)				
SA220WG	SAMOS DEEP 0.94	1020	140	0,9	3 610
SA230WG	SAMOS DEEP 1.25	1330	186	1,1	3 920
SA240WG	SAMOS DEEP 1.56	1645	232	1,4	4 4 4 0
SA250WG	SAMOS DEEP 1.88	1960	280	1,7	5 190
SA260WG	SAMOS DEEP 2.50	2580	372	2,3	6 280
SA270WG	SAMOS DEEP 3.13	3210	466	2,8	7 780
SA280WG	SAMOS DEEP 3.75	3830	558	3,4	8 750
SA290WG	SAMOS DEEP NW90	-	-	1,1	5 370
SA295WG	SAMOS DEEP NZ90	-	-	1,1	5 410
SA297WG	SAMOS DEEP NZ90 STRAIGHT	-	-	-	5 900
SAMOS D	EEP (REMOTE)				
SA220WG-c	SAMOS DEEP 0.94 -mod/C	940	140	0,9	2 820
SA230WG-c	SAMOS DEEP 1.25 -mod/C	1250	186	1,1	3 110
SA240WG-c	SAMOS DEEP 1.56 -mod/C	1560	232	1,4	3 540
SA250WG-c	SAMOS DEEP 1.88 -mod/C	1875	280	1,7	4 200
SA260WG-c	SAMOS DEEP 2.50 -mod/C	2500	372	2,3	5 250
SA270WG-c	SAMOS DEEP 3.13 -mod/C	3130	466	2,8	6 540
SA280WG-c	SAMOS DEEP 3.75 -mod/C	3750	558	3,4	7 480
SA290WG-c	SAMOS DEEP NW90-mod/C	-	-	1,1	4 470
SA291WG-c	SAMOS DEEP NW45N-mod (AM- BIENT)	-	-	-	3 070
SA295WG-c	SAMOS DEEP NZ90-mod/C	-	-	1,1	4 510
SA296WG-c	SAMOS DEEP NZ45N-mod (AM- BIENT)	-	-	-	3 420
SA297WG-c	SAMOS DEEP NZ90 STRAIGHT- -mod/C	-	-	-	5 370

Devices va	riants	PLUG-IN	REMOTE	
CUSTOM	for individual projects (drop in unit, without front panel, base panel made of stainless steel)	-35	-35	€/meter
DRE	wooden front panel, stainless steel base, without bumper	+440	+440	€/meter
FISH	exposition tank made of acid resistant stainless steel, painted evaporator	+440	+440	€/meter
GASTRO	stainless steel frame for GN containers	+285	+285	€/meter
BAIN-MARIE	bain marie (heated water tank/well), lamp panel with ceramic heaters (only Plug-in) ( +30 $\div$ +90°C )	+340	-	€/meter
PG	heated exposition area, lamp panel with infrared halogens (only Plug-in) ( +30 ÷ +60°C )	+340	-	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-75	-75	€/meter
CABINET	High top glass , with frame and 4 shelves. Hinged doors from the staff side, no storage chamber, temperature range +6/+12°C (avialable modules : 1.25 / 1.56 / 1.88)	+1915	+1915	€/meter
SAMOS L	device with height of 1160 mm (lower base)	Х	0	€/meter
SELF SERVICE READY	front glass on guides	+155	+155	€/meter
FULL LIGHT	Device without lamp profile (without lighting)	-60	-60	€/meter



















Self Service Ready - frontal glass system on the guides

#### S

Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate	+	-
powered only by external aggregate	-	+
multiplexable device	0	+
dynamic cooling (ventilated)	+	+
body with service-side base flashing composed of white, coated sheet metal	+	+
front base sheets and front panel with color - coated sheet - selectable color (IGLOO pattern book)	+	+
ecological polyurethane foam insulation	+	+
exposition area made of stainless steel	+	+
storage chamber made of stainless steel	+	+
storage chamber back doors - hinged	+	+
grey granite worktop (thickness 20 mm)	+	+
internal frame and aluminum profiles anodised color silver or gold (IGLOO pattern book)	+	+
straight side-hung front glass panel (not applicable to corners)	+	+
night blinds made of plexi glass	+	+
LED lamp (color of choice: white, confectionery or pink )	+	+
bumper - different colors available (IGLOO pattern book)	+	+
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	+	0
automatic defrost	+	+
codenser outlet to container	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	S	460	€/set
wooden sides + glass sides - selectable colour (IGLOO colour chart)	85	540	€/set
device without side panels prepared for multiplexing (MOD/A)	-250	S	€/pcs
telescopic front window lifting system (does not apply to NW) - selectable colour silver or black	605	605	€/meter
housing with base panel from staff side made of stinaless steel	230	230	€/meter
front panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	65	65	€/meter
front panel made of stainless steel	205	205	€/meter
base panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	20	20	€/meter
base panel made of stainless steel	70	70	€/meter
exposition area made of acid resistant stinless steel	95	95	€/meter
storage chamber made of acid – resistant stainless steel	140	140	€/meter
exposition stepped overlay made of stainless steel (1 step)	165	165	€/meter
exposition stepped overlay made of acid resistant stainless steel (1 step)	230	230	€/meter
exposition stepped overlay made of stainless steel (2 step)	215	215	€/meter
exposition stepped overlay made of acid resistant stainless steel (2 step)	290	290	€/meter
powder painted evaporator	100	100	€/meter
worktop - granite Balmoral (thickness : 20 mm)	70	70	€/meter
worktop - granite black (thickness : 20 mm)	165	165	€/meter
worktop - stainless steel	-	-	€/meter
additional exposition glass shelf with illumination - LED light	240	240	€/meter
set of wheels (castors)	205	-	€/meter
electric heaters for evaporator defrost	115	115	€/meter
device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	340	160	€/meter
automatic condenser vaporization (gas evaporator)	45	-	€/pcs
analog thermometer	35	35	€/pcs
electronic temperature recorder + software (Igloo)	115	115	€/set
temperature recorder wire	45	45	€/pcs
front hinged glass electric lock	85	85	€/pcs
socket with fuse	45	45	€/pcs
customer front shelf (aluminum profile anodised color silver or gold)	125	125	€/meter
the front shelf for the customer made of wooden profiles with stainless elements - selectable color (IGLOO pattern book)	240	240	€/meter
movable partition (low ,glass on stands , placed in expostion area)	70	70	€/pcs
top fixed partiton (high , glass in exposition area)	85	85	€/pcs
bottom fixed partition (made from stainless steel in storage chamber)	65	65	€/pcs
fixed insulated partition panel ( increases the modlue lenght by 30 mm )	415	415	€/pcs
runner for small movable table	60	60	€/meter
small movable table for scale or cash register (400x500mm)	215	215 820	€/pcs
electronic expansion valve*	- 500	820 500	E /a at
box UVC - model 0.94 / 1.25 / 1.56 / 1.88 / NW90 / NZ90 / NZ90 STRAIGHT box UVC - model 2.50 / 3.13 / 3.75	705	705	€/set
50x 0 vc - Induer 2.50 / 5.15 / 5.75	*more informatio		



					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
SAMOS (F	PLUG-IN)				
SA220	SAMOS 0.94	1020	183	0,7	3170
SA230	SAMOS 1.25	1330	243	1	3460
SA240	SAMOS 1.56	1645	303	1,2	3920
SA250	SAMOS 1.88	1960	366	1,4	4540
SA260	SAMOS 2.50	2580	486	1,9	5640
SA270	SAMOS 3.13	3210	609	2,4	7080
SA280	SAMOS 3.75	3830	729	2,9	7890
SA290	SAMOS NW90	-	150	0,9	4820
SA295	SAMOS NZ90	-	150	0,9	4840
SA297	SAMOS NZ90 STRIGHT	-	-	-	5340
SAMOS (F	REMOTE)				
SA220-c	SAMOS 0.94-mod/C	938	183	0,7	2350
SA230-c	SAMOS 1.25-mod/C	1250	243	1	2700
SA240-c	SAMOS 1.56-mod/C	1563	303	1,2	3190
SA250-c	SAMOS 1.88-mod/C	1875	366	1,4	3650
SA260-c	SAMOS 2.50-mod/C	2500	486	1,9	4700
SA270-c	SAMOS 3.13-mod/C	3125	609	2,4	5850
SA280-c	SAMOS 3.75-mod/C	3750	729	2,9	6720
SA290-c	SAMOS NW90-mod/C	-	150	0,9	3920
SA291-mod	SAMOS NW45N-mod (AMBIENT)	-	-	-	2750
SA295-c	SAMOS NZ90-mod/C	-	150	0,9	3960
SA296-mod	SAMOS NZ45N-mod (AMBIENT)	-	-	-	3040
SA297-c	SAMOS NZ90 STRIGHT-mod/C	-	-	-	4840

Devices va	riants	PLUG-IN	REMOTE	
CUSTOM	for individual projects (drop in unit, without front panel, base panel made of stainless steel)	-35	-35	€/meter
DRE	wooden front panel, stainless steel base, without bumper	+440	+440	€/meter
FISH	exposition tank made of acid resistant stainless steel, painted evaporator	+440	+440	€/meter
GASTRO	stainless steel frame for GN containers	+510	+510	€/meter
BAIN-MARIE	bain marie (heated water tank/well), lamp panel with ceramic heaters (only Plug-in) ( +30 $\div$ +90°C )	+340	-	€/meter
PG	heated exposition area, lamp panel with infrared halogens (only Plug-in) ( +30 ÷ +60°C )	+340	-	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-75	-75	€/meter
FULL LIGHT	Device without lamp profile (without lighting)	-60	-60	€/meter













tandard	l equipment	
ernal coolin	g aggregate	

Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate	+	-
powered only by external aggregate		+
multiplexable device	0	+
static cooling	+	+
body with service-side base flashing composed of white, coated sheet metal	+	+
front base sheets and front panel with color – coated sheet – selectable color (IGLOO pattern book)	+	+
ecological polyurethane foam insulation	+	+
exposition area made of stainless steel	+	+
storage chamber made of stainless steel	+	+
storage chamber back doors – hinged	+	+
grey granite worktop (thickness 20 mm)	+	+
internal frame and aluminum profiles anodised color silver or gold (IGLOO pattern book)	+	+
straight side-hung front glass panel (not applicable to corners)	+	+
night blinds made of plexi glass	+	+
LED lamp (color of choice: white, confectionery or pink )	+	+
bumper - different colors available (IGLOO pattern book)	+	+
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	+	0
automatic defrost	+	+
codenser outlet to container	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	S	460	€/set
wooden sides + glass sides - selectable colour (IGLOO pattern book)	85	540	€/set
device without side panels prepared for multiplexing (MOD/A)	-240	S	€/pcs
front glass – telescopic lifting system	605	605	€/meter
housing with base panel from staff side made of stinaless steel	230	230	€/meter
front panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	65	65	€/meter
front panel made of stainless steel	205	205	€/meter
base panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	20	20	€/meter
base panel made of stainless steel	70	70	€/meter
exposition area made of acid resistant stinless steel	95	95	€/meter
storage chamber made of acid – resistant stainless steel	140	140	€/meter
exposition area – stepped – 2 steps	65	65	€/meter
exposition area – stepped – 3 steps	70	70	€/meter
powder painted evaporator	100	100	€/meter
worktop - granite Balmoral (thickness : 20 mm)	70	70	€/meter
worktop - granite black (thickness : 20 mm)	165	165	€/meter
worktop - stainless steel	0	0	€/mete
additional exposition glass shelf with illumination - LED light	240	240	€/mete
set of wheels (castors)	205	-	€/meter
fans enforcing air circulation	230	230	€/meter
electric heaters for evaporator defrost	115	115	€/meter
device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	340	160	€/meter
automatic condenser vaporization (gas evaporator)	45		€/pcs
analog thermometer	35	35	€/pcs
electronic temperature recorder + software (Igloo)	115	115	€/set
temperature recorder wire	45	45	€/pcs
front hinged glass electric lock	85	85	€/pcs
socket with fuse	45	45	€/pcs
customer front shelf (aluminum profile anodised color silver or gold)	125	125	€/meter
the front shelf for the customer made of wooden profiles with stainless elements - selectable color (IGLOO pattern book)	240	240	€/mete
movable partition (low ,glass on stands , placed in expostion area)	70	70	€/pcs
top fixed partiton (high , glass in exposition area)	85	85	€/pcs
bottom fixed partition (made from stainless steel in storage chamber)	65	65	€/pcs
fixed insulated partition panel ( increases the modlue lenght by 30 mm )	415	415	€/pcs
runner for small movable table	60	60	€/meter
small movable table for scale or cash register (400x500mm)	215	215	€/pc:
box UVC - model 0.94 / 1.25 / 1.56 / 1.88 / NW90 / NZ90 / NZ90 STRAIGHT (only for version W)	500	500	€/se
box UVC - model 2.50 / 3.13 / 3.75 (only for version W)	705	705	€/se

# SANTIAGO DEEP

₽ +1 / +10°C



					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
SANTIAG	O DEEP (PLUG-IN)				
SA100WG	SANTIAGO 1.1 WG	1040	143	0,86	3380
SA101WG	SANTIAGO 1.4 WG	1370	192	1,16	3840
SA102WG	SANTIAGO 1.7 WG	1670	237	1,43	4550
SA103WG	SANTIAGO 2.1 WG	2000	286	1,73	5210
SA104WG	SANTIAGO 2.5 WG	2540	366	2,21	6030
SA180WG	SANTIAGO 3.75 WG	3830	558	3,38	8420
SA107WG	SANTIAGO NW90WG	-	-	1,1	5880
SA106WG	SANTIAGO NZ90WG	-	-	1	5760
SANTIAG	O DEEP (REMOTE)				
SA100WG-c	SANTIAGO 1.1 WG-mod/C	960	143	0,86	2640
SA101WG-c	SANTIAGO 1.4 WG-mod/C	1290	192	1,16	3040
SA102WG-c	SANTIAGO 1.7 WG-mod/C	1590	237	1,43	3730
SA103WG-c	SANTIAGO 2.1 WG-mod/C	1920	286	1,73	4380
SA104WG-c	SANTIAGO 2.5 WG-mod/C	2460	366	2,21	4950
SA180WG-c	SANTIAGO 3.75 WG-mod/C	3750	558	3,38	7140
SA107WG-c	SANTIAGO NW90WG-mod/C	-	-	1,1	5310
SA106WG-c	SANTIAGO NZ90WG-mod/C	-	-	1	5210

Devices va	riants	PLUG-IN	REMOTE	
CUSTOM	for individual projects (drop in unit, without front panel, base panel made of stainless steel)	-35	-35	€/meter
DRE	wooden front panel, wooden base, without bumper	+440	+440	€/meter
FISH	exposition tank made of acid resistant stainless steel, painted evaporator	+440	+440	€/meter
GASTRO	stainless steel frame for GN containers	+285	+285	€/meter
BAIN-MARIE	bain marie (heated water tank/well), lamp panel with ceramic heaters (only Plug-in) ( +30 $\div$ +90°C )	+340	-	€/meter
PG	heated exposition area, lamp panel with infrared halogens (only Plug-in) ( +30 ÷ +60°C )	+340	-	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-75	-75	€/meter









#### S

Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate	+	-
powered only by external aggregate	-	+
multiplexable device	0	+
dynamic cooling (ventilated)	+	+
body with service-side base flashing composed of white, coated sheet metal	+	+
front base sheets and front panel with color - coated sheet - selectable color (IGLOO pattern book)	+	+
ecological polyurethane foam insulation	+	+
exposition area made of stainless steel	+	+
storage chamber made of stainless steel	+	+
storage chamber back doors – hinged	+	+
grey granite worktop (thickness 20 mm)	+	+
internal frame and aluminum profiles anodised color silver or gold (IGLOO pattern book)	+	+
curved front glass - telescopic lifting system	+	+
night blinds made of plexi glass	+	+
LED lamp (color of choice: white, confectionery or pink )	+	+
bumper - different colors available (IGLOO pattern book)	+	+
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	+	0
automatic defrost	+	+
codenser outlet to container	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+
condenser impurity or fan operation failure alarm	+	-

#### Options

insulated plastic sides + glass sides - selectable colour (IGLOO pattern book) wooden side panels - different colors available (IGLOO pattern book) (applies to DRE and O device without side panels prepared for multiplexing (MOD/A) housing with base panel from staff side made of stinaless steel front panel color different than IGLOO pattern book (please contact IGLOO sales dept.) front panel made of stainless steel base panel color different than IGLOO pattern book (please contact IGLOO sales dept.) base panel made of stainless steel exposition area made of acid resistant stinless steel storage chamber made of acid - resistant stainless steel exposition stepped overlay made of stainless steel (1 step) exposition stepped overlay made of acid resistant stainless steel (1 step) exposition stepped overlay made of stainless steel (2 step) exposition stepped overlay made of acid resistant stainless steel (2 step) powder painted evaporator worktop - granite Balmoral (thickness : 20 mm) worktop - granite black (thickness : 20 mm) worktop - stainless steel additional exposition glass shelf set of wheels (castors) addtional LED light in top lamp profile electric heaters for evaporator defrost device with temperature range from -2 °C to +4 °C (includes electric defroster heaters) automatic condenser vaporization (gas evaporator) analog thermometer electronic temperature recorder + software (Igloo) temperature recorder wire socket with fuse customer front shelf (aluminum profile anodised color silver or gold) movable partition (low ,glass on stands , placed in expostion area) top fixed partiton (high , glass in exposition area) bottom fixed partition (made from stainless steel in storage chamber) fixed insulated partition panel ( increases the modlue lenght by 30 mm ) runner for small movable table small movable table for scale or cash register (400x500mm) box UVC - model 1.1 / 1.4 / 1.7 box UVC - model 2.1 / 2.5 / 3.75

	PLUG-IN	REMOTE	
	S	495	€/set
l CUSTOM versions)	85	575	€/set
	-240	S	€/set
	230	230	€/meter
	45	45	€/meter
	180	180	€/meter
	45	45	€/meter
	95	95	€/meter
	95	95	€/meter
	140	140	€/meter
	165	165	€/meter
	230	230	€/meter
	215	215	€/meter
	290	290	€/meter
	100	100	€/meter
	70	70	€/meter
	165	165	€/meter
	0	0	€/meter
	105	105	€/meter
	205	-	€/meter
	115	115	€/meter
	115	115	€/meter
	340	160	€/meter
	45	-	€/pcs
	35	35	€/pcs
	115	115	€/set
	45	45	€/pcs
	45	45	€/pcs
	125	125	€/meter
	70	70	€/pcs
	85	85	€/pcs
	65	65	€/pcs
	415	415	€/pcs
	60	60	€/meter
	215	215	€/pcs
	500	500	€/set
	705	705	€/set
		-	-,,-



					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
SANTIAG	O (PLUG-IN)				
SA100	SANTIAGO 1.1 S	1040	170	0,8	3 110
SA101	SANTIAGO 1.4 S	1370	220	1	3 550
SA102	SANTIAGO 1.7 S	1670	270	1,2	4 110
SA103	SANTIAGO 2.1 S	2000	325	1,5	4 740
SA104	SANTIAGO 2.5 S	2540	420	1,9	5 390
SA180	SANTIAGO 3.75 S	3830	640	2,9	7 600
SA107	SANTIAGO NWS90	-	150	0,9	5 200
SA106W	SANTIAGO NZW90	-	170	1,1	5 600
SANTIAG	O (REMOTE)				
SA100-c	SANTIAGO 1.1 S-mod/C	960	170	0,8	2 480
SA101-c	SANTIAGO 1.4 S-mod/C	1290	220	1	2 820
SA102-c	SANTIAGO 1.7 S-mod/C	1590	270	1,2	3 350
SA103-c	SANTIAGO 2.1 S-mod/C	1920	325	1,5	3 880
SA104-c	SANTIAGO 2.5 S-mod/C	2460	420	1,9	4 530
SA180-c	SANTIAGO 3.75 S-mod/C	3750	640	2,9	6 30
SA107-c	SANTIAGO NWS90-mod/C	-	150	0,9	4 560
SA106W-c	SANTIAGO NZW90-mod/C	-	170	1,1	4 720
Devices v	ariants		PLUG-IN	REMOTE	
CUSTOM	for individual projects (drop in unit panel, base panel made of stainless		-35	-35	€/mete
DRE	wooden front panel, wooden base, bumper	without	+440	+440	€/mete
FISH	exposition tank made of acid resist steel, painted evaporator	ant stainless	+440	+440	€/mete
GASTRO	stainless steel frame for GN contai	ners	+510	+510	€/mete
BAIN-MARIE	bain marie (heated water tank/wel with ceramic heaters (only Plug-in)	(+30 ÷ +90°C)	+340	-	€/mete
	1 I I II II I I I I	المستقيمة الملاقية			

heated exposition area, lamp panel with infrared halogens (only Plug-in) ( +30 ÷ +60°C )

low front glass, without lamp, without plexi night blinds

PG

SELF SERVICE

\_

-75

+340

-75

€/meter

€/meter







### Sta

Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate	+	-
powered only by external aggregate	-	+
multiplexable device	0	+
static cooling	+	+
body with service-side base flashing composed of white, coated sheet metal	+	+
front base sheets and front panel with color - coated sheet - selectable color (IGLOO pattern book)	+	+
ecological polyurethane foam insulation	+	+
exposition area made of stainless steel	+	+
storage chamber made of stainless steel	+	+
storage chamber back doors – hinged	+	+
grey granite worktop (thickness 20 mm)	+	+
internal frame and aluminum profiles anodised color silver or gold (IGLOO pattern book)	+	+
curved front glass - telescopic lifting system	+	+
night blinds made of plexi glass	+	+
LED lamp (color of choice: white, confectionery or pink )	+	+
bumper - different colors available (IGLOO pattern book)	+	+
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	+	0
automatic defrost	+	+
codenser outlet to container	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	S	495	€/set
wooden sides + glass sides - selectable colour (IGLOO pattern book)	85	575	€/set
device without side panels prepared for multiplexing (MOD/A)	-250	S	€/pcs
housing with base panel from staff side made of stinaless steel	230	230	€/meter
front panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	45	45	€/meter
front panel made of stainless steel	180	180	€/meter
base panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	45	45	€/meter
base panel made of stainless steel	95	95	€/meter
exposition area made of acid resistant stinless steel	95	95	€/meter
storage chamber made of acid – resistant stainless steel	140	140	€/meter
exposition area – stepped – 2 steps	65	65	€/meter
exposition area – stepped – 3 steps	70	70	€/meter
powder painted evaporator	100	100	€/meter
worktop - granite Balmoral (thickness : 20 mm)	70	70	€/meter
worktop - granite black (thickness : 20 mm)	165	165	€/meter
worktop - stainless steel	0	0	€/meter
additional exposition glass shelf	105	105	€/meter
set of wheels (castors)	205	-	€/meter
fans enforcing air circulation	230	230	€/meter
addtional LED light in top lamp profile	115	115	€/meter
electric heaters for evaporator defrost	115	115	€/meter
device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	340	160	€/meter
automatic condenser vaporization (gas evaporator)	45	-	€/pcs
analog thermometer	35	35	€/pcs
electronic temperature recorder + software (Igloo)	115	115	€/set
temperature recorder wire	45	45	€/pcs
socket with fuse	45	45	€/pcs
customer front shelf (aluminum profile anodised color silver or gold)	125	125	€/meter
the front shelf for the customer made of wooden profiles with stainless elements - selectable color (IGLOO pattern book)	240	240	€/meter
movable partition (low ,glass on stands , placed in expostion area)	70	70	€/pcs
top fixed partiton (high , glass in exposition area)	85	85	€/pcs
bottom fixed partition (made from stainless steel in storage chamber)	65	65	€/pcs
fixed insulated partition panel ( increases the modlue lenght by 30 mm )	415	415	€/pcs
runner for small movable table	60	60	€/meter
small movable table for scale or cash register (400x500mm)	215	215	€/pcs
box UVC - model 1.1 / 1.4 / 1.7 / NW90 / NZ90 (only for version W)	500	500	€/set
box UVC - model 2.1 / 2.5 / 3.75 (only for version W)	705	705	€/set

1380



		$\bigvee$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
LUZON DE	EEP (PLUG-IN)				
BA220WG	LUZON DEEP 0.94	1020	140	0,9	2920
BA230WG	LUZON DEEP 1.25	1330	186	1,1	3300
BA240WG	LUZON DEEP 1.56	1645	232	1,4	3690
BA250WG	LUZON DEEP 1.88	1960	280	1,7	4270
BA260WG	LUZON DEEP 2.50	2580	372	2,3	5020
BA270WG	LUZON DEEP 3.13	3210	466	2,8	6260
BA280WG	LUZON DEEP 3.75	3830	558	3,4	6980
BA290WG	LUZON DEEP NW90	-	-	1,1	4570
BA295WG	LUZON DEEP NZ90	-	-	1,1	4560
LUZON DE	EEP (REMOTE)				
BA220WG-c	LUZON DEEP 0.94-mod/C	938	140	0,9	2180
BA230WG-c	LUZON DEEP 1.25-mod/C	1250	186	1,1	2500
BA240WG-c	LUZON DEEP 1.56-mod/C	1563	232	1,4	2880
BA250WG-c	LUZON DEEP 1.88-mod/C	1875	280	1,7	3410
BA260WG-c	LUZON DEEP 2.50-mod/C	2500	372	2,3	3970
BA270WG-c	LUZON DEEP 3.13-mod/C	3125	466	2,8	5050
BA280WG-c	LUZON DEEP 3.75-mod/C	3750	558	3,4	5470
BA290WG-c	LUZON DEEP NW90-mod/C	-	-	1,1	3850
BA295WG-c	LUZON DEEP NZ90-mod/C	-	-	1,1	3840

Devices var	riants	PLUG-IN	REMOTE	
CUSTOM	for individual projects (drop in unit, without front panel, base panel made of stainless steel)	-30	-30	€/meter
DRE	wooden front panel, stainless steel base, without bumper	+420	+420	€/meter
FISH	exposition tank made of acid resistant stainless steel, painted evaporator	+485	+485	€/meter
GASTRO	stainless steel frame for GN containers	+335	+335	€/meter
BAIN-MARIE	bain marie (heated water tank/well), lamp panel with ceramic heaters (only Plug-in) ( +30 $\div$ +90°C )	+360	-	€/meter
PG	heated exposition area, lamp panel with infrared halogens (only Plug-in) ( +30 ÷ +60°C )	+360	-	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-55	-55	€/meter







#### St

Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate	+	-
powered only by external aggregate	-	+
multiplexable device	0	+
dynamic cooling (ventilated)	+	+
body with service-side base flashing composed of white, coated sheet metal	+	+
front base sheets and front panel with color – coated sheet – selectable color (IGLOO pattern book)	+	+
ecological polyurethane foam insulation	+	+
exposition area made of stainless steel	+	+
storage chamber made of white coated steel	+	+
storage chamber back doors – hinged	+	+
worktop - stainless steel	+	+
anodised aluminum profiles color gold or silver (IGLOO pattern book)	+	+
straight front glass pane (which can slightly be opened)	+	+
LED lamp (color of choice: white, confectionery or pink )	+	+
bumper - different colors available (IGLOO pattern book)	+	+
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	+	0
automatic defrost	+	+
codenser outlet to container	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+
condenser impurity or fan operation failure alarm	+	-

#### Options

insulated plastic sides + glass sides - selectable colour (IGLOO pattern book) wooden sides + glass sides - selectable colour (IGLOO pattern book) device without side panels prepared for multiplexing (MOD/A) housing with base panel from staff side made of stinaless steel front panel color different than IGLOO pattern book (please contact IGLOO sales dept.) front panel made of stainless steel base panel color different than IGLOO pattern book (please contact IGLOO sales dept.) base panel made of stainless steel exposition area made of color-coated sheet - selectable color (IGLOO pattern book) storage chamber made of stainless steel exposition area made of acid resistant stinless steel storage chamber made of acid - resistant stainless steel exposition stepped overlay made of white coated steel (1 step) exposition stepped overlay made of stainless steel (1 step) exposition stepped overlay made of acid resistant stainless steel (1 step) exposition stepped overlay made of white coated steel (2 steps) exposition stepped overlay made of stainless steel (2 step) exposition stepped overlay made of acid resistant stainless steel (2 step) powder painted evaporator night blinds made of plexi glass worktop - granite grey (thickness : 20 mm) worktop - granite Balmoral (thickness : 20 mm) worktop - granite black (thickness : 20 mm) additional exposition glass shelf set of wheels (castors) addtional LED light in top lamp profile electric heaters for evaporator defrost device with temperature range from -2 °C to +4 °C (includes electric defroster heaters) automatic condenser vaporization (gas evaporator) analog thermometer electronic temperature recorder + software (Igloo) temperature recorder wire socket with fuse customer front shelf (aluminum profile anodised color silver or gold) the front shelf for the customer made of wooden profiles with stainless elements - selectal movable partition (low ,glass on stands , placed in expositon area) top fixed partiton (high , glass in exposition area) bottom fixed partition (made from stainless steel in storage chamber) fixed insulated partition panel ( increases the modlue lenght by 30 mm ) runner for small movable table small movable table for scale or cash register (400x500mm) box UVC - model 0.94 / 1.25 / 1.56 / 1.88 / NW90 / NZ90

box UVC - model 2.50 / 3.13 / 3.75

	PLUG-IN	REMOTE	
	S	435	€/set
	75	510	€/set
	-230	S	€/set
	215	215	€/meter
	60	60	€/meter
	195	195	€/meter
	15	15	€/meter
	65	65	€/meter
	0	0	€/meter
	145	145	€/meter
	65	65	€/meter
	235	235	€/meter
	110	110	€/meter
	155	155	€/meter
	215	215	€/meter
	165	165	€/meter
	205	205	€/meter
	275	275	€/meter
	100	100	€/meter
	90	90	€/meter
	65	65	€/meter
	110	110	€/meter
	195	195	€/meter
	100	100	€/meter
	205	-	€/meter
	110	110	€/meter
	110	110	€/meter
	325	150	€/meter
	45	-	€/pcs
	35	35	€/pcs
	110	110	€/set
	40	40	€/pcs
	45	45	€/pcs
	120	120	€/meter
able color (IGLOO pattern book)	230	230	€/meter
	65	65	€/pcs
	75	75	€/pcs
	60	60	€/pcs
	395	395	€/pcs
	60	60	€/meter
	215	215	€/pcs
	500	500	€/set
	705	705	€/set



					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
LUZON (P	LUG-IN)				
BA220	LUZON 0.94	1020	183	0,7	2550
BA230	LUZON 1.25	1330	243	1	2820
BA240	LUZON 1.56	1645	303	1,2	3240
BA250	LUZON 1.88	1960	366	1,4	3750
BA260	LUZON 2.50	2580	486	1,9	4410
BA270	LUZON 3.13	3210	609	2,4	5610
BA280	LUZON 3.75	3830	729	2,9	6210
BA290	LUZON NW90	1350	150	0,9	4090
BA295	LUZON NZ90	1375	150	0,9	4090
LUZON (R	EMOTE)				
BA220-c	LUZON 0.94-mod/C	938	183	0,7	1790
BA230-c	LUZON 1.25-mod/C	1250	243	1	2090
BA240-c	LUZON 1.56-mod/C	1563	303	1,2	2460
BA250-c	LUZON 1.88-mod/C	1875	366	1,4	2720
BA260-c	LUZON 2.50-mod/C	2500	486	1,9	3330
BA270-c	LUZON 3.13-mod/C	3125	609	2,4	4370
BA280-c	LUZON 3.75-mod/C	3750	729	2,9	5100
BA290-c	LUZON NW90-mod/C	1300	150	0,9	3250
BA295-c	LUZON NZ90-mod/C	1310	150	0,9	3250

Devices va	riants	PLUG-IN	REMOTE	
CUSTOM	for individual projects (drop in unit, without front panel, base panel made of stainless steel)	-35	-35	€/meter
DRE	wooden front panel, stainless steel base, without bumper	+440	+440	€/meter
FISH	exposition tank made of acid resistant stainless steel, painted evaporator	+440	+440	€/meter
GASTRO	stainless steel frame for GN containers	+510	+510	€/meter
BAIN-MARIE	bain marie (heated water tank/well), lamp panel with ceramic heaters (only Plug-in) ( +30 ÷ +90°C )	+315	-	€/meter
PG	heated exposition area, lamp panel with infrared halogens (only Plug-in) ( +30 $\div$ +60°C )	+315	-	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-65	-65	€/meter











#### S

:.

Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate	+	-
powered only by external aggregate	-	+
multiplexable device	0	+
static cooling	+	+
body with service-side base flashing composed of white, coated sheet metal	+	+
front base sheets and front panel with color - coated sheet - selectable color (IGLOO pattern book)	+	+
ecological polyurethane foam insulation	+	+
exposition area made of stainless steel	+	+
storage chamber made of white coated steel	+	+
storage chamber back doors – hinged	+	+
worktop - stainless steel	+	+
anodised aluminum profiles color gold or silver (IGLOO pattern book)	+	+
straight front glass pane (which can slightly be opened)	+	+
LED lamp (color of choice: white, confectionery or pink )	+	+
bumper - different colors available (IGLOO pattern book)	+	+
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	+	0
automatic defrost	+	+
codenser outlet to container	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	S	460	€/set
wooden sides + glass sides - selectable colour (IGLOO pattern book)	85	540	€/set
device without side panels prepared for multiplexing (MOD/A)	-250	S	€/pcs
housing with base panel from staff side made of stinaless steel	230	230	€/meter
front panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	65	65	€/meter
front panel made of stainless steel	205	205	€/meter
base panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	20	20	€/meter
base panel made of stainless steel	70	70	€/meter
exposition area made of white coated steel	0	0	€/meter
storage chamber made of stainless steel	150	150	€/meter
exposition area made of acid resistant stinless steel	95	95	€/meter
storage chamber made of acid – resistant stainless steel	250	250	€/meter
exposition area – stepped – 2 steps	65	65	€/meter
exposition area – stepped – 3 steps	70	70	€/meter
powder painted evaporator	100	100	€/meter
night blinds made of plexi glass	95	95	€/meter
worktop - granite grey (thickness : 20 mm)	70	70	€/meter
worktop - granite Balmoral (thickness : 20 mm)	115	115	€/meter
worktop - granite black (thickness : 20 mm)	205	205	€/meter
additional exposition glass shelf	105	105	€/meter
set of wheels (castors)	205	-	€/meter
fans enforcing air circulation	230	230	€/meter
addtional LED light in top lamp profile	115	115	€/meter
electric heaters for evaporator defrost	115	115	€/meter
device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	340	160	€/meter
automatic condenser vaporization (gas evaporator)	45	-	€/pcs
analog thermometer	35	35	€/pcs
electronic temperature recorder + software (Igloo)	115	115	€/set
temperature recorder wire	45	45	€/pcs
socket with fuse	45	45	€/pcs
customer front shelf (aluminum profile anodised color silver or gold)	125	125	€/meter
the front shelf for the customer made of wooden profiles with stainless elements - selectable color (IGLOO pattern book)	240	240	€/meter
movable partition (low ,glass on stands , placed in expostion area)	70	70	€/pcs
top fixed partiton (high , glass in exposition area)	85	85	€/pcs
bottom fixed partition (made from stainless steel in storage chamber)	65	65	€/pcs
fixed insulated partition panel ( increases the modlue lenght by 30 mm )	415	415	€/pcs
runner for small movable table	60	60	€/meter
small movable table for scale or cash register (400x500mm)	215	215	€/pcs
box UVC - model 0.94 / 1.25 / 1.56 / 1.88 / NW90 / NZ90 (only for version W)	500	500	€/set
box UVC - model 2.50 / 3.13 / 3.75 (only for version W)	705	705	€/set



					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
<b>BASIA 2 (PI</b>	_UG-IN)				
BA100	BASIA 2/1.1 S	1040	170	0,8	2510
BA101	BASIA 2/1.4 S	1370	220	1	2770
BA102	BASIA 2/1.7 S	1670	270	1,2	3270
BA103	BASIA 2/2.1 S	2000	325	1,5	3610
BA104	BASIA 2/2.5 S	2540	420	1,9	4210
BA107	BASIA 2/3.0 S	2960	495	2,3	5160
BA108	BASIA 2/3.4 S	3260	561	2,4	5380
BA180	BASIA 2/3.75 S	3830	640	2,9	6090
BA105	BASIA 2/NWS	-	150	0,9	3910
BA106W	BASIA 2/NZW	-	170	1,1	4120
BA109/11	BASIA 2/(NW+1.1)S	2300	320	1,7	5270
BA109/21	BASIA 2/(NW+2.1)S	3260	475	2,4	6510
BA111/11	BASIA 2/(1.1+NW)S	2300	320	1,7	5270
BA111/21	BASIA 2/(2.1+NW)S	3260	475	2,4	6510
BA110/11	BASIA 2/(NZ+1.1)S	2300	170	1,9	5390
BA110/21	BASIA 2/(NZ+2.1)S	3260	325	2,6	6700
BA112/11	BASIA 2/(1.1+NZ)S	2300	170	1,9	5390
BA112/21	BASIA 2/(2.1+NZ)S	3260	325	2,6	6700
BA112/21	BASIA 2/(NZ+2.1)S	3260	325	2,6	6210
<b>BASIA 2 (RI</b>	EMOTE)				
BA100-c	BASIA 2/1.1S-mod/C	960	170	0,8	1800
BA101-c	BASIA 2/1.4S-mod/C	1290	220	1	2140
BA102-c	BASIA 2/1.7S-mod/C	1590	270	1,2	2550
BA103-c	BASIA 2/2.1S-mod/C	1920	325	1,5	2870
BA104-c	BASIA 2/2.5S-mod/C	2460	420	1,9	3330
BA180-c	BASIA 2/3.75S-mod/C	3750	640	2,9	4900
BA105-c	BASIA 2/NWS-mod/C	-	150	0,9	3310
BA106W-c	BASIA 2/NZW-mod/C	-	170	1,1	3570

Devices va	riants	PLUG-IN	REMOTE	
FISH	exposition tank made of acid resistant stainless steel, painted evaporator	+440	+440	€/meter
GASTRO	stainless steel frame for GN containers	+510	+510	€/meter
BAIN-MARIE	bain marie (heated water tank/well), lamp panel with ceramic heaters (only Plug-in) ( +30 ÷ +90°C )	+315	-	€/meter
PG	heated exposition area, lamp panel with infrared halogens (only Plug-in) ( +30 ÷ +60°C )	+315	-	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-65	-65	€/meter





internal cooling aggregate powered only by external aggregate multiplexable device static cooling body with service-side base flashing composed of white, coated sheet metal front base sheets and front panel with color - coated sheet - selectable color (IGLOO patt ecological polyurethane foam insulation exposition area made of stainless steel storage chamber made of white coated steel storage chamber back doors – hinged worktop - stainless steel anodised aluminum profiles color gold or silver (IGLOO pattern book) curved front glass openable LED lamp (color of choice: white, confectionery or pink) bumper - different colors available (IGLOO pattern book) insulated plastic sides + glass sides - selectable colour (IGLOO pattern book) automatic defrost codenser outlet to container electronic temperature controller with digital display (Igloo/Carel) condenser impurity or fan operation failure alarm

#### Options

insulated plastic sides + glass sides - selectable colour (IGLOO pattern book) device without side panels prepared for multiplexing (MOD/A) housing with base panel from staff side made of stinaless steel front panel color different than IGLOO pattern book (please contact IGLOO sales dept.) front panel made of stainless steel base panel color different than IGLOO pattern book (please contact IGLOO sales dept.) base panel made of stainless steel exposition area made of white coated steel storage chamber made of stainless steel exposition area made of acid resistant stinless steel storage chamber made of acid - resistant stainless steel exposition area – stepped – 2 steps exposition area - stepped - 3 steps powder painted evaporator night blinds made of plexi glass worktop - granite grey (thickness : 20 mm) worktop - granite Balmoral (thickness : 20 mm) worktop - granite black (thickness : 20 mm) additional exposition glass shelf stainless steel shelf placed on the top of the front glass set of wheels (castors) fans enforcing air circulation addtional LED light in top lamp profile electric heaters for evaporator defrost device with temperature range from -2 °C to +4 °C (includes electric defroster heaters) automatic condenser vaporization (gas evaporator) analog thermometer electronic temperature recorder + software (Igloo) temperature recorder wire socket with fuse customer front shelf (aluminum profile anodised color silver or gold) movable partition (low ,glass on stands , placed in expostion area) top fixed partiton (high , glass in exposition area) bottom fixed partition (made from stainless steel in storage chamber) fixed insulated partition panel ( increases the modlue lenght by 30 mm ) runner for small movable table small movable table for scale or cash register (400x500mm) box UVC - model 0.94 / 1.25 / 1.56 / 1.88 / NW90 / NZ90 (only for version W) box UVC - model 2.50 / 3.13 / 3.75 (only for version W)

	PLUG-IN	REMOTE
	+	-
	-	+
	0	+
	+	+
	+	+
ttern book)	+	+
	+	+
	+	+
	+	+
	+	+
	+	+
	+	+
	+	+
	+	+
	+	+
	+	0
	+	+
	+	-
	+	+
	+	-

PLUG-IN	REMOTE	
S	460	€/set
-250	S	€/pcs
230	230	€/meter
45	45	€/meter
180	180	€/meter
45	45	€/meter
95	95	€/meter
0	0	€/meter
150	150	€/meter
95	95	€/meter
250	250	€/meter
65	65	€/meter
70	70	€/meter
100	100	€/meter
95	95	€/meter
85	85	€/meter
125	125	€/meter
215	215	€/meter
105	105	€/meter
100	100	€/meter
205	-	€/meter
230	230	€/meter
115	115	€/meter
115	115	€/meter
340	160	€/meter
45	-	€/pcs
35	35	€/pcs
115	115	€/set
45	45	€/pcs
45	45	€/pcs
125	125	€/meter
70	70	€/pcs
85	85	€/pcs
65	65	€/pcs
415	415	€/pcs
60	60	€/meter
215	215	€/pcs
500	500	€/set
705	705	€/set





ŀ

+1 / +10°C

					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PICO DEE	P (PLUG-IN)				
MO200WG	PICO DEEP 0.98	1060	160	0,5	2620
MO201WG	PICO DEEP 1.22	1300	210	0,6	2820
MO202WG	PICO DEEP 1.42	1500	240	0,8	3020
MO203WG	PICO DEEP 1.62	1700	270	0,9	3220
MO204WG	PICO DEEP 1.96	2040	330	1,1	3530
MO205WG	PICO DEEP 2.44	2520	410	1,4	4120





Devices va	riants	PLUG-IN	
CUSTOM	for individual projects (drop in unit, without front panel, base panel made of stainless steel)	-35	€/meter
DRE	wooden front panel, stainless steel base, without bumper	+440	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-65	€/meter

## Standard equipment

internal cooling aggregate
dynamic cooling (ventilated)
body with service-side base flashing composed of white, coated sheet metal
front base sheets and front panel with color – coated sheet – selectable color (IGLOO patter $\ensuremath{GLOO}$
ecological polyurethane foam insulation
exposition area made of stainless steel
storage chamber made of white coated steel
storage chamber back doors - hinged
worktop - stainless steel
anodised aluminum profiles color gold or silver (IGLOO pattern book)
straight front glass pane (which can slightly be opened)
LED lamp (color of choice: white, confectionery or pink )
bumper - different colors available (IGLOO pattern book)
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)
automatic defrost
codenser outlet to container
electronic temperature controller with digital display (Igloo/Carel)
condenser impurity or fan operation failure alarm

Options	PLUG-IN	
wooden sides + glass sides - selectable colour (IGLOO pattern book)	85	€/set
housing with base panel from staff side made of stinaless steel	230	€/meter
front panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	65	€/meter
front panel made of stainless steel	205	€/meter
base panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	20	€/meter
base panel made of stainless steel	70	€/meter
exposition area made of color-coated sheet - selectable color (IGLOO pattern book)	0	€/meter
storage chamber made of stainless steel	115	€/meter
exposition area made of acid resistant stinless steel	60	€/meter
storage chamber made of acid – resistant stainless steel	195	€/meter
powder painted evaporator	100	€/meter
night blinds made of plexi glass	95	€/meter
worktop - granite grey (thickness : 20 mm)	65	€/meter
worktop - granite Balmoral (thickness : 20 mm)	105	€/meter
worktop - granite black (thickness : 20 mm)	180	€/meter
additional exposition glass shelf	105	€/meter
set of wheels (castors)	205	€/meter
addtional LED light in top lamp profile	115	€/meter
electric heaters for evaporator defrost	115	€/meter
device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	340	€/meter
automatic condenser vaporization (gas evaporator)	45	€/pcs
analog thermometer	35	€/pcs
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs
socket with fuse	45	€/pcs
customer front shelf (aluminum profile anodised color silver or gold)	125	€/meter
the front shelf for the customer made of wooden profiles with stainless elements – selectable color (IGLOO pattern book)	240	€/meter
movable partition (low ,glass on stands , placed in expositon area)	65	€/pcs
top fixed partiton (high , glass in exposition area)	70	€/pcs
bottom fixed partition (made from stainless steel in storage chamber)	60	€/pcs
runner for small movable table	60	€/meter
small movable table for scale or cash register (400x500mm)	215	€/pcs
box UVC - model 0.98 / 1.22 / 1.42 / 1.62	500	€/set
box UVC - model 1.96 / 2.44	705	€/set

	+
	+
	+
ttern book)	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+



					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PICO (PLUC	G-IN)				
MO200	PICO 0.98	1060	160	0,5	2260
MO201	PICO 1.22	1300	210	0,6	2500
MO202	PICO 1.42	1500	240	0,7	2670
MO203	PICO 1.62	1700	270	0,8	2830
MO204	PICO 1.96	2040	330	1	3050
MO205	PICO 2.44	2520	410	1,25	3590



Devices va	riants	PLUG-IN	
CUSTOM	for individual projects (drop in unit, without front panel, base panel made of stainless steel)	-35	€/meter
DRE	wooden front panel, stainless steel base, without bumper	+440	€/meter
FISH	exposition tank made of acid resistant stainless steel, painted evaporator	+395	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-65	€/meter



internal cooling aggregate	
static cooling	
body with service-side base flashing composed of white, coated sheet metal	
front base sheets and front panel with color - coated sheet - selectable color (IGLOO pa	itter
ecological polyurethane foam insulation	
exposition area made of stainless steel	
storage chamber made of white coated steel	
storage chamber back doors - hinged	
worktop - stainless steel	
anodised aluminum profiles color gold or silver (IGLOO pattern book)	
straight front glass pane (which can slightly be opened)	
LED lamp (color of choice: white, confectionery or pink )	
bumper - different colors available (IGLOO pattern book)	
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	
automatic defrost	
codenser outlet to container	
electronic temperature controller with digital display (Igloo/Carel)	
condenser impurity or fan operation failure alarm	

## 0-4

Options	PLUG-IN	
wooden sides + glass sides - selectable colour (IGLOO pattern book)	85	€/set
housing with base panel from staff side made of stinaless steel	230	€/meter
front panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	60	€/meter
front panel made of stainless steel	205	€/meter
base panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	20	€/meter
base panel made of stainless steel	70	€/meter
exposition area made of color-coated sheet - selectable color (IGLOO pattern book)	0	€/meter
storage chamber made of stainless steel	115	€/meter
exposition area made of acid resistant stinless steel	60	€/meter
storage chamber made of acid – resistant stainless steel	195	€/meter
powder painted evaporator	100	€/meter
night blinds made of plexi glass	95	€/meter
worktop - granite grey (thickness : 20 mm)	60	€/meter
worktop - granite Balmoral (thickness : 20 mm)	105	€/meter
worktop - granite black (thickness : 20 mm)	180	€/meter
additional exposition glass shelf	105	€/meter
set of wheels (castors)	205	€/meter
addtional LED light in top lamp profile	115	€/meter
electric heaters for evaporator defrost	115	€/meter
device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	340	€/meter
automatic condenser vaporization (gas evaporator)	45	€/pcs
analog thermometer	35	€/pcs
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs
socket with fuse	45	€/pcs
customer front shelf (aluminum profile anodised color silver or gold)	125	€/meter
the front shelf for the customer made of wooden profiles with stainless elements - selectable color (IGLOO pattern book)	240	€/meter
movable partition (low ,glass on stands , placed in expostion area)	70	€/pcs
top fixed partiton (high , glass in exposition area)	70	€/pcs
bottom fixed partition (made from stainless steel in storage chamber)	60	€/pcs
runner for small movable table	60	€/meter
small movable table for scale or cash register (400x500mm)	215	€/pcs

	+
	+
	+
ttern book)	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+

MO	NIKA DEEP		Į	+1/+	+10°C	
	~					
					EUR	
	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	EUR Price 2021 €	
	Name			of shelves	Price	
				of shelves	Price	
MONIKA	DEEP (PLUG-IN)	[mm]	[dm3]	of shelves [m2]	Price 2021 €	
MONIKA MO100WG	DEEP (PLUG-IN) MONIKA 2/1.0WG	[mm] 1060	[dm3] 225	of shelves [m2] 0,55	Price 2021 € 2420	
MONIKA MO100WG MO101WG	DEEP (PLUG-IN) MONIKA 2/1.0WG MONIKA 2/1.3WG	[mm] 1060 1300	[dm3] 225 281	of shelves [m2] 0,55 0,68	Price 2021 € 2420 2660	
MONIKA MO100WG MO101WG MO102WG	DEEP (PLUG-IN) MONIKA 2/1.0WG MONIKA 2/1.3WG MONIKA 2/1.5WG	[mm] 1060 1300 1500	[dm3] 225 281 327	of shelves [m2] 0,55 0,68 0,8	Price 2021 € 2420 2660 2840	





Devices va	riants	PLUG-IN	
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-65	€/meter

internal cooling aggregate
dynamic cooling (ventilated)
body with service-side base flashing composed of white, coated sheet metal
front base sheets and front panel with color - coated sheet - selectable color (IGLOO patter
ecological polyurethane foam insulation
exposition area made of stainless steel
storage chamber made of white coated steel
storage chamber back doors - hinged
worktop - stainless steel
anodised aluminum profiles color gold or silver (IGLOO pattern book)
curved front glass openable
LED lamp (color of choice: white, confectionery or pink )
bumper - different colors available (IGLOO pattern book)
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)
automatic defrost
codenser outlet to container
electronic temperature controller with digital display (Igloo/Carel)
condenser impurity or fan operation failure alarm

#### \_ .

Options	PLUG-IN	
housing with base panel from staff side made of stinaless steel	230	€/meter
front panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	45	€/meter
front panel made of stainless steel	170	€/meter
base panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	40	€/meter
base panel made of stainless steel	85	€/meter
exposition area made of color-coated sheet - selectable color (IGLOO pattern book)	0	€/meter
storage chamber made of stainless steel	115	€/meter
exposition area made of acid resistant stinless steel	60	€/meter
storage chamber made of acid - resistant stainless steel	195	€/meter
powder painted evaporator	100	€/meter
night blinds made of plexi glass	95	€/meter
worktop - granite grey (thickness : 20 mm)	65	€/meter
worktop - granite Balmoral (thickness : 20 mm)	105	€/meter
worktop - granite black (thickness : 20 mm)	180	€/meter
additional exposition glass shelf	105	€/meter
stainless steel shelf placed on the top of the front glass	95	€/meter
set of wheels (castors)	205	€/meter
addtional LED light in top lamp profile	115	€/meter
electric heaters for evaporator defrost	115	€/meter
device with temperature range from -2 °C to +4 °C (includes electric defroster heaters)	340	€/meter
automatic condenser vaporization (gas evaporator)	45	€/pcs
analog thermometer	35	€/pcs
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs
socket with fuse	45	€/pcs
customer front shelf (aluminum profile anodised color silver or gold)	125	€/meter
movable partition (low ,glass on stands , placed in expositon area)	65	€/pcs
top fixed partiton (high , glass in exposition area)	70	€/pcs
bottom fixed partition (made from stainless steel in storage chamber)	60	€/pcs
runner for small movable table	60	€/meter
small movable table for scale or cash register (400x500mm)	215	€/pcs

	+
	+
	+
ttern book)	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+





ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price 2021 €
MONIKA	PLUG-IN)				
MO100	MONIKA 2/1.0	1070	160	0,5	2040
MO101	MONIKA 2/1.3	1310	210	0,6	2260
MO102	MONIKA 2/1.5	1510	240	0,7	2390
MO103	MONIKA 2/1.7	1710	270	0,8	2590
MO104	MONIKA 2/2.05	2050	330	1	2800
MO105	MONIKA 2/2.5	2520	410	1,25	3450
Devices variants				PLUG-IN	
SELF SERVICE low front glass, without lamp, without plexi night blinds			-65	€/meter	



internal cooling aggregate	+
static cooling	+
body with service-side base flashing composed of white, coated sheet metal	+
front base sheets and front panel with color - coated sheet - selectable color (IGLOO pattern book)	+
ecological polyurethane foam insulation	+
exposition area made of stainless steel	+
storage chamber made of white coated steel	+
storage chamber back doors - hinged	+
worktop - stainless steel	+
anodised aluminum profiles color gold or silver (IGLOO pattern book)	+
curved front glass openable	+
LED lamp (color of choice: white, confectionery or pink )	+
bumper - different colors available (IGLOO pattern book)	+
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	+
automatic defrost	+
codenser outlet to container	+
electronic temperature controller with digital display (Igloo/Carel)	+
condenser impurity or fan operation failure alarm	+

using with base panel from staff side made of stinaless steel230ont panel color different than IGLOO pattern book (please contact IGLOO sales dept.)45ont panel made of stainless steel40se panel color different than IGLOO pattern book (please contact IGLOO sales dept.)40se panel nade of stainless steel85position area made of color-coated sheet - selectable color (IGLOO pattern book)0orage chamber made of stainless steel115position area made of acid resistant stinless steel60orage chamber made of acid - resistant stainless steel195wder painted evaporator100	€/meter €/meter €/meter €/meter €/meter €/meter €/meter €/meter €/meter
int panel made of stainless steel 170   se panel color different than IGLOO pattern book (please contact IGLOO sales dept.) 40   se panel made of stainless steel 85   position area made of color-coated sheet - selectable color (IGLOO pattern book) 0   orage chamber made of stainless steel 115   position area made of acid resistant stinless steel 60   orage chamber made of acid - resistant stainless steel 195	€/meter €/meter €/meter €/meter €/meter €/meter €/meter €/meter
se panel color different than IGLOO pattern book (please contact IGLOO sales dept.) 40 se panel made of stainless steel 85 position area made of color-coated sheet - selectable color (IGLOO pattern book) 0 orage chamber made of stainless steel 115 position area made of acid resistant stinless steel 60 orage chamber made of acid - resistant stainless steel 195	€/meter €/meter €/meter €/meter €/meter €/meter €/meter
se panel made of stainless steel 85 position area made of color-coated sheet - selectable color (IGLOO pattern book) 0 orage chamber made of stainless steel 115 position area made of acid resistant stinless steel 60 orage chamber made of acid - resistant stainless steel 195	€/meter €/meter €/meter €/meter €/meter €/meter
position area made of color-coated sheet - selectable color (IGLOO pattern book) 0 orage chamber made of stainless steel 115 position area made of acid resistant stinless steel 60 orage chamber made of acid - resistant stainless steel 195	€/meter €/meter €/meter €/meter €/meter
porage chamber made of stainless steel 115   position area made of acid resistant stinless steel 60   porage chamber made of acid - resistant stainless steel 195	€/meter €/meter €/meter €/meter
position area made of acid resistant stinless steel 60 orage chamber made of acid - resistant stainless steel 195	€/meter €/meter €/meter €/meter
, prage chamber made of acid - resistant stainless steel 195	€/meter €/meter €/meter
	€/meter €/meter
100	€/meter
wder painted evaporator 100	
ght blinds made of plexi glass 95	€/meter
brktop - granite grey (thickness : 20 mm) 65	-,
orktop - granite Balmoral (thickness : 20 mm) 105	€/meter
brktop - granite black (thickness : 20 mm) 180	€/meter
ditional exposition glass shelf 105	€/meter
ainless steel shelf placed on the top of the front glass 95	€/meter
t of wheels (castors) 205	€/meter
dtional LED light in top lamp profile 115	€/meter
ectric heaters for evaporator defrost 115	€/meter
vice with temperature range from -2 °C to +4 °C (includes electric defroster heaters) 340	€/meter
tomatic condenser vaporization (gas evaporator) 45	€/pcs
alog thermometer 35	€/pcs
ectronic temperature recorder + software (Igloo) 115	€/set
mperature recorder wire 45	€/pcs
cket with fuse 45	€/pcs
stomer front shelf (aluminum profile anodised color silver or gold) 125	€/meter
ovable partition (low ,glass on stands , placed in expositon area) 65	€/pcs
p fixed partiton (high , glass in exposition area) 70	€/pcs
ttom fixed partition (made from stainless steel in storage chamber) 60	€/pcs
nner for small movable table 60	€/meter
nall movable table for scale or cash register (400x500mm) 215	€/pcs



			<u>U</u> P		U
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
SUMBA (P	LUG-IN)				
SU100	SUMBA 1.0	1060	120	0,65	2990
SU101	SUMBA 1.5	1500	195	0,95	3590
SU102	SUMBA 2.0	2040	260	1,3	4310
SU103	SUMBA 2.5	2520	335	1,61	4960
SU104	SUMBA NW90	-	185	0,88	4690
SU105	SUMBA NZ	-	414	1,97	8760
SUMBA (R	EMOTE)				
SU100-c	SUMBA 1.0-mod/C	980	215	0,65	2250
SU101-c	SUMBA 1.5-mod/C	1420	333	0,95	2950
SU102-c	SUMBA 2.0-mod/C	1960	451	1,3	3540
SU103-c	SUMBA 2.5-mod/C	2440	573	1,61	4200
SU104-c	SUMBA NW-mod/C	-	185	0,88	4030
SU105-c	SUMBA NZ-mod/C	-	414	1,97	7180

Devices va	riants	PLUG-IN	REMOTE	
CUSTOM	for individual projects (drop in unit, without front panel, base panel made of stainless steel)	-35	-35	€/meter
DRE	wooden front panel, stainless steel base, without bumper	+420	+420	€/meter







NW



Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate	+	-
powered only by external aggregate	-	+
multiplexable device	0	+
static cooling (2 evaporators)	+	+
body with service-side base flashing composed of white, coated sheet metal	+	+
front base sheets and front panel with color – coated sheet – selectable color (IGLOO pattern book)	+	+
ecological polyurethane foam insulation	+	+
exposition area made of stainless steel	+	+
storage chamber made of white coated steel	+	+
rear storage compartment door - sliding (in the module 1.0 and corners - hinged)	+	+
grey granite worktop (thickness 20 mm)	+	+
internal frame and aluminum profiles anodised color silver or gold (IGLOO pattern book)	+	+
straight front glass pane (which can slightly be opened)	+	+
night blinds made of plexi glass	+	+
LED lamp (color of choice: white, confectionery or pink )	+	+
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	+	0
automatic defrost	+	+
automatic condenser vaporization (gas evaporator)	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+
condenser impurity or fan operation failure alarm	+	-

condenser impurity or fan operation failure alarm

#### Options

insulated plastic sides + glass sides - selectable colour (IGLOO pattern book) wooden sides + glass sides - selectable colour (IGLOO pattern book) device without side panels prepared for multiplexing (MOD/A) hinged system for the front window housing with base panel from staff side made of stinaless steel front panel color different than IGLOO pattern book (please contact IGLOO sales dept.) front panel made of stainless steel base panel color different than IGLOO pattern book (please contact IGLOO sales dept.) base panel made of stainless steel exposition area made of acid resistant stinless steel storage chamber made of stainless steel storage chamber made of acid – resistant stainless steel exposition stepped overlay made of stainless steel (1 step) exposition stepped overlay made of acid resistant stainless steel (1 step) exposition stepped overlay made of stainless steel (2 step) exposition stepped overlay made of acid resistant stainless steel (2 step) powder painted evaporator worktop - granite Balmoral (thickness : 20 mm) worktop - granite black (thickness : 20 mm) worktop - stainless steel additional exposition glass shelf with illumination - LED light set of wheels (castors) electric heaters for evaporator defrost electronic temperature recorder + software (Igloo) temperature recorder wire socket with fuse customer front shelf (aluminum profile anodised color silver or gold) front shelf for the customer with wooden profiles and stainless steel inserts - selectable co movable partition (low ,glass on stands , placed in expostion area) top fixed partiton (high , glass in exposition area) runner for small movable table small movable table for scale or cash register (400x500mm)

	PLUG-IN	REMOTE	
	S	445	€/set
	85	525	€/set
	-245	S	€/pcs
	160	160	€/meter
	230	230	€/meter
	60	60	€/meter
	195	195	€/meter
	25	25	€/meter
	85	85	€/meter
	90	90	€/meter
	115	115	€/meter
	195	195	€/meter
	105	105	€/meter
	170	170	€/meter
	140	140	€/meter
	230	230	€/meter
	165	165	€/meter
	65	65	€/meter
	160	160	€/meter
	0	0	€/meter
	215	215	€/meter
	205	-	€/meter
	115	115	€/meter
	115	115	€/set
	45	45	€/pcs
	45	45	€/pcs
	125	125	€/meter
colour (IGLOO pattern book)	240	240	€/meter
	75	75	€/pcs
	90	90	€/pcs
	60	60	€/meter
	215	215	€/pcs

## PROXIMA

F

## **3M1**(-1/+5°C) / **3M2**(-1/+7°C) / **3H1**(+1/+10°C)



		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PROXIMA	4				
PRX130	PROXIMA 1.25-mod/C	1250	264	1.1	3820
PRX150	PROXIMA 1.88-mod/C	1875	408	1.7	4770
PRX160	PROXIMA 2.50-mod/C	2500	552	2.3	5560
PRX180	PROXIMA 3.75-mod/C	3750	816	3.4	7820
PRXNW45	PROXIMA NW45-mod/C	640	110	0.56	4780
PRXNW90	PROXIMA NW90-mod/C	1280	220	1,12	6280
PRXNZ45	PROXIMA NZ45-mod/C	640	110	0.56	4750
PRXNZ90	PROXIMA NZ90-mod/C	1280	220	1,12	6130

Devices va	riants	REMOTE	
DRE	wooden front panel	+85	€/meter
FISH	exposition tank made of acid resistant stainless steel, painted evaporator	+585	€/meter
GASTRO	stainless steel frame for GN containers	+285	€/meter
BAIN-MARIE	bain marie (heated water tank/well), lamp panel with ceramic heaters (only Plug-in) ( +30 ÷ +90°C )	+1090	€/meter
PG	heated exposition area, lamp panel with infrared halogens (only Plug-in) ( +30 ÷ +60°C )	+1090	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-105	€/meter

## PROXIMA M (freezing counter)\*

\* Available in the lengths **1.25 / 1.88 / 2.50** - ask for details in the Customer Service Department











## Standard equipment

powered only by external aggregate
multiplexable device
dynamic cooling (ventilated)
external housing made of painted steel - different colors available (IGLOO pattern book)
front panel with color-coated sheet - selectable color (IGLOO pattern book)
stainless steel base with adjustable span
ecological polyurethane foam insulation
exposition area made of stainless steel
worktop - stainless steel
curved front glass - telescopic lifting system
silver aluminum profiles
display space thermometer
electronic temperature controller with digital display (Igloo/Carel)
modern LED lighting (lighting colour options: white confectionery, pink)
automatic defrost (electric heaters)
front glass with anti-fog system

#### **~** ...

Options	REMOTE	
side glass with silk-screen printing	1250	€/set
external housing made of stainless steel (from staff side)	215	€/meter
front panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	25	€/meter
front panel made of stainless steel	95	€/meter
exposition area made of color-coated sheet - selectable color (IGLOO pattern book)	0	€/meter
exposition area made of acid resistant stinless steel	80	€/meter
1-degree display expansion with coloured sheet	120	€/meter
exposition stepped overlay made of stainless steel (1 step)	165	€/meter
exposition stepped overlay made of acid resistant stainless steel (1 step)	230	€/meter
2-degree display extension with coloured sheet	165	€/meter
exposition stepped overlay made of stainless steel (2 step)	215	€/meter
exposition stepped overlay made of acid resistant stainless steel (2 step)	290	€/meter
powder painted evaporator	100	€/meter
night blinds made of plexi glass	95	€/meter
worktop - acid-resistant stainless steel	75	€/meter
front buffer with stainless steel profile	175	€/meter
front shelf for the customer with silver or gold aluminium profiles	125	€/meter
front shelf for the customer with wooden profiles and stainless steel inserts - selectable colour (IGLOO pattern book)	240	€/meter
movable partition (low, glass on stands, placed in expositon area)	70	€/pcs
fixed partition (high, glass in exposition area stinless steel in storage chamber)	85	€/pcs
runner for small movable table	60	€/meter
small movable table for scale or cash register (400x500mm)	215	€/pcs
additional innovative LED lighting in the upper lamp profile (selectable colour - white, confectionery or pink)	125	€/meter
socket with fuse	45	€/pcs
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs
no thermostat - 2 x temperature sensor NTC [ $10k\Omega$ ]	-25	€/set
electronic expansion valve*	820	€/set
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	420	€/meter
box UVC - model 0.94 / 1.25 / 1.88 / NW45 / NW90 / NZ45 / NZ90	500	€/set
box UVC - model 2.50 / 3.75	705	€/set
	*more information - IGLOO sa	les department

#### REMOTE

REMOTE
+
+
+
+
+
+
+
+
+
+
+
+
+
+
+
+

#### PROXIMA SQR **3M1**(-1/+5°C) / **3M2**(-1/+7°C) / **3H1**(+1/+10°C)



		${\leftarrow}$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PROXIMA	SQR				
PRX130SQ	PROXIMA 1.25 SQR-mod/C	1250	264	1.1	3 820
PRX1 50SQ	PROXIMA 1.88 SQR-mod/C	1875	408	1.7	4 770
PRX160SQ	PROXIMA 2.50 SQR-mod/C	2500	552	2.3	5 560
PRX180SQ	PROXIMA 3.75 SQR-mod/C	3750	816	3.4	7 820
PRXNW45SQ	PROXIMA NW45 SQR-mod/C	-	110	0.56	4 780
PRXNW90SQ	PROXIMA NW90 SQR-mod/C	-	220	1.12	6 280
PRXNZ45SQ	PROXIMA NZ45 SQR-mod/C	-	110	0.56	4 750
PRXNZ90SQ	PROXIMA NZ90 SQR-mod/C	-	220	1.12	6 130
Devices va	ariants			REMOTE	
DRE	wooden front panel			+85	€/meter
FIGU	exposition tank made of acid resista	nt stainless ste	el, painted		<i>c</i> / /

FISH	exposition tank made of acid resistant stainless steel, painted evaporator	+585	€/meter
GASTRO	stainless steel frame for GN containers	+285	€/meter
BAIN-MARIE	bain marie (heated water tank/well), lamp panel with ceramic heaters (only Plug-in) ( +30 $\div$ +90°C )	+1090	€/meter
PG	heated exposition area, lamp panel with infrared halogens (only Plug-in) ( +30 $\div$ +60°C )	+1090	€/meter
SELF SERVICE	low front glass, without lamp, without plexi night blinds	-105	€/meter
FULL LIGHT	device without lamp profile (without lighting)	-60	€/meter

## PROXIMA SQR M (freezing counter)\*

\* Available in the lengths **1.25 / 1.88 / 2.50** - ask for details in the Customer Service Department











#### Standard equipment ......

powered only by external aggregate
multiplexable device
dynamic cooling (ventilated)
external housing made of white coated steel (from the stuff side)
front panel with color-coated sheet - selectable color (IGLOO pattern book)
stainless steel base with adjustable span
ecological polyurethane foam insulation
exposition area made of stainless steel
worktop - stainless steel
straight side-hung front glass panel (not applicable to corners)
silver aluminum profiles
display space thermometer
electronic temperature controller with digital display (Igloo/Carel)
modern LED lighting (lighting colour options: white confectionery, pink)
automatic defrost (electric heaters)
front glass with anti-fog system

#### **~** ··

Options	REMOTE	
side glass with silk-screen printing	1250	€/set
telescopic front window lifting system (does not apply to NW) - selectable colour silver or black	605	€/meter
external housing made of stainless steel (from staff side)	215	€/meter
front panel color different than IGLOO pattern book (please contact IGLOO sales dept.)	25	€/meter
front panel made of stainless steel	95	€/meter
exposition area made of color-coated sheet - selectable color (IGLOO pattern book)	0	€/meter
exposition area made of acid resistant stinless steel	80	€/meter
1-degree display expansion with coloured sheet	110	€/meter
exposition stepped overlay made of stainless steel (1 step)	165	€/meter
exposition stepped overlay made of acid resistant stainless steel (1 step)	230	€/meter
2-degree display extension with coloured sheet	155	€/meter
exposition stepped overlay made of stainless steel (2 step)	215	€/meter
exposition stepped overlay made of acid resistant stainless steel (2 step)	290	€/meter
powder painted evaporator	100	€/meter
night blinds made of plexi glass	95	€/meter
worktop - acid-resistant stainless steel	75	€/meter
front buffer with stainless steel profile	175	€/meter
front shelf for the customer with silver or gold aluminium profiles	125	€/meter
front shelf for the customer with wooden profiles and stainless steel inserts - selectable colour (IGLOO pattern book)	240	€/meter
movable partition (low, glass on stands, placed in expostion area)	70	€/pcs
fixed partition (high, glass in exposition area stinless steel in storage chamber)	85	€/pcs
runner for small movable table	60	€/meter
small movable table for scale or cash register (400x500mm)	215	€/pcs
additional innovative LED lighting in the upper lamp profile (selectable colour - white, confectionery or pink)	125	€/meter
socket with fuse	45	€/pcs
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs
no thermostat - 2 x temperature sensor NTC [10kΩ]	-20	€/set
electronic expansion valve*	820	€/set
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	420	€/meter
box UVC - model 0.94 / 1.25 / 1.56 / 1.88 / NW45 / NW90 / NZ45 / NZ90	500	€/set
box UVC - model 2.50 / 3.75	705	€/set
	*more information - IGLOO sal	les department

#### REMOTE

REMOTE
+
+
+
+
+
+
+
+
+
+
+
+
+
+
+
+

**Devices variants** 

S

Ζ

Ν

NS

N2

device with oblique top housing



					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
TATIAN	A (PLUG-IN)				
TA100	TATIANA 1.0	990	90	0,5	1690
TA101	TATIANA 1.3	1300	120	0,67	2070
TA102	TATIANA 1.5	1500	140	0,77	2220
TA103	TATIANA 1.7	1700	160	0,88	2320

device with cooled storage chamber with sliding doors (Tatiana 1.0 - storage chamber with hinged doors)

top over counter (device with straight top housing and com-

top over counter (device with straight top housing)

top over counter (device with oblique top housing)

pressor pleaced on the side of the device)

PLUG-IN

0

+495

-40

-40

-40

€/meter

€/meter

€/meter

€/meter

€/meter

ů	
1190±10 530±10 122	810 ±10









#### Standard equipment

internal cooling aggregate static cooling external top housing made of coated steel - different colors available (Igloo pattern book) ecological polyurethane foam insulation exposition area made of stainless steel worktop - stainless steel anodised aluminum profiles color gold or silver (IGLOO pattern book) curved front glass openable night blinds made of plexi glass LED lamp (color of choice: white, confectionery or pink ) automatic defrost codenser outlet to container electronic temperature controller with digital display (Igloo/Carel) condenser impurity or fan operation failure alarm

#### Options

#### external top housing color - different colors available (IGLOO pattern book) external top housing made of stainless steel external bottom housing color - different colors available (IGLOO pattern book) external bottom housing made of stainless steel exposition area made of acid resistant stinless steel worktop - acid-resistant stainless steel additional exposition glass shelf set of wheels (castors) automatic condenser vaporization (gas evaporator) electronic temperature recorder + software (Igloo) temperature recorder wire

movable partition (low ,glass on stands , placed in expostion area)

#### TATIANA

IAHANA
+
+
+
+
+
+
+
+
+
+
+
+
+
+

PLUG-IN	
70	€/meter
115	€/meter
95	€/meter
140	€/meter
70	€/meter
65	€/meter
95	€/meter
205	€/meter
45	€/pcs
115	€/set
45	€/pcs
65	€/pcs









					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price 2021 €
WIKTOR	IA (PLUG-IN)				
WI01	WIKTORIA 1.0	940	70	0,4	1640
WI02	WIKTORIA 1.3	1320	100	0,6	1970

Devices variants		PLUG-IN	
WIKTORIA 2	internal cooling aggregate placed under exposition area	+65	€/pcs
CELINA 80 (+30/+90°C)	heated device with hot air circulation, with additional stainless steel exposition shelf, prepared for 2 GN containers $1/1$ - depth 40 mm	1675	€
CELINA 130 (+30/+90°C)	heated device with hot air circulation, with additional stainless steel exposition shelf, prepared for 2 GN containers $1/1$ - depth 40 mm	2200	€



top over counter cooling aggregate placed on the right side (from the customer side) static cooling external housing made of stainless steel exposition area prepared for containers GN 1/1 ecological polyurethane foam insulation curved front glass openable night blinds made of plexi glass LED lamp (color of choice: white, confectionery or pink ) automatic defrost automatic condenser vaporization

electronic temperature controller with digital display (Igloo/Carel)

#### Options

flat exposition area made of stainless steel additional exposition stainless steel shelf gastronomic container GN 1/1 - depth 20 mm gastronomic container GN 1/1 - depth 40 mm gastronomic container GN 1/1 - depth 150 mm additional crossbar for GN container

PLUG-IN
+
+
+
+
+
+
+
+
+
+
+
+

PLUG-IN	
60	€/meter
95	€/meter
25	€/pcs
35	€/pcs
55	€/pcs €/pcs €/pcs
25	€/pcs



# multidecks

ARIO 3
ARIO 3 VE L
ARIO L
ARIO H
ALI
MOR
ING AT
ING EVO
OSTA
AROS
odos
OBAGO 3
OBAGO 2
ROXIMA SLIM OPEN
ROXIMA SLIM HOT OPEN
IIŁOSZ 2
IAX
IAXIM
IAXIM 2
AFAŁ B

NEW	
	45
NEW	47
	49
	51
	53
	55
	57
	59
	61
	63
	65
NEW	67
	69
NEW	71
NEW	71 73
	73
NEW	73 75
	73 75 77
NEW	73 75 77 79

	<u>г</u>					
VAR	O 3 🔮	3M1(-1/-	+5°C) / <b>3M2</b>	(-1/+7°C)	/ 3H1(+1/+	-10°C)
				AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
			K			EUR
ID	Name		Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIO 3 L	(REMOTE)	NEW				
VR330.900L	VARIO 3 1.25 90L-m	od/C	1250	888	2,74	4780
/R330.1100L	VARIO 3 1.25 110L-n		1250	1292	4,24	4960
VR350.900L	VARIO 3 1.88 90L-m		1875	1332	4,11	6940
VR350.1100L	VARIO 3 1.88 110L-n		1875	1938	6,36	7190
VR360.900L VR360.1100L	VARIO 3 2.50 90L-mo VARIO 3 2.50 110L-m		2500 2500	1777 2584	5,48 8,48	7800
VR360.1100L VR370.900L	VARIO 3 2.50 110L-m		2300	2004	0,40	8040
			3125	2224	6.86	
VR370.1100L	VARIO 3 3.13 110L-m	nod/C	3125 3125	2224 3235	6,86 10,61	9220
						9220 9370
VR380.900L	VARIO 3 3.13 110L-m	od/C	3125	3235	10,61	8040 9220 9370 9330 9520
VR380.900L VR380.1100L	VARIO 3 3.13 110L-m VARIO 3 3.75 90L-mo VARIO 3 3.75 110L-m	od/C	3125 3750	3235 2665	10,61 8,21	9220 9370 9330
VR380.900L VR380.1100L VARIO 3 H	VARIO 3 3.13 110L-m VARIO 3 3.75 90L-mo	od/C nod/C NEW	3125 3750	3235 2665	10,61 8,21	9220 9370 9330 9520
vr380.900L vr380.1100L <b>VARIO 3 H</b> vr330.900h	VARIO 3 3.13 110L-m VARIO 3 3.75 90L-mo VARIO 3 3.75 110L-m I (REMOTE)	od/C nod/C NEW nod/C	3125 3750 3750	3235 2665 3876	10,61 8,21 12,72	9220 9370 9330
VR380.900L VR380.1100L VARIO 3 H VR330.900H VR330.1100H	VARIO 3 3.13 110L-m VARIO 3 3.75 90L-mo VARIO 3 3.75 110L-m I <b>(REMOTE)</b> VARIO 3 1.25 90H-m	od/C nod/C NEW nod/C mod/C	3125 3750 3750 1250	3235 2665 3876 1004	10,61 8,21 12,72 3,18	9220 9370 9330 9520 5000 5180
VR380.900L VR380.1100L <b>VARIO 3 H</b> VR330.900H VR330.1100H VR350.900H	VARIO 3 3.13 110L-m VARIO 3 3.75 90L-mo VARIO 3 3.75 110L-m I <b>(REMOTE)</b> VARIO 3 1.25 90H-m VARIO 3 1.25 110H-n	od/C nod/C NEW nod/C mod/C nod/C	3125 3750 3750 1250 1250	3235 2665 3876 1004 1460	10,61 8,21 12,72 3,18 4,93	9220 9370 9330 9520 5000 5180 7230
VR380.900L VR380.1100L VARIO 3 H VR330.900H VR330.1100H VR350.900H VR350.1100H	VARIO 3 3.13 110L-m VARIO 3 3.75 90L-mo VARIO 3 3.75 110L-m I (REMOTE) VARIO 3 1.25 90H-m VARIO 3 1.25 110H-n VARIO 3 1.88 90H-m	od/C nod/C NEW od/C mod/C mod/C mod/C	3125 3750 3750 1250 1250 1875	3235 2665 3876 1004 1460 1510	10,61 8,21 12,72 3,18 4,93 4,76	9220 9370 9330 9520 5000 5180 7230 7470
VR380.900L VR380.1100L VARIO 3 H VR330.900H VR330.1100H VR350.900H VR350.1100H VR360.900H VR360.900H	VARIO 3 3.13 1101-m VARIO 3 3.75 901-m VARIO 3 3.75 91101-m I (REMOTE) VARIO 3 1.25 90H-m VARIO 3 1.25 110H-1 VARIO 3 1.88 90H-m VARIO 3 1.88 110H-1 VARIO 3 2.50 90H-m VARIO 3 2.50 91H-m	od/C nod/C NEW od/C nod/C nod/C nod/C nod/C nod/C	3125 3750 3750 1250 1250 1875 1875 2500 2500	3235 2665 3876 1004 1460 1510 2190	10,61 8,21 12,72 3,18 4,93 4,76 7,39	9220 9370 9330 9520 5000 5180 7230 7470 8080 8320
VR380.900L VR380.1100L VARIO 3 H VR330.900H VR330.1100H VR350.900H VR350.1100H VR360.900H VR360.1100H VR370.900H	VARIO 3 3.13 1101-m VARIO 3 3.75 901-m VARIO 3 3.75 910-m VARIO 3 3.75 1101-m VARIO 3 1.25 90H-m VARIO 3 1.25 110H-1 VARIO 3 1.88 90H-m VARIO 3 1.88 110H-1 VARIO 3 2.50 90H-m VARIO 3 2.50 110H-1 VARIO 3 3.13 90H-m	od/C NEW NOU/C NOU/C NOU/C NOU/C NOU/C NOU/C NOU/C	3125 3750 3750 1250 1250 1875 1875 2500 2500 3125	3235 2665 3876 1004 1460 1510 2190 2008 2920 2514	10,61 8,21 12,72 3,18 4,93 4,76 7,39 6,35 9,85 7,95	9220 9370 9330 9520 5000 5180 7230 7470 8080 8320 9500
VR380.900L VR380.1100L VARIO 3 H VR330.900H VR330.1100H VR350.900H VR350.1100H VR360.900H VR360.1100H VR370.900H VR370.1100H	VARIO 3 3.13 1101-m VARIO 3 3.75 90L-mo VARIO 3 3.75 9101-m VARIO 3 1.25 90H-m VARIO 3 1.25 90H-m VARIO 3 1.25 110H-1 VARIO 3 1.88 90H-m VARIO 3 1.88 110H-1 VARIO 3 2.50 90H-m VARIO 3 2.50 110H-1 VARIO 3 3.13 90H-m VARIO 3 3.13 110H-1	od/C NEW NOJ/C NOJ/C NOJ/C NOJ/C NOJ/C NOJ/C NOJ/C NOJ/C NOJ/C	3125 3750 3750 1250 1250 1875 1875 2500 2500 3125 3125	3235 2665 3876 1004 1460 1510 2190 2008 2920 2514 3656	10,61 8,21 12,72 3,18 4,93 4,76 7,39 6,35 9,85 7,95 12,33	9220 9370 9330 9520 55000 5180 7230 7470 8080 8320 9500 9690
VR370.1100L VR380.900L VR380.1100L VR330.900H VR330.1100H VR350.900H VR350.1100H VR360.900H VR360.1100H VR370.900H VR370.1100H VR380.900H VR380.900H	VARIO 3 3.13 1101-m VARIO 3 3.75 901-m VARIO 3 3.75 910-m VARIO 3 3.75 1101-m VARIO 3 1.25 90H-m VARIO 3 1.25 110H-1 VARIO 3 1.88 90H-m VARIO 3 1.88 110H-1 VARIO 3 2.50 90H-m VARIO 3 2.50 110H-1 VARIO 3 3.13 90H-m	od/C NEW NOJ/C NOJ/C NOJ/C NOJ/C NOJ/C NOJ/C NOJ/C NOJ/C NOJ/C	3125 3750 3750 1250 1250 1875 1875 2500 2500 3125	3235 2665 3876 1004 1460 1510 2190 2008 2920 2514	10,61 8,21 12,72 3,18 4,93 4,76 7,39 6,35 9,85 7,95	9220 9370 9330 9520 5000 5180 7230 7470 8080 8320 9500

Devices va	riants	REMOTE	
Berlees ra			
DP	Sliding doors with combined glass – door soft closing system (IGLOO DP)	+860	€/meter
DU	Hinged doors with combined glass - door soft closing system (IGLOO DU)	+950	€/meter
DP-Clear	Sliding doors with combined glass full transparent – door soft closing system (DP)	+1015	€/meter
DU-Clear	Hinged doors with combined glass full transparent - door soft closing system (DU)	+1105	€/meter



innovative system of the upper assembly profile	+
powered only by external aggregate	+
multiplexable device	+
dynamic cooling (ventilated) (with triple air curtain)	+
energy-saving electronically commutated fans	+
mechanical expansion valve	+
front bottom panel made of coated steel – different colors available (Igloo pattern book)	+
upper front panel made of colour-coated metal sheet – different colours available (Igloo sample book)	+
base plinth made of stainless steel with a floor seal	+
interior and exposition shelves made of coated steel – different colors available (Igloo pattern book)	+
5 levels of display shelves [version L], 6 levels of display shelves [version H] with the possibility of changing the height and angle of suspension + bottom base shelf	+
PETG plastic fence for the goods (vivak)	+
price stripes - different colors available (IGLOO pattern book)	+
innovative top LED lighting (selectable light color: white confectionery or pink)	+
electronic temperature controller with digital display (Igloo/Carel)	+
siphoned condensate drain - diameter of the connector pipe Ø 40	+
refrigerant system adapted for R448A / R449A / R450A / R407F / R404A / R507 / R452 agent	+
top outlets of the cooling circuitry	+

#### Options

side panels made of double combined tempered glass or double combined mirror insulated side panels made of coated steel with a glass mirror on the inside - selectable color full insulated side panels made of stainless steel with a mirror glass on the inside custom colour of full insulated sides (after consultation with the IGLOO Sales Department) custom front panel color (after consultation with the IGLOO Sales Department) custom upper front panel colour (after consultation with the IGLOO Sales Department) custom colors of device interior and exposition shelves (after consultation with the IGLOO S device interior and exposition shelves made of stainless steel device interior and exposition shelves made of acid-resistant stainless steel additional shelf illumination - LED light (available colors : white, confectionery or meat) top mirrors powder painted evaporator fixed partition made of PETG (plexiglass) display space thermometer electronic temperature recorder + software (Igloo) temperature recorder wire no thermostat - 2 x temperature sensor NTC  $[10k\Omega]$ electric heaters for evaporator defrost electronic expansion valve\* night roller blind - electric night roller blind - manual cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)\*



#### REMOTE

	REMOTE	
	1695	€/set
lour (Igloo pattern book)	1280	€/set
	1505	€/set
t)	75	€/set
	35	€/meter
	35	€/meter
D Sales Department)	130	€/meter
	665	€/meter
	1065	€/meter
	105	€/meter of shelf
	115	€/meter
	100	€/meter
	240	€/pcs
	35	€/pcs
	115	€/set
	45	€/pcs
	-20	€/set
	140	€/meter
	820	€/set
	395	€/meter
	165	€/meter
	420	€/meter
	*more information - IGLOO	sales department

# VARIO 3 VE ŀ **3M1**(-1/+5°C) / **3M2**(-1/+7°C) / **3H1**(+1/+10°C)



		$\bigvee$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIO 3 V	E L (REMOTE)				
VR330.900L.VE	VARIO 3 1.25 VE 90L-mod/C	1250	888	1,94	4910
VR330.1100L.VE	VARIO 3 1.25 VE 110L-mod/C	1250	1292	2,69	5110
VR350.900L.VE	VARIO 3 1.88 VE 90L-mod/C	1875	1332	2,91	7090
VR350.1100L.VE	VARIO 3 1.88 VE 110L-mod/C	1875	1938	4,03	7360
VR360.900L.VE	VARIO 3 2.50 VE 90L-mod/C	2500	1777	3,88	7980
VR360.1100L.VE	VARIO 3 2.50 VE 110L-mod/C	2500	2584	5,38	8230
VR370.900L.VE	VARIO 3 3.13 VE 90L-mod/C	3125	2224	4,85	9410
VR370.1100L.VE	VARIO 3 3.13 VE 110L-mod/C	3125	3235	6,73	9570
VR380.900L.VE	VARIO 3 3.75 VE 90L-mod/C	3750	2665	5,82	9520
VR380.1100L.VE	VARIO 3 3.75 VE 110L-mod/C	3750	3876	8,06	9760
VARIO 3 V					
VR330.900H.VE	VARIO 3 1.25 VE 90H-mod/C	1250	1004	1,94	5180
VR330.1100H.VE	VARIO 3 1.25 VE 110H-mod/C	1250	1460	2,69	5370
VR350.900H.VE	VARIO 3 1.88 VE 90H-mod/C	1875	1510	2,91	7440
VR350.1100H.VE	VARIO 3 1.88 VE 110H-mod/C	1875	2190	4,03	7690
VR360.900H.VE	VARIO 3 2.50 VE 90H-mod/C	2500	2008	3,88	8300
VR360.1100H.VE	VARIO 3 2.50 VE 110H-mod/C	2500	2920	5,38	8560
VR370.900H.VE	VARIO 3 3.13 VE 90H-mod/C	3125	2514	4,85	9720
VR370.1100H.VE	VARIO 3 3.13 VE 110H-mod/C	3125	3656	6,73	9940
VR380.900H.VE	VARIO 3 3.75 VE 90H-mod/C	3750	3012	5,82	9810
VR380.1100H.VE	VARIO 3 3.75 VE 110H-mod/C	3750	4380	8,06	10120



VARIO 3 VE H 110



#### Standard equipment

Standard equipment	REPTOTE
innovative system of the upper assembly profile	+
powered only by external aggregate	+
multiplexable device	+
dynamic cooling (ventilated) (with triple air curtain)	+
energy-saving electronically commutated fans	+
mechanical expansion valve	+
front bottom panel made of coated steel – different colors available (Igloo pattern book)	+
front top panel made of coated aluminum profile – different colors available (Igloo pattern book)	+
base plinth made of stainless steel with a floor seal	+
interior and exposition shelves made of coated steel – different colors available (Igloo pattern book)	+
3 levels of display shelves for vegetable/fruit boxes with height adjustment + bottom base shelf	+
top mirrors ( for version L without 1 level of display shelves )	+
price stripes - different colors available (Igloo pattern book)	+
modern LED lighting (lighting colour options: white, confectionery or pink)	+
electronic temperature controller with digital display (Igloo/Carel)	+
siphoned condensate drain – diameter of the connector pipe Ø 40	+
refrigerant system adapted for R448A / R449A / R450A / R407F / R404A / R507 / R452 agent	+
top outlets of the cooling circuitry	+

## Ор

Options	REMOTE	
side panels made of double combined tempered glass or double combined mirror	1695	€/set
insulated side panels made of coated steel with a glass mirror on the inside - selectable colour (Igloo pattern book)	1280	€/set
full insulated side panels made of stainless steel with a mirror glass on the inside	1505	€/set
custom colour of full insulated sides (after consultation with the IGLOO Sales Department)	75	€/set
custom front panel color (after consultation with the IGLOO Sales Department)	35	€/meter
custom upper front panel colour (after consultation with the IGLOO Sales Department)	35	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	130	€/meter
device interior and exposition shelves made of stainless steel	665	€/meter
device interior and exposition shelves made of acid-resistant stainless steel	1065	€/meter
additional shelf illumination - LED light (available colors : white, confectionery or meat)	105	€/meter of shelf
powder painted evaporator	100	€/meter
fixed partition made of PETG (plexiglass)	240	€/pcs
display space thermometer	35	€/pcs
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs
no thermostat - 2 x temperature sensor NTC [10k $\Omega$ ]	-25	€/set
electric heaters for evaporator defrost	140	€/meter
electronic expansion valve*	820	€/set
night roller blind – electric	395	€/meter
night roller blind – manual	165	€/meter
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	420	€/meter
	*********************	

#### REMOTE

#### F VARIO L **3M1**(-1/+5°C) / **3M2**(-1/+7°C) / **3H1**(+1/+10°C)



					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIO L (F	REMOTE)				
VR130.800L	VARIO 1.25 80L-mod/C	1250	975	3,39	4 140
VR130.900L	VARIO 1.25 90L-mod/C	1250	1167	3,95	4 230
VR130.1000L	VARIO 1.25 100L-mod/C	1250	1358	4,26	4 360
VR130.1100L	VARIO 1.25 110L-mod/C	1250	1549	4,89	4 480
VR150.800L	VARIO 1.88 80L-mod/C	1875	1463	5,08	5 950
VR150.900L	VARIO 1.88 90L-mod/C	1875	1750	5,93	6 120
VR150.1000L	VARIO 1.88 100L-mod/C	1875	2037	6,39	6 280
VR150.1100L	VARIO 1.88 110L-mod/C	1875	2324	7,33	6 420
VR160.800L	VARIO 2.50 80L-mod/C	2500	1951	6,78	6 380
VR160.900L	VARIO 2.50 90L-mod/C	2500	2333	7,9	6 550
VR160.1000L	VARIO 2.50 100L-mod/C	2500	2716	8,53	6 710
VR160.1100L	VARIO 2.50 110L-mod/C	2500	3098	9,78	6 890
VR170.800L	VARIO 3.13 80L-mod/C	3125	2438	8,47	7 910
VR170.900L	VARIO 3.13 90L-mod/C	3125	2917	9,88	8 0 8 0
VR170.1000L	VARIO 3.13 100L-mod/C	3125	3395	10,66	8 290
VR170.1100L	VARIO 3.13 110L-mod/C	3125	3873	12,22	8 510
VR180.800L	VARIO 3.75 80L-mod/C	3750	2926	10,16	7 960
VR180.900L	VARIO 3.75 90L-mod/C	3750	3500	11,85	8 150
VR180.1000L	VARIO 3.75 100L-mod/C	3750	4074	12,79	8 380
VR180.1100L	VARIO 3.75 110L-mod/C	3750	4647	14,66	8 590
VR800EL	VARIO HEAD 80L-mod/C	1700	1264	4,39	8 960
VR900EL	VARIO HEAD 90L-mod/C	1900	1699	5,57	9 200
VR1000EL	VARIO HEAD 100L-mod/C	2100	2194	6,89	9 470
VR1100EL	VARIO HEAD 110L-mod/C	2300	2751	8,68	9 730

Devices va	riants	REMOTE	
DP	sliding doors with double combined glass - soft door closing system (VARIO DP)	+865	€/meter
DU	hinged doors with double combined glass - soft door closing system (VARIO DU)	+960	€/meter
VE	vegetables version	+110	€/meter



VARIO 800



VARIO 900



VARIO 1000



## Standard equipment

innovative system of the upper assembly profile	+
powered only by external aggregate	+
multiplexable device	+
dynamic cooling (with double air curtain)	+
energy-saving electronically commutated fans	+
mechanical expansion valve	+
front bottom panel made of coated steel - different colors available (Igloo pattern book)	+
front top panel made of coated aluminum profile - different colors available (Igloo pattern book)	+
base plinth made of stainless steel with a floor seal	+
interior and exposition shelves made of coated steel - different colors available (Igloo pattern book)	+
5 levels of display shelves with possibility to change the hanging height and angle + lower base shelf	+
price stripes - selectable colour (IGLOO pattern book)	+
innovative top LED lighting (selectable light color: white, confectionery or pink)	+
electronic temperature controller with digital display (Igloo/Carel)	+
siphoned condensate drain - diameter of the connector pipe Ø 40	+
refrigerant system adapted for R448A / R449A / R450A / R407F / R404A / R507 / R452 agent	+
bottom outlets of the cooling circuitry	+

Options	REMOTE	
side panels made of double combined tempered glass or double combined mirror	1700	€/set
insulated side panels made of coated steel with a glass mirror on the inside - different colors available (Igloo pattern book)	1360	€/set
full insulated side panels made of stainless steel with a mirror glass on the inside	1600	€/set
custom colour of full insulated sides (after consultation with the IGLOO Sales Department)	80	€/set
custom front panel color (after consultation with the IGLOO Sales Department)	40	€/meter
custom colors of device interior and exposition shelves	135	€/meter
custom upper front panel colour (after consultation with the IGLOO Sales Department)	40	€/meter
device interior and exposition shelves made of stainless steel	665	€/meter
device interior and exposition shelves made of acid-resistant stainless steel	1065	€/meter
additional shelf illumination - LED light (available colors : white, confectionery or meat)	105	€/meter of shelf
good securing fence	35	€/meter of shelf
top mirrors	115	€/meter
powder painted evaporator	100	€/meter
fixed partition made of PETG (plexiglass)	245	€/pcs
front buffer with stainless steel profile	180	€/meter
display space thermometer	40	€/pcs
electronic temperature recorder + software (IGLOO)	115	€/set
temperature recorder wire	45	€/pcs
no thermostat - 2 x temperature sensor NTC [10k $\Omega$ ]	-25	€/set
electric heaters for evaporator defrost	145	€/meter
electronic expansion valve*	830	€/set
night roller blind – electric	395	€/meter
night roller blind – manual	170	€/meter
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	420	€/meter
top outlets of the cooling circuitry	85	€/pcs
	*more information - IGLOO	sales department

#### REMOTE

#### ₽ VARIO H **3M1**(-1/+5°C) / **3M2**(-1/+7°C) / **3H1**(+1/+10°C)



		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIO H (	REMOTE)				
VR130.800H	VARIO 1.25 80H-mod/C	1250	975	3,39	4 260
VR130.900H	VARIO 1.25 90H-mod/C	1250	1167	3,95	4 360
VR130.1000H	VARIO 1.25 100H-mod/C	1250	1358	4,26	4 480
VR130.1100H	VARIO 1.25 110H-mod/C	1250	1549	4,89	4 590
VR150.800H	VARIO 1.88 80H-mod/C	1875	1463	5,08	6 130
VR150.900H	VARIO 1.88 90H-mod/C	1875	1750	5,93	6 280
VR150.1000H	VARIO 1.88 100H-mod/C	1875	2037	6,39	6 4 4 0
VR150.1100H	VARIO 1.88 110H-mod/C	1875	2324	7,33	6 610
VR160.800H	VARIO 2.50 80H-mod/C	2500	1951	6,78	6 560
VR160.900H	VARIO 2.50 90H-mod/C	2500	2333	7,9	6 720
VR160.1000H	VARIO 2.50 100H-mod/C	2500	2716	8,53	6 910
VR160.1100H	VARIO 2.50 110H-mod/C	2500	3098	9,78	7 080
VR170.800H	VARIO 3.13 80H-mod/C	3125	2438	8,47	8 110
VR170.900H	VARIO 3.13 90H-mod/C	3125	2917	9,88	8 310
VR170.1000H	VARIO 3.13 100H-mod/C	3125	3395	10,66	8 550
VR170.1100H	VARIO 3.13 110H-mod/C	3125	3873	12,22	8 750
VR180.800H	VARIO 3.75 80H-mod/C	3750	2926	10,16	8 180
VR180.900H	VARIO 3.75 90H-mod/C	3750	3500	11,85	8 370
VR180.1000H	VARIO 3.75 100H-mod/C	3750	4074	12,79	8 610
VR180.1100H	VARIO 3.75 110H-mod/C	3750	4647	14,66	8 820
VR800EH	VARIO HEAD 80H-mod/C	1700	1429	5,12	9 150
VR900EH	VARIO HEAD 90H-mod/C	1900	1606	6,48	9 400
VR1000EH	VARIO HEAD 100H-mod/C	2100	1782	7,9	9 660
VR1100EH	VARIO HEAD 110H-mod/C	2300	1959	10,01	9 940

Devices va	riants	REMOTE	
DP	sliding doors with double combined glass - soft door closing system (VARIO DP)	+865	€/meter
DU	hinged doors with double combined glass - soft door closing system (VARIO DU)	+960	€/meter
VE	vegetables version	+110	€/meter



# VARIO 900



VARIO 1000



## Standard equipment

innovative system of the upper assembly profile	+
powered only by external aggregate	+
multiplexable device	+
dynamic cooling (with double air curtain)	+
energy-saving electronically commutated fans	+
mechanical expansion valve	+
front bottom panel made of coated steel – different colors available (Igloo pattern book)	+
front top panel made of coated aluminum profile – different colors available (Igloo pattern book)	+
base plinth made of stainless steel with a floor seal	+
interior and exposition shelves made of coated steel – different colors available (Igloo pattern book)	+
6 levels of display shelves with possibility to change the hanging height and angle + lower base shelf	+
price stripes - selectable colour (IGLOO pattern book)	+
innovative top LED lighting (selectable light color: white, confectionery or pink)	+
electronic temperature controller with digital display (Igloo/Carel)	+
siphoned condensate drain – diameter of the connector pipe Ø 40	+
refrigerant system adapted for R448A / R449A / R450A / R407F / R404A / R507 / R452 agent	+
bottom outlets of the cooling circuitry	+

## 0-+--

6

s

h

Options	REMOTE	
side panels made of double combined tempered glass or double combined mirror	1700	€/set
insulated side panels made of coated steel with a glass mirror on the inside - different colors available (Igloo pattern book)	1360	€/set
full insulated side panels made of stainless steel with a mirror glass on the inside	1600	€/set
custom colour of full insulated sides (after consultation with the IGLOO Sales Department)	80	€/set
custom front panel color (after consultation with the IGLOO Sales Department)	40	€/meter
custom colors of device interior and exposition shelves	135	€/meter
custom upper front panel colour (after consultation with the IGLOO Sales Department)	40	€/meter
device interior and exposition shelves made of stainless steel	665	€/meter
device interior and exposition shelves made of acid-resistant stainless steel	1065	€/meter
additional shelf illumination - LED light (available colors : white, confectionery or meat)	105	€/meter of shelf
good securing fence	35	€/meter of shelf
top mirrors	115	€/meter
powder painted evaporator	100	€/meter
fixed partition made of PETG (plexiglass)	245	€/pcs
front buffer with stainless steel profile	180	€/meter
display space thermometer	40	€/pcs
electronic temperature recorder + software (IGLOO)	115	€/set
temperature recorder wire	45	€/pcs
no thermostat - 2 x temperature sensor NTC [10k $\Omega$ ]	-25	€/set
electric heaters for evaporator defrost	145	€/meter
electronic expansion valve*	830	€/set
night roller blind – electric	395	€/meter
night roller blind – manual	170	€/meter
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	420	€/meter
top outlets of the cooling circuitry	85	€/pcs
	*more information - ICLOC	

#### REMOTE



+1 / +10°C







		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price 2021 €
BALI (PLU	JG-IN)				
BL100	BALI 1.0	1020	530	1,7	5040
BL101	BALI 1.3	1330	710	2,2	5580
BL102	BALI 1.6	1630	890	2,8	5990
BL103	BALI 1.9	1940	1060	3,4	6560
BL104	BALI 2.5	2560	1420	4,5	7730
BALI (RE	MOTE)				
BL100-c	BALI 1.0-mod/C	920	610	2	2950
BL101-c	BALI 1.3-mod/C	1230	810	2,6	3290
BL102-c	BALI 1.6-mod/C	1530	1010	3,4	3580
BL103-c	BALI 1.9-mod/C	1840	1220	4	4030
BL104-c	BALI 2.5-mod/C	2460	1630	5,4	4960
Devices v	variants		PLUG-IN	REMOTE	
DP	self – closing sliding doors with com	bined glass	+750	+750	€/meter
DU	hinged doors with combined glass		+750	+750	€/meter

+550

+240

+550

-

€/meter

€/pcs

manual shutter doors with lock (possible only with full side panels)

refrigerant system adapted for R290 agent

DR

R290



## Chan daud any in

Standard equipment	PLUG-IN	REMOTE
cooling system adapted to factor: R448A / R449A	+	-
powered only by external aggregate	-	+
a mechanical valve adapted to one of the following refrigerants: R448A / R449A / R450A / R407F / R404A / R507 / R452	-	+
multiplexable device	0	+
dynamic cooling (ventilated)	+	+
insulated plastic sides with insulated glass - selectable colour (Igloo pattern book)	+	-
ecological polyurethane foam insulation	+	+
base and front panel made of colored coated steel - different colors available (Igloo pattern book)	+	+
top panel illuminated with LED light – different plexiglass colors available (Igloo pattern book)	+	+
upper interior lighting - fluorescent LED (selectable colour - white, confectionery or pink)	+	+
interior and exposition shelves made of coated steel - different colors available (Igloo pattern book)	+	+
exposition shelves with height and angle adjustment	+	+
price stripes – different colors available (Igloo pattern book)	+	+
bumper – different colors available (Igloo pattern book)	+	+
night roller blind	+	+
automatic defrost	+	+
codenser outlet to container	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+
condenser impurity or fan operation failure alarm	+	-

#### С d

si

с

с b с

b

t

d d

g

t

p

а

е

to

Options	PLUG-IN	REMOTE	
device without side panels prepared for multiplexing (MOD/A)	-760	S	€/set
insulated plastic sides with insulated glass - selectable colour (Igloo pattern book)	S	1200	€/set
side panels made of double combined tempered glass or double combined mirror	-50	-50	€/set
insulated side panels made of white coated steel - selectable colour (Igloo pattern book)	-365	860	€/set
customizable colour of side panels made of coated steel (after consultation with the IGLOO Sales Department)	65	65	€/set
insulated side panels made of stainless steel	-260	995	€/set
custom base panel color (after consultation with the IGLOO Sales Department)	40	25	€/meter
base panel made of stainless steel	125	105	€/meter
custom front panel color (after consultation with the IGLOO Sales Department)	45	45	€/meter
front panel made of stainless steel	160	160	€/meter
base and front panel made of coated steel - selectable colour (Igloo pattern book)	0	0	€/meter
top full panel made of stainless steel	65	65	€/meter
top wooden panel – different colors available (Igloo pattern book)	125	125	€/meter
wooden bumper – different colors available (Igloo pattern book)	90	90	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	115	115	€/meter
device interior and exposition shelves made of stainless steel	395	395	€/meter
device interior and exposition shelves made of acid resistant stainless steel	720	720	€/meter
strengthening of full shelves	25	25	€/meter of shelf
good securing fence	25	25	€/meter of shelf
additional shelf lighting - fluorescent LED (selectable colour - white, confectionery or pink)	105	105	€/meter of shelf
top mirrors	95	95	€/meter
meat hooks – long	125	125	€/meter
powder painted evaporator	100	100	€/meter
electric heaters for evaporator defrost	130	130	€/meter
automatic condenser vaporization (electric evaporator)	380	-	€/pcs
fixed partition made of PETG (plexiglass)	205	205	€/pcs
electronic temperature recorder + software (Igloo)	115	115	€/set
temperature recorder wire	45	45	€/pcs
top outlets of the cooling circuitry	-	85	€/pcs
electronic expansion valve*	-	820	€/set
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	-	420	€/meter







		$\swarrow$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
TIMOR (PI	LUG-IN)				
TR100	TIMOR 1.0	1020	620	2	5280
TR101	TIMOR 1.3	1330	830	2,6	5890
TR102	TIMOR 1.6	1630	1030	3,3	6420
TR103	TIMOR 1.9	1940	1240	3,9	6820
TR104	TIMOR 2.5	2560	1650	5,3	8290
TIMOR (RI	EMOTE)				
TR100-c	TIMOR 1.0-mod/C	920	710	2,3	3170
TR101-c	TIMOR 1.3-mod/C	1230	950	3,1	3530
TR102-c	TIMOR 1.6-mod/C	1530	1180	3,9	3790
TR103-c	TIMOR 1.9-mod/C	1840	1420	4,7	4110
TR104-c	TIMOR 2.5-mod/C	2460	1900	6,2	5140
Devices va	riants		PLUG-IN	REMOTE	
DP	self - closing sliding doors with combine	ed glass	+750	+750	€/meter
DU	hinged doors with combined glass		+750	+750	€/meter
DR	manual shutter doors with lock (possible full side panels)	e only with	+550	+550	€/meter

+240 - €/pcs

refrigerant system adapted for R290 agent

R290



## Standard equipment

Standard equipment	PLUG-IN	REMOTE
cooling system adapted to factor: R448A / R449A	+	-
powered only by external aggregate	-	+
a mechanical valve adapted to one of the following refrigerants: R448A / R449A / R450A / R407F / R404A / R507 / R452	-	+
multiplexable device	0	+
dynamic cooling (ventilated)	+	+
insulated plastic sides with insulated glass - selectable colour (Igloo pattern book)	+	0
ecological polyurethane foam insulation	+	+
base covering - powder painted steel - different colors available (Igloo pattern book)	+	-
front bottom panel made of coated steel - different colors available (Igloo pattern book)	+	+
top panel illuminated with LED light – different plexiglass colors available (Igloo pattern book)	+	+
upper interior lighting - fluorescent LED (selectable colour - white, confectionery or meat)	+	+
interior and exposition shelves made of coated steel - different colors available (Igloo pattern book)	+	+
exposition shelves with height and angle adjustment	+	+
price stripes – different colors available (Igloo pattern book)	+	+
bumper – different colors available (Igloo pattern book)	+	+
night roller blind	+	+
automatic defrost	+	+
codenser outlet to container	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
device without side panels prepared for multiplexing (MOD/A)	-760	S	€/set
insulated plastic sides with insulated glass - selectable colour (Igloo pattern book)	S	1200	€/set
side panels made of double combined tempered glass or double combined mirror	-50	-50	€/set
insulated side panels made of white coated steel - selectable colour (Igloo pattern book)	-365	860	€/set
customizable colour of side panels made of coated steel (after consultation with the IGLOO Sales Department)	65	65	€/set
insulated side panels made of stainless steel	-260	995	€/set
custom base panel color (after consultation with the IGLOO Sales Department)	40	25	€/meter
base panel made of stainless steel	125	105	€/meter
custom front panel color (after consultation with the IGLOO Sales Department)	45	45	€/meter
front panel made of stainless steel	160	160	€/meter
base and front panel made of coated steel - selectable colour (Igloo pattern book)	0	0	€/meter
top full panel made of stainless steel	65	65	€/meter
top wooden panel – different colors available (Igloo pattern book)	125	125	€/meter
wooden bumper – different colors available (Igloo pattern book)	90	90	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	115	115	€/meter
device interior and exposition shelves made of stainless steel	395	395	€/meter
device interior and exposition shelves made of acid resistant stainless steel	720	720	€/meter
strengthening of full shelves	25	25	€/meter of shelf
good securing fence	25	25	€/meter of shelf
additional shelf lighting - fluorescent LED (selectable colour - white, confectionery or pink)	105	105	€/meter of shelf
top mirrors	95	95	€/meter
meat hooks - long	125	125	€/meter
powder painted evaporator	100	100	€/meter
electric heaters for evaporator defrost	130	130	€/meter
automatic condenser vaporization (electric evaporator)	380	-	€/pcs
fixed partition made of PETG (plexiglass)	205	205	€/pcs
electronic temperature recorder + software (Igloo)	115	115	€/set
temperature recorder wire	45	45	€/pcs
top outlets of the cooling circuitry	-	85	€/pcs
electronic expansion valve*	-	820	€/set
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	-	420	€/meter
	*more inform	ation ICLOC	calos donartmont



ŀ +1 / +10°C



					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
KING AT (	PLUG-IN)				
KG100AT	KING 1.0 AT	1000	748	2,8	5 150
KG101AT	KING 1.3 AT	1310	966	3,7	5 840
KG102AT	KING 1.6 AT	1610	1208	4,6	6 520
KG103AT	KING 1.9 AT	1920	1449	5,5	7 480
KG104AT	KING 2.5 AT	2540	1944	7,4	9 190
KING AT (	REMOTE)				
KG100AT-c	KING 1.0 AT	920	748	2,8	2 550
KG101AT-c	KING 1.3 AT	1230	966	3,7	2 950
KG102AT-c	KING 1.6 AT	1530	1208	4,6	3 450
KG103AT-c	KING 1.9 AT	1840	1449	5,5	4 010
KG104AT-c	KING 2.5 AT	2460	1944	7,4	4 900

Devices va	riants	PLUG-IN	REMOTE	
DP	self – closing sliding doors with combined glass	+820	+820	€/meter





KING DP-AT



## Standard equipment

energy efficient cooling aggregate HITACHI placed on the back of the device powered only by external aggregate a mechanical valve adapted to one of the following refrigerants: R448A / R449A / R450A / multiplexable device dynamic cooling (ventilated) insulated side panels made of white coated steel - thickness : 40  $\mbox{mm}$ ecological polyurethane foam insulation front bottom panel made of coated steel - different colors available (Igloo pattern book) opened top panel illuminated with LED lightining - different plexiglass colors available (Iglo upper interior lighting - fluorescent LED (selectable colour - white, confectionery or meat) interior and exposition shelves made of coated steel - different colors available (Igloo patte 6 levels of display shelves with possibility to change the hanging height and angle + lower b price stripes - different colors available (Igloo pattern book) night roller blind automatic defrost automatic condensate pump (up to 0,6m height) electronic temperature controller with digital display (Igloo/Carel) condenser impurity or fan operation failure alarm

Options	PLUG-IN	REMOTE	
device without side panels prepared for multiplexing (MOD/A)	-405	S	€/set
insulated side panels made of white coated steel - thickness : 40 mm (Igloo pattern book)	S	855	€/set
side panels made of double combined tempered glass	230	230	€/set
side panels made of double combined mirror	335	335	€/set
custom colors of the side panels (after consultation with the IGLOO Sales Department)	65	65	€/set
insulated side panels made of stainless steel	145	1030	€/set
custom front panel color (after consultation with the IGLOO Sales Department)	65	65	€/meter
front panel made of stainless steel	170	170	€/meter
base and front panel made of coated steel (Igloo pattern book)	0	0	€/meter
top full panel made of stainless steel	70	70	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	125	125	€/meter
device interior and exposition shelves made of stainless steel	435	435	€/meter
device interior and exposition shelves made of acid resistant stainless steel	760	760	€/meter
strengthening of full shelves	25	25	€/meter of shelf
good securing fence	25	25	€/meter of shelf
additional shelf lighting - fluorescent LED (selectable colour - white, confectionery or pink)	105	105	€/meter of shelf
top mirrors	95	95	€/meter
meat hooks - long	125	125	€/meter
powder painted evaporator	100	100	€/meter
fixed partition made of PETG (plexiglass)	215	215	€/pcs
electronic temperature recorder + software (Igloo)	115	115	€/set
temperature recorder wire	45	45	€/pcs
top outlets of the cooling circuitry	-	85	€/pcs
automatic condenser vaporization (electric evaporator)	380	-	€/pcs

	PLUG-IN	REMOTE
	+	-
	-	+
/ R407F / R404A / R507 / R452	-	+
	0	+
	+	+
	+	0
	+	+
	+	+
loo pattern book)	+	+
t)	+	+
tern book)	+	+
base shelf	+	+
	+	+
	+	+
	+	+
	+	+
	+	+
	+	-

# **KING EVO**

₽ +1 / +10°C



		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
<b>KING EVO</b>	) (PLUG-IN)				
KG200AT	KING EVO 1.0 AT	1000	748	2,8	5 940
KG201AT	KING EVO 1.3 AT	1310	966	3,7	6 630
KG202AT	KING EVO 1.6 AT	1610	1208	4,6	7 430
KG203AT	KING EVO 1.9 AT	1920	1449	5,5	8 670
KG204AT	KING EVO 2.5 AT	2540	1944	7,4	10 260
<b>KING EVO</b>	D MOD/C (REMOTE)				
KG200AT-c	KING EVO 1.0 AT-c	920	748	2,8	3 300
KG201AT-c	KING EVO 1.3 AT-c	1230	966	3,7	3 770
KG202AT-c	KING EVO 1.6 AT-c	1530	1208	4,6	4 470
KG203AT-c	KING EVO 1.9 AT-c	1840	1449	5,5	4 960
KG204AT-c	KING EVO 2.5 AT-c	2460	1944	7,4	6 010
KG280AT-c	KING EVO 3.75 AT-c	3750	2910	11,2	9 340

Devices v	ariants	PLUG-IN	REMOTE	
DP	sliding door with insulated glass with DP soft closing system (blind excluded from the standard)	+860	+860	€/meter
DU	hinged door with DU insulated glass (blind excluded from the standard)	+950	+950	€/meter





Standard equipment	PLUG-IN	REMOTE
energy efficient cooling aggregate HITACHI placed on the back of the device	+	-
powered only by external aggregate	-	+
a mechanical valve adapted to one of the following refrigerants: R448A / R449A / R450A / R407F / R404A / R507 / R452	-	+
multiplexable device	-	+
dynamic cooling (ventilated)	0	+
insulated side panels made of white coated steel - thickness : 40 mm	-1	0
ecological polyurethane foam insulation	+	+
bottom panel with coloured sheet - selectable colour (Igloo pattern book)	+	+
top panel with the aluminium profile, colour coated - selectable colour (Igloo pattern book)	+	+
innovative system of the upper assembly profile	+	+
additional internal top illumination – LED lamp (color of choice: white, confectionery or pink)	+	+
interior and reinforced display shelves with adjustable height and suspension angle (6 levels + base shelf) from color-coated sheet - colors to choose from (Igloo pattern book)	+	+
PETG plastic fence for the goods (vivak)	+	+
price stripes – different colors available (Igloo pattern book)	+	+
night roller blind	+	+
automatic defrost	+	+
automatic condensate pump (up to 0,6m height)	+	+
electronic temperature controller with digital display (Igloo/Carel)	+	+

#### 0

d

tl

to

Options	PLUG-IN	REMOTE	
device without side panels prepared for multiplexing (MOD/A)	-385	S	€/set
insulated sides with silkscreen print	695	1515	€/set
the sides combined with a mirror (ext. glass with full silkscreen, int. mirror)	395	1235	€/set
insulated side panels made of white coated steel with a mirror glass on the inside - selectable colour (Igloo pattern book)	S	880	€/set
insulated side panels made of stainless steel with a mirror glass on the inside	130	950	€/set
custom colour of full insulated sides (after consultation with the Igloo Sales Department)	75	75	€/set
custom bottom panel colour (after consultation with the Igloo Sales Department)	40	40	€/meter
custom upper panel colour with aluminium profile (after consultation with the Igloo Sales Department)	40	40	€/meter
bottom stainless steel panel	175	175	€/meter
custom colors of device interior and exposition shelves (after consultation with the Igloo Sales Department)	125	125	€/meter
device interior and exposition shelves made of stainless steel	415	415	€/meter
device interior and exposition shelves made of acid-resistant stainless steel	720	720	€/meter
additional shelf backlight - magnetic LED profile with changeable position	105	105	€/meter of shelf
top mirrors	95	95	€/meter
meat hooks – long	125	125	€/meter
powder painted evaporator	100	100	€/meter
electric heaters for evaporator defrost	140	140	€/meter
fixed partition made of PETG (plexiglass)	215	215	€/pcs
electronic temperature recorder + software (Igloo)	115	115	€/set
temperature recorder wire	45	45	€/pcs
top outlets of the cooling circuitry	-	85	€/pcs
automatic condenser vaporization (electric evaporator)	320	-	€/pcs





		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
COSTA (R	EMOTE)				
PA101-c/dp	COSTA 1.3-mod/C	1230	780	2,6	3 4 3 0
PA104-c/dp	COSTA 2.5-mod/C	2460	1500	5,2	5 700

powered only by external aggregate	+
a mechanical valve adapted to one of the following refrigerants: R448A / R449A / R450A / R407F / R404A / R507 / R452	+
multiplexable device	+
dynamic cooling (ventilated)	+
ecological polyurethane foam insulation	+
sliding door with insulated glass - self-closing	+
base sheet and bottom front panel with coloured sheet - selectable colour (Igloo pattern book)	+
top panel illuminated with LED light - different plexiglass colors available (Igloo pattern book)	+
side interior lighting - fluorescent LED (selectable colour - white, confectionery or pink)	+
interior and exposition shelves made of coated steel - different colors available (Igloo pattern book)	+
reinforced display shelves with adjustable height and suspension angle	+
price stripes – different colors available (Igloo pattern book)	+
bumper – different colors available (Igloo pattern book)	+
automatic defrost	+
electronic temperature controller with digital display (Igloo/Carel)	+

Options	REMOTE	
insulated side panels made of white coated steel - selectable colour (Igloo pattern book)	875	€/set
custom colours of side panels made of coated steel (after consultation with the IGLOO Sales Department)	65	€/set
insulated side panels made of stainless steel	1030	€/set
custom base panel color (after consultation with the IGLOO Sales Department)	20	€/meter
base panel made of stainless steel	45	€/meter
custom front panel color (after consultation with the IGLOO Sales Department)	65	€/meter
front panel made of stainless steel	140	€/meter
base and front panel made of coated steel - selectable colour (Igloo pattern book)	0	€/meter
top full panel made of stainless steel	95	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	115	€/meter
device interior and exposition shelves made of stainless steel	395	€/meter
device interior and exposition shelves made of acid resistant stainless steel	725	€/meter
good securing fence	25	€/meter of shelf
additional shelf lighting - fluorescent LED (selectable colour - white, confectionery or meat)	105	€/meter of shelf
top mirrors	95	€/meter
meat hooks – long	125	€/meter
powder painted evaporator	100	€/meter
electric heaters for evaporator defrost	130	€/meter
fixed partition made of PETG (plexiglass)	205	€/pcs
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs
top outlets of the cooling circuitry	85	€/pcs

#### REMOTE







		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PAROS (	PLUG-IN)				
PA100	PAROS 1.0	1000	500	1,7	3 690
PA101	PAROS 1.3	1310	670	2,2	4 090
PA102	PAROS 1.6	1610	840	2,8	4 840
PA103	PAROS 1.9	1920	1000	3,4	5 510
PA104	PAROS 2.5	2540	1280	4,5	6 710
PAROS (	REMOTE)				
РА100-с	PAROS 1.0-mod/C	920	580	2	2 240
PA101-c	PAROS 1.3-mod/C	1230	780	2,6	2 610
PA102-c	PAROS 1.6-mod/C	1530	970	3,4	3 120
PA103-c	PAROS 1.9-mod/C	1840	1170	4	3 570
PA104-c	PAROS 2.5-mod/C	2460	1500	5,4	4 470



#### . . -.

Standard equipment	PLUG-IN	REMOTE
cooling system adapted to factor: R448A / R449A	+	-
powered only by external aggregate	-	+
a mechanical valve adapted to one of the following refrigerants: R448A / R449A / R450A / R407F / R404A / R507 / R452	-	+
multiplexable device	0	+
dynamic cooling (ventilated)	+	+
insulated plastic side walls + glass side panels - different colors available (Igloo pattern book)	+	0
ecological polyurethane foam insulation	+	+
base and front panel with coloured sheet - selectable colour (Igloo pattern book)	+	+
top panel illuminated with LED light – different plexiglass colors available (Igloo pattern book)	+	+
interior illumination - LED lights - different colors available (Igloo pattern book)	+	+
interior and exposition shelves made of coated steel - different colors available (Igloo pattern book)	+	+
exposition shelves with height and angle adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
bumper – different colors available (IGLOO pattern book)	+	+
night roller blind	+	+
automatic defrost	+	+
codenser outlet to container	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
device without side panels prepared for multiplexing (MOD/A)	-330	S	€/pcs
insulated plastic side walls + glass side panels - selectable colour (Igloo pattern book)	S	605	€/set
side panels made of double combined tempered glass or double combined mirror	170	170	€/set
insulated side panels made of white coated steel - selectable colour (Igloo pattern book)	295	875	€/set
custom colours of side panels made of coated steel (after consultation with the IGLOO Sales Department)	65	65	€/set
insulated side panels made of stainless steel	440	1030	€/set
custom base panel color (after consultation with the IGLOO Sales Department)	40	25	€/meter
base panel made of stainless steel	125	105	€/meter
custom front panel color (after consultation with the IGLOO Sales Department)	45	45	€/meter
front panel made of stainless steel	160	160	€/meter
base and front panel made of coated steel (after consultation with the IGLOO Sales Department)	0	0	€/meter
top full panel made of stainless steel	70	70	€/meter
top wooden panel – different colors available (Igloo pattern book)	125	125	€/meter
wooden bumper – different colors available (Igloo pattern book)	90	90	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	115	115	€/meter
device interior and exposition shelves made of stainless steel	395	395	€/meter
device interior and exposition shelves made of acid resistant stainless steel	725	725	€/meter
strengthening of full shelves	25	25	€/meter of shelf
good securing fence	25	25	€/meter of shelf
additional shelf lighting - fluorescent LED (selectable colour - white, confectionery or meat)	105	105	€/meter of shelf
top mirrors	95	95	€/meter
meat hooks – long	125	125	€/meter
powder painted evaporator	100	100	€/meter
electric heaters for evaporator defrost	130	130	€/meter
automatic condenser vaporization (electric evaporator)	380	-	€/pcs
fixed partition made of PETG (plexiglass)	205	205	€/pcs
electronic temperature recorder + software (Igloo)	115	115	€/set
temperature recorder wire	45	45	€/pcs
top outlets of the cooling circuitry	-	85	€/pcs





+1 / +10°C

		K N			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
RODOS	(PLUG-IN)				
RS100	RODOS 1.0	1000	500	1,7	3 810
RS101	RODOS 1.3	1310	670	2,2	4 230
RS102	RODOS 1.6	1610	840	2,8	4 990
RS103	RODOS 1.9	1920	1000	3,4	5 620
RS104	RODOS 2.5	2540	1280	4,5	6 930
RODOS	(REMOTE)				
RS100-c	RODOS 1.0-mod/C	920	580	2	2 370
RS101-c	RODOS 1.3-mod/C	1230	780	2,6	2 750
RS102-c	RODOS 1.6-mod/C	1530	970	3,4	3 280
RS103-c	RODOS 1.9-mod/C	1840	1170	4	3 740
RS104-c	RODOS 2.5-mod/C	2460	1500	5,4	4 690





### Standard equipment

cooling system adapted to factor: R448A / R449A powered only by external aggregate a mechanical valve adapted to one of the following refrigerants: R448A / R449A / R450A / multiplexable device dynamic cooling (ventilated) insulated plastic sides with insulated glass - selectable colour (Igloo pattern book) ecological polyurethane foam insulation base and front panel with coloured sheet - selectable colour (Igloo pattern book) top panel illuminated with LED light - different plexiglass colors available (Igloo pattern boo interior illumination - LED lights - different colors available (Igloo pattern book) interior and exposition shelves made of coated steel - different colors available (Igloo patte exposition shelves with height and angle adjustment price stripes - different colors available (Igloo pattern book) bumper - different colors available (Igloo pattern book) night roller blind automatic defrost codenser outlet to container electronic temperature controller with digital display (Igloo/Carel)

condenser impurity or fan operation failure alarm

Options	PLUG-IN	REMOTE	
device without side panels prepared for multiplexing (MOD/A)	-390	S	€/pcs
insulated plastic side walls + glass side panels - selectable colour (Igloo pattern book)	S	700	€/set
side panels made of double combined tempered glass or double combined mirror	205	205	€/set
insulated side panels made of white coated steel - selectable colour (Igloo pattern book)	295	920	€/set
custom colours of side panels made of coated steel (after consultation with the Igloo Sales Department)	65	65	€/set
insulated side panels made of stainless steel	440	1030	€/set
custom base panel color (after consultation with the Igloo Sales Department)	40	25	€/meter
base panel made of stainless steel	125	105	€/meter
custom front panel color (after consultation with the Igloo Sales Department)	45	45	€/meter
front panel made of stainless steel	160	160	€/meter
base and front panel made of coated steel (after consultation with the Igloo Sales Department)	0	0	€/meter
top full panel made of stainless steel	70	70	€/meter
top wooden panel – different colors available (Igloo pattern book)	125	125	€/meter
wooden bumper – different colors available (Igloo pattern book)	90	90	€/meter
custom colors of device interior and exposition shelves (after consultation with the Igloo Sales Department)	115	115	€/meter
device interior and exposition shelves made of stainless steel	395	395	€/meter
device interior and exposition shelves made of acid resistant stainless steel	725	725	€/meter
strengthening of full shelves	25	25	€/meter of shelf
good securing fence	25	25	€/meter of shelf
additional shelf lighting - fluorescent LED (selectable colour - white, confectionery or meat)	105	105	€/meter of shelf
top mirrors	95	95	€/meter
meat hooks – long	125	125	€/meter
powder painted evaporator	100	100	€/meter
electric heaters for evaporator defrost	130	130	€/meter
automatic condenser vaporization (electric evaporator)	380	-	€/pcs
fixed partition made of PETG (plexiglass)	205	205	€/pcs
electronic temperature recorder + software (Igloo)	115	115	€/set
temperature recorder wire	45	45	€/pcs
top outlets of the cooling circuitry	-	85	€/pcs

	PLUG-IN	REMOTE
	+	-
	-	+
/ R407F / R404A / R507 / R452	-	+
	0	+
	+	+
	+	0
	+	+
	+	+
ook)	+	+
	+	+
tern book)	+	+
	+	+
	+	+
	+	+
	+	+
	+	+
	+	-
	+	+
	+	-



F +1 / +10°C







		$\swarrow$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
TOBAGO	3 (REMOTE) NEW				
TB330	Tobago 3/1.25-mod/C	1250	440	2,1	3840
TB350	Tobago 3/1.88-mod/C	1875	660	3,2	4980
TB360	Tobago 3/2.50-mod/C	2500	880	4,3	6220
TB380	Tobago 3/3.75-mod/C	3750	1320	6,4	8420

Devices va	ariants	REMOTE	
DP-Clear	Sliding doors with combined glass full transparent – door soft closing system (DP)	+760	€/meter

1520±15	300 350 450 570	1015
V		260±15
	950	

## Standard equipment

Standard equipment	REINOTE
powered only by external aggregate	+
multiplexable device	+
dynamic cooling (ventilated)	+
ecological polyurethane foam insulation	+
base and front panel made of white coated steel (contact the Igloo sales department)	+
front bottom panel made of coated steel - different colors available (Igloo pattern book)	+
base plinth made of stainless steel with a floor seal	+
interior and exposition shelves made of coated steel - different colors available (Igloo pattern book)	+
exposition shelves with height and angle adjustment	+
price stripes - different colors available (IGLOO pattern book)	+
night roller blind - manual	+
modern LED lighting (lighting colour options: white confectionery, pink)	+
electronic temperature controller with digital display (Igloo/Carel)	+
mechanical expansion valve	+
siphoned condensate drain - diameter of the connector pipe Ø 40	+
refrigerant system adapted for R448A / R449A / R450A / R407F / R404A / R507 / R452 agent	+

Options	REMOTE	
side panels made of double combined tempered glass or double combined mirror	1430	€/set
custom colors of top front panel (after consultation with the IGLOO Sales Department)	55	€/meter
custom colors of bottom front panel (after consultation with the IGLOO Sales Department)	35	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	115	€/meter
device interior and exposition shelves made of stainless steel	405	€/meter
device interior and exposition shelves made of acid resistant stainless steel	645	€/meter
additional shelf illumination – LED light (available colors : white, confectionery or meat)	105	€/meter of shelf
good securing fence	25	€/meter of shelf
fixed partition made of PETG (plexiglass)	215	€/pcs
display space thermometer	35	€/pcs
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs
no thermostat - 2 x temperature sensor NTC [ $10k\Omega$ ]	-25	€/set
electric heaters for evaporator defrost	140	€/meter
electronic expansion valve*	820	€/set
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	420	€/meter
	*more information - IGLOO	) sales department

#### REMOTE

# **TOBAGO 2**

ŀ +1 / +10°C





			$\widehat{\bigcirc}$		EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
TOBAGO	D 2 (REMOTE)				
TB230	Tobago 2/1.25-mod/C	1250	440	2,1	3 650
TB250	Tobago 2/1.88-mod/C	1875	660	3,2	4 660
TB260	Tobago 2/2.50-mod/C	2500	880	4,3	5 840
TB280	Tobago 2/3.75-mod/C	3750	1320	6,4	7 890
TB200E	Tobago 2 HEAD-mod/C	1960	660	3,2	7 030

## Standard equipment

	NEI TOTE
powered only by external aggregate	+
multiplexable device	+
dynamic cooling (ventilated)	+
ecological polyurethane foam insulation	+
base and front panel made of white coated steel (contact the Igloo sales department)	+
front bottom panel made of coated steel - different colors available (Igloo pattern book)	+
base plinth made of stainless steel with a floor seal	+
interior and exposition shelves made of coated steel - different colors available (Igloo pattern book)	+
exposition shelves with height and angle adjustment	+
price stripes - different colors available (Igloo pattern book)	+
night roller blind - manual	+
modern LED lighting (lighting colour options: white confectionery, pink)	+
electronic temperature controller with digital display (Igloo/Carel)	+
mechanical expansion valve	+
siphoned condensate drain - diameter of the connector pipe Ø 40	+
refrigerant system adapted for R448A / R449A / R450A / R407F / R404A / R507 / R452 agent	+

Options	REMOTE	
side panels made of double combined tempered glass or double combined mirror (TOBAGO 2 HEAD as standard)	1430	€/set
custom colors of top front panel (after consultation with the IGLOO Sales Department)	55	€/meter
custom colors of bottom front panel (after consultation with the IGLOO Sales Department)	35	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	115	€/meter
device interior and exposition shelves made of stainless steel	405	€/meter
device interior and exposition shelves made of acid - resistant stainless steel	645	€/meter
additional shelf illumination – LED light (available colors : white, confectionery or meat)	105	€/meter of shelf
good securing fence	25	€/meter of shelf
fixed partition made of PETG (plexiglass)	215	€/pcs
front buffer with stainless steel profile	175	€/meter
display space thermometer	35	€/pcs
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs
no thermostat - 2 x temperature sensor NTC [10k $\Omega$ ]	-20	€/set
electric heaters for evaporator defrost	140	€/meter
electronic expansion valve*	820	€/set
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	420	€/meter

#### REMOTE





Stand	ard eq	luipm	ent

Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate	+	-
powered only by external aggregate	-	+
multiplexable device	-	+
dynamic cooling (ventilated)	+	+
bottom shelf made of painted steel (Igloo pattern book)	+	+
exposition shelves on frame ,with height and angle adjustment, made of powder painted steel (Igloo pattern book)	+	+
external glass elements made of combined glass with argon filling and black, white or gray RAL7042 silkscreen	+	-
front panel with color-coated sheet - selectable color (Igloo pattern book)	+	+
base, coloured sheet - selectable colour (Igloo pattern book)	+	+
price stripes – different colors available (Igloo pattern book)	+	+
ecological polyurethane foam insulation	+	+
upper interior lighting + backlight of each shelf - different colors available (Igloo pattern book)	+	+
automatic defrost	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display (Igloo/Carel)	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
external glass elements made of combined glass with black, white or gray RAL7042 silkscreen	S	1250	€/set.
bottom shelf made of stainless steel	100	100	€/meter
bottom shelf made of acid-resistant stainless steel	155	155	€/meter
exposition shelves on frame ,with height and angle adjustment, made of stainless steel	85	85	€/meter of shelf
exposition shelves on frame, with height and angle adjustment, made of acid-resistant stainless steel	120	120	€/meter of shelf
frame and device internal made of stainless steel	130	130	€/meter
frame and device internal made of acid-resistant stainless steel	230	230	€/meter
front panel made of stainless steel	95	95	€/meter
base made of stainless steel	100	100	€/meter
electronic temperature recorder + software (IGLOO)	115	115	€/set
temperature recorder wire	45	45	€/pcs
no thermostat - 2 x temperature sensor NTC [10k $\Omega$ ]	-25	-25	€/set
electronic expansion valve*		820	€/set
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*		420	€/meter
*mare information ICLOO cales department			

					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PROXIMA	SLIM OPEN (PLUG-IN)	NEW			
PRXS100	PROXIMA SLIM OPEN 1.25	1250	358	2	3940
PRXS101	PROXIMA SLIM OPEN 1.88	1880	536	3	5310
PRXS102	PROXIMA SLIM OPEN 2.50	2500	715	4	6420
PRXS103	PROXIMA SLIM OPEN 3.75	3750	1073	6	8930
PROXIMA	SLIM OPEN (REMOTE)	NEW			
PRXS100-c	PROXIMA SLIM OPEN 1.25-mod/C	1250	358	2	1730
PRXS101-c	PROXIMA SLIM OPEN 1.88-mod/C	1880	536	3	3170
PRXS102-c	PROXIMA SLIM OPEN 2.50-mod/C	2500	715	4	4280
PRXS103-c	PROXIMA SLIM OPEN 3.75-mod/C	3750	1073	6	6830
### ₽ PROXIMA SLIM HOT OPEN +30 / +60°C





Standard equipment	PROXIMA SLIM HOT OPEN	PROXIMA SLIM HOT OPEN - mod
multiplexable device	-	+
lower internal shelf fitted with heating pads, made of stainless steel	+	+
stainless heating shelves on a frame with adjustable height and suspension angle	+	+
external glass elements made of combined glass with argon filling and black, white or gray RAL7042 silkscreen	+	-
front panel with color-coated sheet - selectable color (Igloo pattern book)	+	+
base, coloured sheet - selectable colour (Igloo pattern book)	+	+
ecological polyurethane foam insulation	+	+
housing with base from staff side made of coated steel - different colors available (Igloo pattern book)	+	+
frame and internal back of device made of painted steel – different colors available (Igloo pattern book)	+	+
additional illumination of each shelf - T5 LED lights (confectionery color)	+	+
electronic temperature controller with digital display (Carel)	+	+

### Options

external glass elements made of combined glass with black, white or gray RAL7042 silkscree lower internal shelf fitted with heating pads, made of acid-resistant steel exposition shelves on frame ,with height and angle adjustment, made of acid-resistant stain frame and internal back of device made of stainless steel frame and internal back of device made of acid-resistant stainless steel front panel made of stainless steel base made of stainless steel

		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price 2021 €
PROXIMA	SLIM HOT OPEN (PLUG	-IN) 🗖	EW		
PRXS100H	PROXIMA SLIM HOT OPEN 1.25	1250	381	1,6	5390
PRXS101H	PROXIMA SLIM HOT OPEN 1.88	1880	571	2,4	7980
PRXS102H	PROXIMA SLIM HOT OPEN 2.50	2500	761	3,2	10320
PROXIMA	SLIM HOT OPEN (MOD)	NEW	]		
PRXS100H-mod	PROXIMA SLIM HOT OPEN 1.25-mod	1250	381	1,6	4180
PRXS101H-mod	PROXIMA SLIM HOT OPEN 1.88-mod	1880	571	2,4	6720
PRXS102H-mod	PROXIMA SLIM HOT OPEN 2.50-mod	2500	761	3,2	9080

	PLUG-IN	MOD	
reen	S	1250	€/set.
	125	125	€/meter
ainless steel	115	115	€/meter
	125	125	€/meter of shelf
	215	215	€/meter
	85	85	€/meter
	90	90	€/meter





- powered only by external aggregate
- multiplexable device
- dynamic cooling (ventilated)
- ecological polyurethane foam insulation
- top panel illuminated with LED light different plexiglass colors available (Igloo pattern boo
- interior illumination LED lights different colors available (Igloo pattern book)
- interior made of stainless steel
- meat hooks 2 levels
- automatic defrost
  - electronic temperature controller with digital display (Igloo/Carel)
  - a mechanical valve adapted to one of the following refrigerants: R448A / R449A / R450A /

Options	REMOTE	
insulated plastic side walls + glass side panels - selectable colour (Igloo pattern book)	405	€/set
side panels made of double combined tempered glass or double combined mirror	175	€/set
insulated side panels made of white coated steel - selectable colour (Igloo pattern book)	475	€/set
custom colours of side panels made of coated steel (after consultation with the IGLOO Sales Department)	115	€/set
insulated side panels made of stainless steel	605	€/set
base and front panel made of white coated steel - selectable colour (Igloo pattern book)	0	€/meter
top full panel made of stainless steel	70	€/meter
interior made of acid resistant steel	280	€/meter
night roller blind	125	€/meter
powder painted evaporator	100	€/meter
electric heaters for evaporator defrost	130	€/meter
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs

					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
<b>MIŁOS</b> Z	2 (REMOTE)				
MI200	MIŁOSZ 2 1.0	920	150	0,9	2270
MI201	MIŁOSZ 2 1.3	1230	200	1,1	2590
MI202	MIŁOSZ 2 1.6	1530	260	1,7	3170
MI203	MIŁOSZ 2 1.9	1840	310	2	3560
MI204	MIŁOSZ 2 2.5	2460	410	2,3	4070

### REMOTE

	+
	+
	+
	+
pok)	+
	+
	+
	+
	+
	+
/ R407F / R404A / R507 / R452	+

Ŗ

ID

MX100

Name

MAX

MAX (PLUG-IN)



	600
-	520
n a	
Ш	
l i	
8 <b>0</b>	
ų	



EUR

Price

1990

2021€

Capacity

[dm3]

118

The area

of shelves [m2]

1,2

 $\sim$ 

Length [mm]

600



### Standard equipment

internal cooling aggregate device powered with an ecological refrigerant R-290 dynamic cooling (ventilated) insulated plastic sides with insulated glass - selectable colour (Igloo pattern book) ecological polyurethane foam insulation base panels, upper and lower front panel with coloured sheet - selectable colour (Igloo pattern rack interior with coloured sheet - selectable colour (Igloo pattern book) interior lighting - fluorescent LED glass exposition shelves automatic defrost automatic condenser vaporization electronic temperature controller with digital display (Igloo/Carel)

condenser impurity or fan operation failure alarm

### Options

custom colors of top front panel (after consultation with the Igloo Sales Department) top full panel made of stainless steel custom front panel color (after consultation with the Igloo Sales Department) front panel made of stainless steel custom base panel color (after consultation with the Igloo Sales Department) base made of stainless steel custom interior colour (after consultation with the Igloo Sales Department) interior made of stainless steel interior made of stainless steel electronic temperature recorder + software (Igloo) temperature recorder wire

set of wheels (castors)

### PLUG-IN

	+
	+
	+
	+
	+
ttern book)	+
	+
	+
	+
	+
	+
	+
	+

PLUG-IN	
30	€/pcs
50	€/pcs
25	€/pcs
40	€/pcs
30	€/pcs
50	€/pcs
50	€/pcs
100	€/pcs
170	€/pcs
115	€/set
45	€/pcs
120	€/set



ŀ +2/ +10°C



		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
MAXIM (F	PLUG-IN)				
MXM125	MAXIM 1.25	1280	346	1,9	6 0 2 0
MXMS90	MAXIM SLIM 0.9	930	203	1,0	4 930
MXMS125	MAXIM SLIM 1.25	1280	282	1,4	5 810

MAXIM SLIM



# Standard equipment

device powered with an ecological refrigerant R-290         dynamic cooling with automatic defrost         external and internal housing made of painted steel – different colors available (IGLOO patter sides made of plastic with black or gray RAL 7042 silkscreen printing         2 glass shelves in exposition area         device leveling legs         the possibility of combining side-by-side         automatic condenser vaporization         electronic temperature controller with digital display (Igloo/Carel)         condenser impurity or fan operation failure alarm		internal cooling aggregate
external and internal housing made of painted steel – different colors available (IGLOO patter sides made of plastic with black or gray RAL 7042 silkscreen printing 2 glass shelves in exposition area device leveling legs the possibility of combining side-by-side automatic condenser vaporization electronic temperature controller with digital display (Igloo/Carel)		device powered with an ecological refrigerant R-290
sides made of plastic with black or gray RAL 7042 silkscreen printing 2 glass shelves in exposition area device leveling legs the possibility of combining side-by-side automatic condenser vaporization electronic temperature controller with digital display (Igloo/Carel)		dynamic cooling with automatic defrost
2 glass shelves in exposition area device leveling legs the possibility of combining side-by-side automatic condenser vaporization electronic temperature controller with digital display (Igloo/Carel)		external and internal housing made of painted steel - different colors available (IGLOO patter
device leveling legs the possibility of combining side-by-side automatic condenser vaporization electronic temperature controller with digital display (Igloo/Carel)		sides made of plastic with black or gray RAL 7042 silkscreen printing
the possibility of combining side-by-side automatic condenser vaporization electronic temperature controller with digital display (Igloo/Carel)		2 glass shelves in exposition area
automatic condenser vaporization electronic temperature controller with digital display (Igloo/Carel)		device leveling legs
electronic temperature controller with digital display (Igloo/Carel)	t	the possibility of combining side-by-side
		automatic condenser vaporization
condenser impurity or fan operation failure alarm		electronic temperature controller with digital display (Igloo/Carel)
		condenser impurity or fan operation failure alarm

Options	PLUG IN	
custom colors of top front panel (after consultation with the IGLOO Sales Department)	55	€/meter
custom colors of bottom front panel (after consultation with the IGLOO Sales Department)	35	€/meter
custom interior colour (after consultation with the IGLOO Sales Department)	115	€/meter
interior made of stainless steel	405	€/meter
interior made of acid resistant steel	645	€/meter
side illumination of interior - LED	140	€/set
display space thermometer	35	€/pcs
electronic temperature recorder + software (IGLOO)	115	€/set
temperature recorder wire	45	€/pcs
set of wheels (castors)	245	€/set

### PLUG-IN

	+
	+
	+
attern book)	+
	+
	+
	+
	+
	+
	+
	+

Μ			
	хг	IVI	

+2/+4°C





### Standard equipment

internal cooling aggregate device powered with an ecological refrigerant R-290 dynamic cooling with automatic defrost base made of painted steel – different colors available (IGLOO pattern book) interior made of painted steel – different colors available (IGLOO pattern book) front and sides with black or gray RAL 7042 silkscreen printing set of wheels (castors) the possibility of combining side-by-side automatic condenser vaporization electronic temperature controller with digital display (Igloo/Carel)

condenser impurity or fan operation failure alarm

### Options

custom colour of base (after consultation with the IGLOO Sales Department) exposition area made of stainless steel exposition area made of acid resistant stinless steel powder painted evaporator front buffer with stainless steel profile set of sliding glass covers display space thermometer

		$\bigvee$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
MAXIM 2 (	PLUG-IN) NEW				
MX2120	MAXIM 2 1.0	1030	131	0,9	4 680
MX2130	MAXIM 2 1.25	1280	164	1,1	5 250

### PLUG-IN

PLUG-IN
+
+
+
+
+
+
+
+
+
+
+

PLUG IN	
85	€/meter
90	€/meter
135	€/meter
100	€/meter
135	€/meter
740	€/meter
35	€/pcs



ŀ +3 / +10°C



					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
RAFAŁ	B (PLUG-IN)				
RA51	RAFAŁ B 1.0	980	240	1,5	3080





### Standard equipment

Standard equipment	
internal cooling aggregate R290	+
dynamic cooling (ventilated)	+
insulated plastic side walls + glass side panels - different colors available (Igloo pattern book)	+
ecological polyurethane foam insulation	+
base sheet and bottom front panel with coloured sheet - selectable colour (Igloo pattern book)	+
front and top panel buffer – colour selectable (Igloo pattern book)	+
interior illumination - LED lights - different colors available (Igloo pattern book)	+
interior and exposition shelves made of coated steel - different colors available (Igloo pattern book)	+
exposition shelves with height and angle adjustment	+
price stripes - different colors available (IGLOO pattern book)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display (Igloo/Carel)	+
condenser impurity or fan operation failure alarm	+

Options	PLUG-IN	
custom base panel color (after consultation with the IGLOO Sales Department)	40	€/meter
base panel made of stainless steel	125	€/meter
custom front panel color (after consultation with the IGLOO Sales Department)	45	€/meter
front panel color made of stainless steel	160	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	105	€/meter
device interior and exposition shelves made of stainless steel	280	€/meter
device interior and exposition shelves made of acid resistant stainless steel	510	€/meter
good securing fence	25	€/meter of shelf
additional shelf lighting - fluorescent LED (selectable colour - white, confectionery or pink)	105	€/meter of shelf
powder painted evaporator	100	€/meter
electric heaters for evaporator defrost	130	€/meter
electronic temperature recorder + software (Igloo)	115	€/set
temperature recorder wire	45	€/pcs

### REMOTE

# 

# cooling cabbinets

EWA P
EWA 1
EWA 500.1 BEVERAGES
IOLA P
IOLA 1
OLA 700.1 BEVERAGES
OLA P
DLA 2
OLA 1400.2 BEVERAGES
MALTA P
MALTA 1

87								
89								
91								
93								
95								
97								
99								
101								
103								
105								
107								







		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
EWA P					
EW100.P	EWA 500.P	620	500	1,4	2 130
EWA P AG	i				
EW100.P/AG	EWA 500.P AG	620	500	1,4	2 080

Devices va	riants	EWA P	EWA P AG	
S	device with statis cooling	+95	+95	€/pcs



internal cooling aggregate placed on the bottom internal cooling aggregate placed on the top dynamic cooling (ventilated) external housing with coloured sheet - selectable colour (IGLOO pattern book) interior made of white coated steel hinged doors - choice of door opening direction ecological polyurethane foam insulation 5 pcs of plastified reticulated shelves, with height adjustment automatic defrost condenser outlet to container electronic temperature controller with digital display (IGLOO) condenser impurity or fan operation failure alarm

external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of stainless steel
horizontally divided doors
hinged doors self-closer
door lock with key
fan stopping switch
plastified strengthened shelves
chrome reticulated shelves
chrome reticulated strengthened shelves
additional plastified reticulated shelf + handle set
additional plastified reticulated strengthened shelf + handle set
additional chrome reticulated shelf + handle set
additional chrome reticulated strengthened shelf + handle set
internal top and side illumination – LED lights
internal frame with 9 stainless steel drawers (excludes the interior lighting)
automatic condenser vaporization
device with temperature range from -6 °C to 0 °C
electronic temperature recorder + software
temperature recorder wire
SMS alarm module + temperature recorder with emergency power supply
USB-MGSM TTL wire for SMS module programming

EWA P	EWA P AG
+	-
-	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+

EWA P	EWA P AG	
+220	+220	€/pcs
+295	+295	€/pcs
+230	+230	€/pcs
+145	+145	€/pcs
+45	+45	€/pcs
+70	+70	€/pcs
+35	+35	€/pcs
+75	+75	€/set
+115	+115	€/set
+170	+170	€/set
+35	+35	€/pcs
+55	+55	€/pcs
+65	+65	€/pcs
+70	+70	€/pcs
+125	+125	€/pcs
+1080	+1080	€/set
+45	+45	€/pcs
+545	+545	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs







		$\swarrow$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
EWA 1					
EW100.1	EWA 500.1	620	500	1,4	2 230
EWA 1 AG					
EW100.1/AG	EWA 500.1 AG	620	500	1,4	2 160

Devices variants		EWA 1	EWA 1 AG	
S	device with statis cooling	+90	+90	€/pcs
2	device with glass doors and glass back	+80	_	€/pcs

# 

### Standard equipment

internal cooling aggregate placed on the bottom internal cooling aggregate placed on the top dynamic cooling (ventilated) external housing with coloured sheet - selectable colour (IGLOO pattern book) interior made of white coated steel hinged doors with combined glass - choice of door opening direction ecological polyurethane foam insulation 5 pcs of plastified reticulated shelves, with height adjustment price stripes - different colors available (IGLOO pattern book) front panel made of painted steel - different colors available (IGLOO pattern book) automatic defrost condenser outlet to container single vertical interior lighting - LED light electronic temperature controller with digital display (IGLOO) condenser impurity or fan operation failure alarm

EWA 1	EWA 1 AG
+	-
-	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	-
+	+
+	+
+	+
+	+
+	+

EWA 1	EWA 1 AG	
+200	+200	€/pcs
+275	+275	€/pcs
+220	+220	€/pcs
+155	+155	€/pcs
+45	+45	€/pcs
+70	+70	€/pcs
+35	+35	€/pcs
+75	+75	€/set
+115	+115	€/set
+170	+170	€/set
+35	+35	€/pcs
+55	+55	€/pcs
+65	+65	€/pcs
+70	+70	€/pcs
+125	+125	€/pcs
+1080	+1080	€/set
+45	+45	€/pcs
+545	+545	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs





 dynamic cooling (ventilated)

 internal cooling aggregate placed on the bottom

 external housing made of black coated steel

 interior housing made of black coated steel

 hinged doors with combined glass - choice of door opening direction

 hinged doors self-closer

 ecological polyurethane foam insulation

 5 black shelves made of perforated black stainless steel

 black price strips

 top panel illuminated with LED light - different plexiglass colors available (IGLOO pattern blautomatic defrost

 automatic condenser vaporization

 innovative vertical inside lighting - LED profiles, colour 5700k - 2 pcs.

 electronic temperature controller with digital display (IGLOO)

 condenser impurity or fan operation failure alarm

### Options

door lock with key additional shelve made of perforated black coated steel + handle set electronic temperature recorder + software temperature recorder wire

		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
EWA 50	0.1 BEVERAGES				
EW100.1	EWA 500.1	620	500	1.4	2 400

### EWA 1 NAP

	+
	+
	+
	+
	+
	+
	+
	+
	+
book)	+
	+
	+
	+
	+
	+

EWA 1 NAP	
+70	€/pcs
+60	€/set
+115	€/set
+45	€/pcs





 $\boxtimes \square$ 

510

600

bf

7

					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA P					
JO100.P	JOLA 700.P	820	700	2,2	2 260
JOLA P AG					

Devic	es variants	JOLA P	JOLA P AG	
S	device with static cooling	+105	+105	€/pcs

820 700 2,2

2 190

JO100.P/AG

JOLA 700.P AG

### Standard equipment

internal cooling aggregate placed on the bottom internal cooling aggregate placed on the top dynamic cooling (ventilated) external housing with coloured sheet - selectable colour (IGLOO pattern book) interior made of white coated steel hinged doors - choice of door opening direction ecological polyurethane foam insulation 5 pcs of plastified reticulated shelves, with height adjustment automatic defrost condenser outlet to container electronic temperature controller with digital display (IGLOO) condenser impurity or fan operation failure alarm

- P
external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of stainless steel
horizontally divided doors
hinged doors self-closer
door lock with key
fan stopping switch
plastified strengthened shelves
chrome reticulated shelves
chrome reticulated strengthened shelves
additional plastified reticulated shelf + handle set
additional plastified reticulated strengthened shelf + handle set
additional chrome reticulated shelf + handle set
additional chrome reticulated strengthened shelf + handle set
internal top and side illumination – LED lights
internal frame with 9 stainless steel drawers (excludes the interior lighting)
automatic condenser vaporization
device with temperature range from -6 $^{\circ}\text{C}$ to 0 $^{\circ}\text{C}$
electronic temperature recorder + software
temperature recorder wire
SMS alarm module + temperature recorder with emergency power supply
USB-MGSM TTL wire for SMS module programming

JOLA P	JOLA P AG
+	-
-	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+

JOLA P	JOLA P AG	
+230	+230	€/pcs
+305	+305	€/pcs
+245	+245	€/pcs
+145	+145	€/pcs
+45	+45	€/pcs
+70	+70	€/pcs
+35	+35	€/pcs
+105	+105	€/set
+155	+155	€/set
+210	+210	€/set
+40	+40	€/pcs
+65	+65	€/pcs
+75	+75	€/pcs
+90	+90	€/pcs
+125	+125	€/pcs
+1195	+1195	€/set
+45	+45	€/pcs
+545	+545	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs







		$\bigvee$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA 1					
JO100.1	JOLA 700.1	820	700	2,2	2 390
JOLA 1 AG	i				
JO100.1/AG	JOLA 700.1 AG	820	700	2,2	2 310

Devices va	riants	JOLA 1	JOLA 1 AG	
S	device with statis cooling	+105	+105	€/pcs
2	device with glass doors and glass back	+95	_	€/pcs



internal cooling aggregate placed on the bottom internal cooling aggregate placed on the top dynamic cooling (ventilated) external housing with coloured sheet - selectable colour (IGLOO pattern book) interior made of white coated steel hinged doors with combined glass - choice of door opening direction ecological polyurethane foam insulation 5 pcs of plastified reticulated shelves, with height adjustment price stripes - different colors available (IGLOO pattern book) front panel made of painted steel - different colors available (IGLOO pattern book) automatic defrost condenser outlet to container single vertical interior lighting - LED light electronic temperature controller with digital display (IGLOO) condenser impurity or fan operation failure alarm

external housing color - different colors available (IGLOO pattern book) external housing made of stainless steel interior made of stainless steel horizontally divided doors hinged doors self-closer door lock with key fan stopping switch plastified strengthened shelves chrome reticulated shelves chrome reticulated strengthened shelves additional plastified reticulated shelf + handle set additional plastified reticulated shelf + handle set additional plastified reticulated shelf + handle set additional chrome reticulated shelf + handle set internal top and side illumination - LED lights internal frame with 9 stainless steel drawers (excludes the interior lighting) device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire	
interior made of stainless steel horizontally divided doors hinged doors self-closer door lock with key fan stopping switch plastified strengthened shelves chrome reticulated shelves chrome reticulated strengthened shelves additional plastified reticulated shelf + handle set additional plastified reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set internal top and side illumination – LED lights internal frame with 9 stainless steel drawers (excludes the interior lighting) automatic condenser vaporization device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire	external housing color - different colors available (IGLOO pattern book)
horizontally divided doors hinged doors self-closer door lock with key fan stopping switch plastified strengthened shelves chrome reticulated shelves chrome reticulated strengthened shelves additional plastified reticulated shelf + handle set additional plastified reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set internal top and side illumination – LED lights internal frame with 9 stainless steel drawers (excludes the interior lighting) automatic condenser vaporization device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire	external housing made of stainless steel
hinged doors self-closer door lock with key fan stopping switch plastified strengthened shelves chrome reticulated shelves chrome reticulated strengthened shelves additional plastified reticulated shelf + handle set additional plastified reticulated shelf + handle set additional chrome reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set internal top and side illumination - LED lights internal frame with 9 stainless stel drawers (excludes the interior lighting) automatic condenser vaporization device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire	interior made of stainless steel
fan stopping switch plastified strengthened shelves chrome reticulated shelves chrome reticulated strengthened shelves additional plastified reticulated shelf + handle set additional plastified reticulated shelf + handle set additional chrome reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set internal top and side illumination - LED lights internal frame with 9 stainless steel drawers (excludes the interior lighting) automatic condenser vaporization device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire	horizontally divided doors
fan stopping swich plastified strengthened shelves chrome reticulated shelves chrome reticulated strengthened shelves additional plastified reticulated shelf + handle set additional plastified reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set internal top and side illumination - LED lights internal frame with 9 stainless steel drawers (excludes the interior lighting) automatic condenser vaporization device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire	hinged doors self-closer
plastified strengthened shelves chrome reticulated shelves chrome reticulated strengthened shelves additional plastified reticulated shelf + handle set additional plastified reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set internal top and side illumination - LED lights internal frame with 9 stainless steel drawers (excludes the interior lighting) automatic condenser vaporization device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire	door lock with key
chrome reticulated shelves chrome reticulated strengthened shelves additional plastified reticulated shelf + handle set additional plastified reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set internal top and side illumination - LED lights internal frame with 9 stainless steel drawers (excludes the interior lighting) automatic condenser vaporization device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire SMS alarm module + temperature recorder with emergency power supply	fan stopping switch
chrome reticulated strengthened shelves additional plastified reticulated shelf + handle set additional plastified reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set internal top and side illumination - LED lights internal frame with 9 stainless steel drawers (excludes the interior lighting) automatic condenser vaporization device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire SMS alarm module + temperature recorder with emergency power supply	plastified strengthened shelves
additional plastified reticulated shelf + handle set additional plastified reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set additional chrome reticulated strengthened shelf + handle set internal top and side illumination - LED lights internal frame with 9 stainless steel drawers (excludes the interior lighting) automatic condenser vaporization device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire SMS alarm module + temperature recorder with emergency power supply	chrome reticulated shelves
additional plastified reticulated strengthened shelf + handle set additional chrome reticulated shelf + handle set additional chrome reticulated strengthened shelf + handle set internal top and side illumination – LED lights internal frame with 9 stainless steel drawers (excludes the interior lighting) automatic condenser vaporization device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire SMS alarm module + temperature recorder with emergency power supply	chrome reticulated strengthened shelves
additional chrome reticulated shelf + handle set additional chrome reticulated strengthened shelf + handle set internal top and side illumination - LED lights internal frame with 9 stainless steel drawers (excludes the interior lighting) automatic condenser vaporization device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire SMS alarm module + temperature recorder with emergency power supply	additional plastified reticulated shelf + handle set
additional chrome reticulated strengthened shelf + handle set internal top and side illumination - LED lights internal frame with 9 stainless steel drawers (excludes the interior lighting) automatic condenser vaporization device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire SMS alarm module + temperature recorder with emergency power supply	additional plastified reticulated strengthened shelf + handle set
internal top and side illumination – LED lights internal frame with 9 stainless steel drawers (excludes the interior lighting) automatic condenser vaporization device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire SMS alarm module + temperature recorder with emergency power supply	additional chrome reticulated shelf + handle set
internal frame with 9 stainless steel drawers (excludes the interior lighting) automatic condenser vaporization device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire SMS alarm module + temperature recorder with emergency power supply	additional chrome reticulated strengthened shelf + handle set
automatic condenser vaporization device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire SMS alarm module + temperature recorder with emergency power supply	internal top and side illumination - LED lights
device with temperature range from -6 °C to 0 °C electronic temperature recorder + software temperature recorder wire SMS alarm module + temperature recorder with emergency power supply	internal frame with 9 stainless steel drawers (excludes the interior lighting)
electronic temperature recorder + software temperature recorder wire SMS alarm module + temperature recorder with emergency power supply	automatic condenser vaporization
temperature recorder wire SMS alarm module + temperature recorder with emergency power supply	device with temperature range from -6 $^{\circ}\text{C}$ to 0 $^{\circ}\text{C}$
SMS alarm module + temperature recorder with emergency power supply	electronic temperature recorder + software
	temperature recorder wire
USB-MGSM TTL wire for SMS module programming	SMS alarm module + temperature recorder with emergency power supply
	USB-MGSM TTL wire for SMS module programming

JOLA 1	JOLA 1 AG
+	-
-	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	-
+	+
+	+
+	+
+	+
+	+

JOLA 1	JOLA 1 AG	
+210	+210	€/pcs
+285	+285	€/pcs
+230	+230	€/pcs
+155	+155	€/pcs
+45	+45	€/pcs
+70	+70	€/pcs
+35	+35	€/pcs
+105	+105	€/set
+155	+155	€/set
+210	+210	€/set
+40	+40	€/pcs
+65	+65	€/pcs
+75	+75	€/pcs
+90	+90	€/pcs
+125	+125	€/pcs
+1195	+1195	€/set
+45	+45	€/pcs
+545	+545	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs





 dynamic cooling (ventilated)

 internal cooling aggregate placed on the bottom

 external housing made of black coated steel

 interior housing made of black coated steel

 hinged doors with combined glass - choice of door opening direction

 hinged doors self-closer

 ecological polyurethane foam insulation

 5 black shelves made of perforated black stainless steel

 black price strips

 top panel illuminated with LED light - different plexiglass colors available (IGLOO pattern blautomatic defrost

 automatic condenser vaporization

 innovative vertical inside lighting - LED profiles, colour 5700k - 2 pcs.

 electronic temperature controller with digital display (IGLOO)

 condenser impurity or fan operation failure alarm

### Options

door lock with key additional shelve made of perforated black coated steel + handle set electronic temperature recorder + software temperature recorder wire

		K N			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA 70	00.1 BEVERAGES				
JO100.1	JOLA 700.1	820	700	2,2	2 560

### JOLA 1 NAP

	+
	+
	+
	+
	+
	+
	+
	+
	+
book)	+
	+
	+
	+
	+
	+

JOLA 1 NAP	
+70	€/pcs
+65	€/set
+115	€/set
+45	€/pcs











OLA P AG

### Standard equipment

internal cooling aggregate placed on the bottom internal cooling aggregate placed on the top dynamic cooling (ventilated) external housing with coloured sheet - selectable colour (IGLOO pattern book) interior made of white coated steel hinged doors ecological polyurethane foam insulation 10 pcs of plastified reticulated shelves, with height adjustment automatic defrost condenser outlet to container electronic temperature controller with digital display (IGLOO) condenser impurity or fan operation failure alarm

external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of stainless steel
fixed stainless steel partition panel (not tight)
horizontally divided doors
hinged doors self-closer
door lock with key
fan stopping switch
plastified strengthened shelves
chrome reticulated shelves
chrome reticulated strengthened shelves
additional plastified reticulated shelf + handle set
additional plastified reticulated strengthened shelf + handle set
additional chrome reticulated shelf + handle set
additional chrome reticulated strengthened shelf + handle set
internal top and side illumination – LED lights
stelaż Internal z 18 szufladami (9 poziomów) z blachy nierdzewnej (wyklucza oświetlenie w
automatic condenser vaporization
device with temperature range from -6 °C to 0 °C
electronic temperature recorder + software
temperature recorder wire
SMS alarm module + temperature recorder with emergency power supply
USB-MGSM TTL wire for SMS module programming

		$\swarrow$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA P					
OL100.P	OLA 1400.P	1635	1400	4,4	3 530
OLA P AG					
OL100.P/AG	OLA 1400.P AG	1635	1400	4,4	3 4 4 0

Devices va	riants	OLA P	OLA P AG	
S	device with static cooling	+180	+180	€/pcs
DP	device with sliding doors	+145	-	€/pcs

OLA P	OLA P AG
+	-
-	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+

	OLA P	OLA P AG	
	+285	+285	€/pcs
	+500	+500	€/pcs
	+395	+395	€/pcs
	+140	+140	€/pcs
	+285	+285	€/set
	+90	+90	€/set
	+130	+130	€/set
	+60	+60	€/set
	+200	+200	€/set
	+305	+305	€/set
	+420	+420	€/set
	+40	+40	€/pcs
	+65	+65	€/pcs
	+75	+75	€/pcs
	+90	+90	€/pcs
	+125	+125	€/pcs
vewnętrzne)	+2315	+2315	€/set
	+45	+45	€/pcs
	+655	+655	€/pcs
	+115	+115	€/set
	+45	+45	€/pcs
	+705	+705	€/set
	+70	+70	€/pcs



		$\swarrow$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA 2					
OL100.2	OLA 1400.2	1635	1400	4,4	3 780
OLA 2 AG					
OL100.2/AG	OLA 1400.2 AG	1635	1400	4,4	3 640

Devices va	riants	OLA 2	OLA 2 AG	
S	device with static cooling	+180	+180	€/pcs
4	device with glass doors and glass back	+165	-	€/pcs
DP	device with sliding doors	+145	-	€/pcs



OLA 2



### Standard equipment

 internal cooling aggregate placed on the bottom

 internal cooling aggregate placed on the top

 dynamic cooling (ventilated)

 external housing with coloured sheet - selectable colour (IGLOO pattern book)

 interior made of white coated steel

 hinged doors with combined glass

 ecological polyurethane foam insulation

 10 pcs of plastified reticulated shelves, with height adjustment

 price stripes - different colors available (IGLOO pattern book)

 front panel made of painted steel - different colors available (IGLOO pattern book)

 automatic defrost

 codenser outlet to container

 double vertical LED illumination

 electronic temperature controller with digital display (IGLOO)

 condenser impurity or fan operation failure alarm

### Options

external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of stainless steel
fixed stainless steel partition panel (not tight)
horizontally divided doors
hinged doors self-closer
door lock with key
fan stopping switch
plastified strengthened shelves
chrome reticulated shelves
chrome reticulated strengthened shelves
additional plastified reticulated shelf + handle set
additional plastified reticulated strengthened shelf + handle set
additional chrome reticulated shelf + handle set
additional chrome reticulated strengthened shelf + handle set
internal frame with 9 stainless steel drawers (excludes the interior lighting)
automatic condenser vaporization
device with temperature range from -6 °C to 0 °C
electronic temperature recorder + software
temperature recorder wire
SMS alarm module + temperature recorder with emergency power supply

USB-MGSM TTL wire for SMS module programming

OLA 2	OLA 2 AG
+	-
-	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	-
+	+
+	+
+	+
+	+
+	+

OLA 2	OLA 2 AG	
+275	+275	€/pcs
+490	+490	€/pcs
+380	+380	€/pcs
+140	+140	€/pcs
+305	+305	€/set
+90	+90	€/set
+130	+130	€/set
+60	+60	€/set
+200	+200	€/set
+305	+305	€/set
+420	+420	€/set
+40	+40	€/pcs
+65	+65	€/pcs
+75	+75	€/pcs
+90	+90	€/pcs
+2315	+2315	€/set
+45	+45	€/pcs
+655	+655	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs





		K N			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA 140	0.2 BEVERAGES				
OL100.2	OLA 1400.2	1635	1400	4,4	4 210

Device	s variants	OLA 2 NAP	
DP	device with sliding doors	+145	/pcs

ff	العرق	
		1
-2	1	
254		
9		
	- 650 	
1	66	1

dynamic cooling (ventilated)
internal cooling aggregate placed on the bottom
external housing made of black coated steel
interior housing made of black coated steel
hinged doors with combined glass
hinged doors self-closer
ecological polyurethane foam insulation
10 black shelves (5 levels) made of perforated black stainless steel
black price strips
top panel illuminated with LED light - different plexiglass colors available (IGLOO
automatic defrost
automatic condenser vaporization
innovative vertical inside lighting - LED profiles, colour 5700k - 4 pcs.
electronic temperature controller with digital display (IGLOO)
condenser impurity or fan operation failure alarm

### Options

door lock with key additional shelve made of perforated black coated steel + handle set electronic temperature recorder + software temperature recorder wire

	OLA 2 NAP
	+
	+
	+
	+
	+
	+
	+
	+
	+
O pattern book)	+
	+
	+
	+
	+
	+

OLA 2 NAP	
+135	€/set
+65	€/set
+115	€/set
+45	€/pcs

MALTA	Р		₽	+3 / +7°C
_		1	_	-
E I			I	
ET .	_	1.00	2	-
	-	_	-	-



		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
MALTA P					
ML100.P	MALTA 300.P	500	300	0,8	2 010

Devices variants		MALTA P		
S	device with static cooling	+95	€/pcs	

- internal cooling aggregate placed on the bottom dynamic cooling (ventilated) external housing with coloured sheet - selectable colour (IGLOO pattern book) interior made of white coated steel hinged doors - choice of door opening direction ecological polyurethane foam insulation 4 stainless steel perforated shelves + lower base shelf automatic defrost automatic condenser vaporization
- electronic temperature controller with digital display (IGLOO)
- condenser impurity or fan operation failure alarm

### Options

external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of stainless steel
horizontally divided doors
hinged doors self-closer
door lock with key
fan stopping switch
additional shelf made of stainless steel - perforated + handle set
internal top and side illumination – LED lights
electronic temperature recorder + software
temperature recorder wire (RS232 - USB)
SMS alarm module + temperature recorder with emergency power supply
USB-MGSM TTL wire for SMS module programming

### MALTA P

MALIAF
+
+
+
+
+
+
+
+
+
+
+

MALTA P	
+215	€/pcs
+285	€/pcs
+210	€/pcs
+145	€/pcs
+45	€/pcs
+70	€/pcs
+35	€/pcs
+60	€/pcs
+125	€/pcs
+115	€/set
+45	€/pcs
+705	€/set
+70	€/pcs

MALTA 1			€	+3 / +7°C
				1
				-
And Inc.		1		
	_	-	A	~



Ctondore	l a guinna ant
Standard	dequipment

internal cooling aggregate placed on the bottom dynamic cooling (ventilated) external housing with coloured sheet - selectable colour (IGLOO pattern book) interior made of white coated steel hinged doors with combined glass - choice of door opening direction ecological polyurethane foam insulation 4 stainless steel perforated shelves + lower base shelf price stripes - different colors available (IGLOO pattern book) front panel made of painted steel - different colors available (IGLOO pattern book) automatic defrost automatic condenser vaporization double upper LED illumination electronic temperature controller with digital display (IGLOO) condenser impurity or fan operation failure alarm

Options
external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of stainless steel
horizontally divided doors
hinged doors self-closer
door lock with key
fan stopping switch
additional shelf made of stainless steel - perforated + handle set
electronic temperature recorder + software
temperature recorder wire (RS232 - USB)
SMS alarm module + temperature recorder with emergency power supply

USB-MGSM TTL wire for SMS module programming

		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
MALTA 1					
ML100	MALTA 300.1	500	300	0,8	2 100

Devices var	riants	MALTA 1	
S	device with static cooling	+95	€/pcs

### MALTA 1

MALIAI
+
+
+
+
+
+
+
+
+
+
+
+
+
+

MALTA 1	
+195	€/pcs
+265	€/pcs
+195	€/pcs
+150	€/pcs
+45	€/pcs
+70	€/pcs
+35	€/pcs
+60	€/pcs
+115	€/set
+45	€/pcs
+705	€/set
+70	€/pcs



# cooling cabbinets GASTRO

JOLA P GASTRO JOLA 1 GASTRO OLA P GASTRO OLA 2 GASTRO



111									
113									
115									
117									

JOLA P G	ASTRO		Į	<b>+1</b> /+	-10°C	
	1	L				700
E		L	I			
画		Ŀ		AND .		
		K			EUR	
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €	
JOLA P GASTRO	JOLA 700.P GASTRO	700	700	2,1	2 680	
JOLA P AG GAS	TRO JOLA 700.P AG GASTRO	700	700	2,1	2 610	

1980±10 198	aro according to the second se	
	JOLA P GASTRO	

JOLA PAG GASTRO

### Standard equipment

internal cooling aggregate placed on the bottominternal cooling aggregate placed on the topdynamic cooling (ventilated)external housing with coloured sheet - selectable colour (IGLOO pattern book)interior made of stainless steelhinged doors - choice of door opening directionecological polyurethane foam insulationinternal frame with guides adapted for GN 1/1 containers5 pcs of plastified reticulated strengthened shelves, with height and angle adjustmentautomatic defrostcondenser outlet to containerelectronic temperature controller with digital display (IGLOO)

external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of acid resistant steel
hinged doors self-closer
door lock with key
fan stopping switch
chrome reticulated strengthened shelves
additional plastified reticulated strengthened shelf + set of rails
additional chrome reticulated strengthened shelf + set of rails
internal top and side illumination - LED lights
gastronomic container GN 1/1 - depth 40 mm
gastronomic container GN 1/1 - depth 100 mm
device with temperature range from -6 °C to 0 °C
automatic condenser vaporization
electronic temperature recorder + software
temperature recorder wire
SMS alarm module + temperature recorder with emergency power supply
USB-MGSM TTL wire for SMS module programming

JOLA P GASTRO	JOLA P AG GASTRO
+	-
-	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+

JOLA P GASTRO	JOLA P AG GASTRO	
+230	+230	€/pcs
+305	+305	€/pcs
+200	+200	€/pcs
+45	+45	€/pcs
+70	+70	€/pcs
+35	+35	€/pcs
+75	+75	€/set
+85	+85	€/pcs
+100	+100	€/pcs
+125	+125	€/pcs
+35	+35	€/pcs
+45	+45	€/pcs
+545	+545	€/pcs
+45	+45	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs

JOLA 1 AG GASTRO

JO100.1/AG/GASTRO JOLA 700.1 AG GASTRO

	JOLA 1	GASTRO		J	+1 / +:	10°C	
	「レルメント」			T-ANA-T			700Image: Sector of the sector of
			K			EUR	
10	D	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €	
	OLA 1 GASTI	<b>RO</b> JOLA 700.1 GASTRO	700	700	2.1	2 800	

700

700

2.1

2 690

### internal cooling aggregate placed on the bottom internal cooling aggregate placed on the top dynamic cooling (ventilated) external housing with coloured sheet - selectable colour (IGLOO pattern book) interior made of stainless steel hinged doors with combined glass - choice of door opening direction

ecological polyurethane foam insulation internal frame with guides adapted for GN 1/1 containers

5 pcs of plastified reticulated strengthened shelves, with height and angle adjustment

price stripes – different colors available (IGLOO pattern book)

front panel made of painted steel - different colors available (IGLOO pattern book)

automatic defrost condenser outlet to container

Standard equipment

single vertical interior lighting – LED light

electronic temperature controller with digital display (IGLOO)

condenser impurity or fan operation failure alarm

### Options

JOLA 1 GASTRO

JOLA 1 AG GASTRO

external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of acid resistant steel
hinged doors self-closer
door lock with key
fan stopping switch
chrome reticulated strengthened shelves
additional plastified reticulated strengthened shelf + set of rails
additional chrome reticulated strengthened shelf + set of rails
internal top and side illumination – LED lights
gastronomic container GN 1/1 - depth 40 mm
gastronomic container GN 1/1 - depth 100 mm
device with temperature range from -6 °C to 0 °C
automatic condenser vaporization
electronic temperature recorder + software
temperature recorder wire
SMS alarm module + temperature recorder with emergency power supply
USB-MGSM TTL wire for SMS module programming

JOLA 1 GASTRO	JOLA 1 AG GASTRO
+	-
-	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	-
+	+
+	+
+	+
+	+
+	+

JOLA 1 GASTRO	JOLA 1 AG GASTRO	
+210	+210	€/pcs
+285	+285	€/pcs
+190	+190	€/pcs
+45	+45	€/pcs
+70	+70	€/pcs
+35	+35	€/pcs
+75	+75	€/set
+85	+85	€/pcs
+100	+100	€/pcs
+125	+125	€/pcs
+35	+35	€/pcs
+45	+45	€/pcs
+545	+545	€/pcs
+45	+45	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs









		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA P GASTRO	C				
OL100.P/GASTRO	OLA 1400.P GASTRO	1400	1400	4,3	3 990
OLA P AG GAS	TRO				
OL100.P/AG/GASTRO	OLA 1400.P AG GASTRO	1400	1400	4,3	3 860

Standard equipment	OLA P GASTRO	OLA P AG GASTRO
internal cooling aggregate placed on the bottom	+	-
internal cooling aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of stainless steel	+	+
hinged doors	+	+
ecological polyurethane foam insulation	+	+
internal frame with guides adapted for GN 1/1 containers	+	+
10 pcs (5 levels) of plastified reticulated strengthened shelves, with height and angle adjustment	+	+
automatic defrost	+	+
condenser outlet to container	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of acid resistant steel
fixed stainless steel partition panel (not tight)
hinged doors self-closer
door lock with key
fan stopping switch
chrome reticulated strengthened shelves
additional plastified reticulated strengthened shelf + set of rails
additional chrome reticulated strengthened shelf + set of rails
internal top and side illumination - LED lights
gastronomic container GN 1/1 - depth 40 mm
gastronomic container GN 1/1 - depth 100 mm
device with temperature range from -6 $^{\circ}\text{C}$ to 0 $^{\circ}\text{C}$
automatic condenser vaporization
electronic temperature recorder + software
temperature recorder wire
SMS alarm module + temperature recorder with emergency power supply
USB-MGSM TTL wire for SMS module programming

OLA P GA- STRO	OLA P AG GASTRO	
+285	+285	€/pcs
+500	+500	€/pcs
+380	+380	€/pcs
+140	+140	€/pcs
+90	+90	€/set
+130	+130	€/set
+60	+60	€/set.
+150	+150	€/set
+85	+85	€/pcs
+100	+100	€/pcs
+125	+125	€/pcs
+35	+35	€/pcs
+45	+45	€/pcs
+655	+655	€/pcs
+45	+45	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs

OLA	2 GA	STRO
	17	

-



₽

+1 / +10°C









		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA 2 GASTRO	C				
OL100.2/GASTRO	OLA 1400.2 GASTRO	1400	1400	4,3	4 420
OLA 2 AG GAS	TRO				
OL100.2/AG/GASTRO	OLA 1400.2 AG GASTRO	1400	1400	4,3	4 260

Standard equipment	OLA 2 GASTRO	OLA 2 AG GASTRO
internal cooling aggregate placed on the bottom	+	-
internal cooling aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of stainless steel	+	+
hinged doors with combined glass	+	+
ecological polyurethane foam insulation	+	+
internal frame with guides adapted for GN $1/1$ containers	+	+
10 pcs (5 levels) of plastified reticulated strengthened shelves, with height and angle adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
front panel made of painted steel – different colors available (IGLOO pattern book)	+	-
automatic defrost	+	+
condenser outlet to container	+	+
double upper LED illumination	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of acid resistant steel
fixed stainless steel partition panel (not tight)
hinged doors self-closer
door lock with key
fan stopping switch
chrome reticulated strengthened shelves
additional plastified reticulated shelf + set of rails
additional chrome reticulated shelf + set of rails
gastronomic container GN 1/1 - depth 40 mm
gastronomic container GN 1/1 - depth 100 mm
device with temperature range from -6 °C to 0 °C
automatic condenser vaporization
electronic temperature recorder + software
temperature recorder wire
SMS alarm module + temperature recorder with emergency power supply
USB-MGSM TTL wire for SMS module programming

OLA 2	OLA 2 AG	
+275	+275	€/pcs
+490	+490	€/pcs
+355	+355	€/pcs
+140	+140	€/pcs
+90	+90	€/set
+130	+130	€/set
+60	+60	€/set
+150	+150	€/set
+85	+85	€/pcs
+100	+100	€/pcs
+35	+35	€/pcs
+45	+45	€/pcs
+655	+655	€/pcs
+45	+45	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs

# 

# freezing cabbinets

EWA P M
EWA 1 M
JOLA P M
JOLA 1 M
OLA P M
OLA 2 M

121
123
125
127
129
131

ł	EWA P M	F	-18 / -12°C
		_	
	E III	L	
	直て	1	
		~	-
	and the second		
	r i		
		-	-
D	Name	Length Capacity T [mm] [dm3]	he area shelves Price € [m2]





		$\swarrow$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
EWA P M					
EW100.P/M	EWA 500.P M	660	500	1,4	3 120
EWA P AG M					
EW100.P/AG/M	EWA 500.P AG M	660	500	1,4	3 040

Internal freezing aggregate placed on the bottominternal freezing aggregate placed on the topdynamic cooling (ventilated)external housing with coloured sheet - selectable colour (IGLOO pattern book)interior made of white coated steelhinged doors - choice of door opening directionecological polyurethane foam insulationhinged doors self-closerheated door frame5 pcs of plastified reticulated shelves, with height adjustmentautomatic condenser vaporizationfan stopping switchelectronic temperature controller with digital display (IGLOO)condenser impurity or fan operation failure alarm

### Options

external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of stainless steel
door lock with key
plastified strengthened shelves
chrome reticulated shelves
chrome reticulated strengthened shelves
additional plastified reticulated shelf + handle set
additional plastified reticulated strengthened shelf + handle set
additional chrome reticulated shelf + handle set
additional chrome reticulated strengthened shelf + handle set
internal top and side illumination - LED lights
electronic temperature recorder + software
temperature recorder wire
SMS alarm module + temperature recorder with emergency power supply

SMS alarm module + temperature recorder with emergency power suppl USB-MGSM TTL wire for SMS module programming

EWA P M	EWA P AG M
+	-
-	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+

EWA P M	EWA P AG M	
+220	+220	€/pcs
+295	+295	€/pcs
+230	+230	€/pcs
+70	+70	€/pcs
+75	+75	€/set
+115	+115	€/set
+170	+170	€/set
+35	+35	€/pcs
+55	+55	€/pcs
+65	+65	€/pcs
+70	+70	€/pcs
+125	+125	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs

	M				-12°C
			Ŷ		EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
EWA 1 M					
EW100.1M	EWA 500.1 M	660	500	1,4	3 690
EWA 1 AG M					
EW100.1/AG/M	EWA 500.1 AG M	660	500	1,4	3 580





Standard equipment	EWA 1 M	EWA 1 AG M
internal freezing aggregate placed on the bottom	+	-
internal freezing aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of white coated steel	+	+
self - closing hinged doors with heated combined glass - choice of door opening direction	+	+
ecological polyurethane foam insulation	+	+
hinged doors self-closer	+	+
heated door frame	+	+
5 pcs of plastified reticulated shelves, with height adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
top panel illuminated with LED light - different plexiglass colors available (IGLOO pattern book)	+	-
automatic defrost	+	+
automatic condenser vaporization	+	+
single vertical interior lighting - LED light	+	+
fan stopping switch	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

Options
external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of stainless steel
door lock with key
plastified strengthened shelves
chrome reticulated shelves
chrome reticulated strengthened shelves
additional plastified reticulated shelf + handle set
additional plastified reticulated strengthened shelf + handle set
additional chrome reticulated shelf + handle set
additional chrome reticulated strengthened shelf + handle set
internal top and side illumination – LED lights
electronic temperature recorder + software
temperature recorder wire
SMS alarm module + temperature recorder with emergency power supply
USB-MGSM TTL wire for SMS module programming

EWA 1	EWA 1 AG	
+200	+200	€/pcs
+275	+275	€/pcs
+220	+220	€/pcs
+70	+70	€/pcs
+75	+75	€/set
+115	+115	€/set
+170	+170	€/set
+35	+35	€/pcs
+55	+55	€/pcs
+65	+65	€/pcs
+70	+70	€/pcs
+125	+125	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs







		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA P M					
JO100.P/M	JOLA 700.P M	820	700	2,2	3 280
JOLA P AG M					
JO100.P/AG/M	JOLA 700.P AG M	820	700	2,2	3 190



internal freezing aggregate placed on the bottominternal freezing aggregate placed on the topdynamic cooling (ventilated)external housing with coloured sheet - selectable colour (IGLOO pattern book)interior made of white coated steelhinged doors - choice of door opening directionecological polyurethane foam insulationhinged door self-closerheated door frame5 pcs of plastified reticulated shelves, with height adjustmentautomatic defrostautomatic condenser vaporizationfan stopping switchelectronic temperature controller with digital display (IGLOO)condenser impurity or fan operation failure alarm

### Options

external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of stainless steel
door lock with key
plastified strengthened shelves
chrome reticulated shelves
chrome reticulated strengthened shelves
additional plastified reticulated shelf + handle set
additional plastified reticulated strengthened shelf + handle set
additional chrome reticulated shelf + handle set
additional chrome reticulated strengthened shelf + handle set
internal top and side illumination – LED lights
electronic temperature recorder + software
temperature recorder wire
SMS alarm module + temperature recorder with emergency power supply

SMS alarm module + temperature recorder with emergency power supply USB-MGSM TTL wire for SMS module programming

JOLA P M	JOLA P AG M
+	-
-	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+

JOLA P M	JOLA P AG M	
+230	+230	€/pcs
+305	+305	€/pcs
+245	+245	€/pcs
+70	+70	€/pcs
+105	+105	€/set
+155	+155	€/set
+210	+210	€/set
+40	+40	€/pcs
+65	+65	€/pcs
+75	+75	€/pcs
+90	+90	€/pcs
+125	+125	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs

JOLA 1	. M		Į	5 -18 / -	-12°C
			Notacian di		
		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA 1 M		005	70.0		4.070
JO100.1M JOLA 1 AG M	JOLA 700.1 M	820	700	2,2	4 070
JO100.1/AG/M	JOLA 700.1 AG M	820	700	2,2	3 940





Standard equipment	JOLA 1 M	JOLA 1 AG M
internal freezing aggregate placed on the bottom	+	-
internal freezing aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of white coated steel	+	+
self - closing hinged doors with heated combined glass - choice of door opening direction	+	+
ecological polyurethane foam insulation	+	+
hinged doors self-closer	+	+
heated door frame	+	+
5 pcs of plastified reticulated shelves, with height adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
top panel illuminated with LED light - different plexiglass colors available (IGLOO pattern book)	+	-
automatic defrost	+	+
automatic condenser vaporization	+	+
single vertical interior lighting - LED light	+	+
fan stopping switch	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of stainless steel
door lock with key
plastified strengthened shelves
chrome reticulated shelves
chrome reticulated strengthened shelves
additional plastified reticulated shelf + handle set
additional plastified reticulated strengthened shelf + handle set
additional chrome reticulated shelf + handle set
additional chrome reticulated strengthened shelf + handle set
internal top and side illumination - LED lights
electronic temperature recorder + software
temperature recorder wire
SMS alarm module + temperature recorder with emergency power supply
USB-MGSM TTL wire for SMS module programming

JOLA 1 M	JOLA 1 AG M	
+210	+210	€/pcs
+285	+285	€/pcs
+230	+230	€/pcs
+70	+70	€/pcs
+105	+105	€/set
+155	+155	€/set
+210	+210	€/set
+40	+40	€/pcs
+65	+65	€/pcs
+75	+75	€/pcs
+90	+90	€/pcs
+125	+125	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs









		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA P M					
OL100.P/M	OLA 1400.P M	1675	1400	4,4	4 290
OLA P AG M					
OL100.P/AG/M	OLA 1400.P AG M	1675	1400	4,4	4 180

internal freezing aggregate placed on the bottominternal freezing aggregate placed on the topdynamic cooling (ventilated)external housing with coloured sheet - selectable colour (IGLOO pattern book)interior made of white coated steelhinged doorsecological polyurethane foam insulationhinged doors self-closerheated door frame10 pcs of plastified reticulated shelves, with height adjustmentautomatic condenser vaporizationfan stopping switchelectronic temperature controller with digital display (IGLOO)condenser impurity or fan operation failure alarm

### Options

external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of stainless steel
fixed stainless steel partition panel (not tight)
door lock with key
plastified strengthened shelves
chrome reticulated shelves
chrome reticulated strengthened shelves
additional plastified reticulated shelf + handle set
additional plastified reticulated strengthened shelf + handle set
additional chrome reticulated shelf + handle set
additional chrome reticulated strengthened shelf + handle set
internal top and side illumination – LED lights
electronic temperature recorder + software
temperature recorder wire
SMS alarm module + temperature recorder with emergency power supply

USB-MGSM TTL wire for SMS module programming

OLA P M	OLA P AG M
+	-
-	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+

OLA P M	OLA P AG M	
+285	+285	€/pcs
+500	+500	€/pcs
+395	+395	€/pcs
+140	+140	€/pcs
+130	+130	€/set
+200	+200	€/set
+305	+305	€/set
+420	+420	€/set
+40	+40	€/pcs
+65	+65	€/pcs
+75	+75	€/pcs
+90	+90	€/pcs
+125	+125	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs







		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA 2 M					
OL100.2/M	OLA 1400.2 M	1675	1400	4,4	6 4 4 0
OLA 2 AG M					
OL100.2/AG/M	OLA 1400.2 AG M	1675	1400	4,4	6 250

### 9

Standard equipment	OLA 2 M	OLA 2 AG M
internal freezing aggregate placed on the bottom	+	-
internal freezing aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of white coated steel	+	+
self - closing hinged doors with heated combined glass	+	+
ecological polyurethane foam insulation	+	+
hinged doors self-closer	+	+
heated door frame	+	+
10 pcs of plastified reticulated shelves, with height adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
top panel illuminated with LED light - different plexiglass colors available (IGLOO pattern book)	+	-
automatic defrost	+	+
automatic condenser vaporization	+	+
double upper LED illumination	+	+
fan stopping switch	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

# Options

external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of stainless steel
fixed stainless steel partition panel (not tight)
door lock with key
plastified strengthened shelves
chrome reticulated shelves
chrome reticulated strengthened shelves
additional plastified reticulated shelf + handle set
additional plastified reticulated strengthened shelf + handle set
additional chrome reticulated shelf + handle set
additional chrome reticulated strengthened shelf + handle set
electronic temperature recorder + software
temperature recorder wire
SMS alarm module + temperature recorder with emergency power supply

USB-MGSM TTL wire for SMS module programming

OLA 2 M	OLA 2 AG M	
+275	+275	€/pcs
+490	+490	€/pcs
+380	+380	€/pcs
+140	+140	€/pcs
+130	+130	€/set
+200	+200	€/set
+305	+305	€/set
+420	+420	€/set
+40	+40	€/pcs
+65	+65	€/pcs
+75	+75	€/pcs
+90	+90	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs



# freezing cabbinets GASTRO

JOLA P M GASTRO JOLA 1 M GASTRO OLA P M GASTRO OLA 2 M GASTRO



	135
	137
	139
	14

JOLA P M	GASTRO			-18 /	-12°C
	_				
C I			[		
-		_			
-			COR.	-	
E.			ſ		
			-		
		$\mathbb{K}$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA P M GASTE					
JO100.P/M/GASTRO	JOLA 700.P M GASTRO	700	700	2,1	3 530
JOLA P AG M GA	JOLA 700.P AG M GASTRO	700	700	2,1	3 410





internal freezing aggregate placed on the bottom
internal freezing aggregate placed on the top
dynamic cooling (ventilated)
external housing with coloured sheet - selectable colour (IGLOO pattern book)
interior made of stainless steel
hinged doors - choice of door opening direction
ecological polyurethane foam insulation
hinged doors self-closer
heated door frame
internal frame with guides adapted for GN 1/1 containers
5 pcs of plastified reticulated strengthened shelves, with height and angle adjustment
automatic defrost
automatic condenser vaporization
fan stopping switch
electronic temperature controller with digital display (IGLOO)
condenser impurity or fan operation failure alarm

# Options

external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of acid resistant steel
door lock with key
chrome reticulated strengthened shelves
additional plastified reticulated strengthened shelf + set of rails
additional chrome reticulated strengthened shelf + set of rails
internal top and side illumination – LED lights
gastronomic container GN 1/1 - depth 40 mm
gastronomic container GN 1/1 - depth 100 mm
electronic temperature recorder + software
temperature recorder wire

SMS alarm module + temperature recorder with emergency power supply
USB-MGSM TTL wire for SMS module programming

JOLA P M GASTRO	JOLA P AG M GASTRO
+	-
-	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	+

JOLA P GASTRO	JOLA P AG GASTRO	
+230	+230	€/pcs
+305	+305	€/pcs
+200	+200	€/pcs
+70	+70	€/pcs
+75	+75	€/set
+85	+85	€/pcs
+100	+100	€/pcs
+125	+125	€/pcs
+35	+35	€/pcs
+45	+45	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs

JOLA 1 M GASTRO	ŀ	-18 / -12°C
	and the second second	
	10	-





		$\sim$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JOLA 1 M GASTRO					
JO100.1/M/GASTRO	JOLA 700.1 M GASTRO	700	700	2,1	4 280
JOLA 1 AG M GASTRO					
JO100.1/AG/M/GASTRO	JOLA 700.1 AG M GASTRO	700	700	2,1	4 160



### S

Standard equipment	JOLA 1 M GASTRO	JOLA 1 AG M GASTRO
internal freezing aggregate placed on the bottom	+	-
internal freezing aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of stainless steel	+	+
self - closing hinged doors with heated combined glass - choice of door opening direction	+	+
ecological polyurethane foam insulation	+	+
hinged doors self-closer	+	+
heated door frame	+	+
internal frame with guides adapted for GN 1/1 containers	+	+
5 pcs of plastified reticulated strengthened shelves, with height and angle adjustment	+	+
price stripes – different colors available (IGLOO pattern book)	+	+
top panel illuminated with LED light - different plexiglass colors available (IGLOO pattern book)	+	-
automatic defrost	+	+
automatic condenser vaporization	+	+
single vertical interior lighting – LED light	+	+
fan stopping switch	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of acid resistant steel
door lock with key
chrome reticulated strengthened shelves
additional plastified reticulated strengthened shelf + set of rails
additional chrome reticulated strengthened shelf + set of rails
internal top and side illumination - LED lights
gastronomic container GN 1/1 - depth 40 mm
gastronomic container GN 1/1 - depth 100 mm
electronic temperature recorder + software
temperature recorder wire
SMS alarm module + temperature recorder with emergency power supply
USB-MGSM TTL wire for SMS module programming

JOLA 1 M GASTRO	JOLA 1 AG M GASTRO	
+210	+210	€/pcs
+285	+285	€/pcs
+190	+190	€/pcs
+70	+70	€/pcs
+75	+75	€/set
+85	+85	€/pcs
+100	+100	€/pcs
+125	+125	€/pcs
+35	+35	€/pcs
+45	+45	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs









		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA P M GASTRO					
OL100.P/M/GASTRO	OLA 1400.P M GASTRO	1400	1400	4,3	4 880
OLA P AG M GASTRO					
OL100.P/AG/M/GASTRO	OLA 1400.P AG M GASTRO	1400	1400	4,3	4 750

# Sta

Standard equipment	OLA P M GASTRO	OLA P AG M GASTRO
internal freezing aggregate placed on the bottom	+	-
internal freezing aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of stainless steel	+	+
hinged doors	+	+
ecological polyurethane foam insulation	+	+
hinged doors self-closer	+	+
heated door frame	+	+
internal frame with guides adapted for GN $1/1$ containers	+	+
10 pcs (5 levels) of plastified reticulated strengthened shelves, with height and angle adjustment	+	+
automatic defrost	+	+
automatic condenser vaporization	+	+
fan stopping switch	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

external housing color - different colors available (IGLOO pattern book)
external housing made of stainless steel
interior made of acid resistant steel
fixed stainless steel partition panel (not tight)
door lock with key
chrome reticulated strengthened shelves
additional plastified reticulated strengthened shelf + set of rails
additional chrome reticulated strengthened shelf + set of rails
internal top and side illumination - LED lights
gastronomic container GN 1/1 - depth 40 mm
gastronomic container GN 1/1 - depth 100 mm
electronic temperature recorder + software
temperature recorder wire
SMS alarm module + temperature recorder with emergency power supply
USB-MGSM TTL wire for SMS module programming

OLA P M GASTRO	OLA P AG M GASTRO	
+285	+285	€/pcs
+500	+500	€/pcs
+380	+380	€/pcs
+140	+140	€/pcs
+130	+130	€/set
+150	+150	€/set
+85	+85	€/pcs
+100	+100	€/pcs
+125	+125	€/pcs
+35	+35	€/pcs
+45	+45	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs
	GASTRO +285 +500 +380 +140 +130 +150 +85 +100 +125 +35 +45 +45 +45 +45 +45 +705	GASTRO         GASTRO           +285         +285           +500         +500           +380         +380           +140         +140           +130         +130           +150         +150           +150         +150           +150         +150           +85         +85           +100         +100           +125         +125           +35         +35           +45         +45           +115         +115           +45         +45           +705         +705









		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
OLA 2 M GASTRO	)				
OL100.2/M/GASTRO	OLA 1400.2 M GASTRO	1400	1400	4,3	6 700
OLA 2 AG M GAS	TRO				
OL100.2/AG/M/GASTRO	OLA 1400.2 AG M GASTRO	1400	1400	4,3	6 510

Standard equipment	OLA 2 M GASTRO	OLA 2 AG M GASTRO
internal freezing aggregate placed on the bottom	+	-
internal freezing aggregate placed on the top	-	+
dynamic cooling (ventilated)	+	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+	+
interior made of stainless steel	+	+
self - closing hinged doors with heated combined glass	+	+
ecological polyurethane foam insulation	+	+
hinged doors self-closer	+	+
heated door frame	+	+
internal frame with guides adapted for GN 1/1 containers	+	+
10 pcs (5 levels) of plastified reticulated strengthened shelves, with height and angle adjustment	+	+
price stripes - different colors available (IGLOO pattern book)	+	+
top panel illuminated with LED light - different plexiglass colors available (IGLOO pattern book)	+	-
automatic defrost	+	+
automatic condenser vaporization	+	+
double upper LED illumination	+	+
fan stopping switch	+	+
electronic temperature controller with digital display (IGLOO)	+	+
condenser impurity or fan operation failure alarm	+	+

external housing color - different colors available (IGLOO pattern book)	
external housing made of stainless steel	
interior made of acid resistant steel	
fixed stainless steel partition panel (not tight)	
hinged doors self-closer	
door lock with key	
chrome reticulated strengthened shelves	
additional plastified reticulated shelf + set of rails	
additional chrome reticulated shelf + set of rails	
gastronomic container GN 1/1 - depth 40 mm	
gastronomic container GN 1/1 - depth 100 mm	
electronic temperature recorder + software	
temperature recorder wire	
SMS alarm module + temperature recorder with emergency power supply	
USB-MGSM TTL wire for SMS module programming	

OLA 2 M GASTRO	OLA 2 AG M GASTRO	
+275	+275	€/pcs
+490	+490	€/pcs
+375	+375	€/pcs
+140	+140	€/pcs
+90	+90	€/set
+130	+130	€/set
+150	+150	€/set
+85	+85	€/pcs
+100	+100	€/pcs
+35	+35	€/pcs
+45	+45	€/pcs
+115	+115	€/set
+45	+45	€/pcs
+705	+705	€/set
+70	+70	€/pcs



# combi freezer and freezing island

ICECRAFT ADVANTA LEVEL L LEVEL H

5
7
9
1
ICECRAFT **B** 3L1 (-24/-18°C)



# Standard equipment

internal condensing unit dynamic cooling automatic hot gas defrosting automatic evaporation of condensate electronic temperature controller with digital display powder coated exposition area - selectable colour (IGLOO pattern book) AC fans sliding glass lids system LED lighting - selectable colour - white, confectionery, pink side glazing units screen-printed in black or grey solar thermometer

# Options

movable wire divider coated front bumper stainless steel profile powder coated evaporator set of wheels (castors)

		${\leftarrow}$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
ICECRAF	Г (PLUG-IN) NEW				
ICC120	ICECRAFT 1.2	1200	224	0,85	6 950
ICC130	ICECRAFT 1.6	1600	309	1,2	9 160
ICC140	ICECRAFT 2.0	2000	395	1,5	9 600
ICC150	ICECRAFT 2.5	2 500	501	1,9	11 590
				,	

PLUG-IN
+
+
+
+
+
+
+
+
+
+
+

PLUG IN	
75	€/pcs
175	€/meter
100	€/meter
245	€/set

# combi freezer and freezing island





Standard	equipment
----------	-----------

Standard equipment	REMOTE
powered only by external aggregate	+
multiplexable device	+
dynamic cooling (ventilated)	+
ecological polyurethane foam insulation	+
quadruple glazing front pane with screen printing	+
front panel with color-coated sheet - selectable color (IGLOO color guide)	+
base plinth made of stainless steel with a floor seal	+
display space with coloured sheet - selectable colour (IGLOO pattern book)	+
electronic temperature controller with digital display (Carel)	+
display space thermometer	+
automatic defrost (electric heaters)	+
mechanical expansion valve	+
siphoned condensate drain – diameter of the connector pipe Ø 40	+
refrigerant system adapted for R744 / R448A / R449A / R450A / R407F / R404A / R507 agent / R290*	+
*more information - IGLOO sa	es department

# Ontio

Options	REMOTE	
sides made of quadruple cobined glass with print screen (Advanta Head as standard)	2685	€/set
necessary parts (elements) for island setup	195	€/meter
custom front panel colour (after consultation with the Igloo sales department)	35	€/meter
front panel color - different colors available (IGLOO pattern book)	95	€/meter
exposition area made of stainless steel	290	€/meter
exposition area made of acid resistant stinless steel	460	€/meter
set of sliding glass covers	470	€/meter
movable reticulated partition color coated - different colors available (Igloo pattern book)	85	€/pcs
movable reticulated chrome partition	130	€/pcs
electronically commutated energy-saving fans (2.50 - 2pcs. / 3.75 - 3 pcs. / HEAD - 2pcs.)	180	€/pcs
modern LED lighting (lighting colour options: white confectionery, pink)	190	€/meter
front buffer with stainless steel profile	175	€/meter
no thermostat - 2 x temperature sensor NTC [ $10k\Omega$ ]	-30	€/set
electronic expansion valve*	820	€/set
powder painted evaporator	100	€/meter
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	420	€/meter
	***************************************	

		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
<b>ADVANTA (REI</b>	MOTE)				
ADV160	ADVANTA 2.50-mod/C	2500	498	1,46	6 900
ADV180	ADVANTA 3.75-mod/C	3750	1045	3,1	8 490
ADV100E	ADVANTA HEAD-mod/C *	2100	600	1,8	9 680
				* including a	set of sides



		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
LEVEL L (REM	OTE)				
LVL160L	LEVEL 2.50 L-mod/C	2500	745 670	2.83 1.98	13 600
LVL180L	LEVEL 3.75 L-mod/C	3750	1120 1010	4.24 2.96	18 340



# Standard equipment

Standard equipment	ILEI IO I E
powered only by external aggregate	+
multiplexable device	+
dynamic cooling (ventilated)	+
ecological polyurethane foam insulation	+
a system of low-emission tilting doors with triple glazing in the upper section of the counter	+
set of sliding glass covers	+
quadruple glazing front pane with screen printing in the bottom section of the counter	+
front top panel made of coated aluminum profile - different colors available (Igloo pattern book)	+
front bottom panel made of coated steel - different colors available (Igloo pattern book)	+
base plinth made of stainless steel with a floor seal	+
display space with coloured sheet - selectable colour (IGLOO pattern book)	+
2 levels of rack shelves with possibility to change hanging height + base shelf	+
price stripes - different colors available (IGLOO pattern book)	+
innovative LED lighting (selectable light color: white confectionery or meat)	+
electronic temperature controller with digital display (Carel IR33)	+
2 x display space thermometer	+
automatic defrost (electric heaters)	+
mechanical expansion valve	+
siphoned condensate drain – diameter of the connector pipe Ø 40	+
refrigerant system adapted for R744 / R448A / R449A / R450A / R407F / R404A / R507 agent / R290*	+

# Options

insulated side panels made of white coated steel - thickness : 40 mm customizable colour of side panels made of coated steel (contact the Igloo sales department insulated side panels made of stainless steel custom colors of top front panel custom colors of bottom front panel bottom stainless steel front panel exposition area made of stainless steel exposition area made of acid resistant stinless steel chrome rack shelves in the upper display area movable reticulated partition color coated - different colors available (Igloo pattern book) movable reticulated chrome partition electronically switched energy-efficient fans (2.50 - qty 5 / 3.75 - qty 5) front buffer with stainless steel profile no thermostat - 2 x temperature sensor NTC [10k $\Omega$ ] powder painted evaporator top outlets of the cooling circuitry electronic expansion valve\* cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)\*

### REMOTE

	REMOTE	
	1235	€/set
ent)	140	€/set
	1545	€/set
	35	€/meter
	35	€/meter
	95	€/meter
	575	€/meter
	910	€/meter
	65	€/meter of shelf
	85	€/pcs
	130	€/pcs
	180	€/pcs
	175	€/meter
	-30	€/set
	100	€/set
	85	€/meter
	820	€/meter
	420	€/pcs
	*more information - IGLOO	sales department

LEVEL H	F	<b>3L1</b> (-22/-18°C)



		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
LEVEL H (REM	1OTE)				
LVL160H	LEVEL 2.50 H-mod/C	2500	930 670	3.78 1.98	15 550
LVL180H	LEVEL 3.75 H-mod/C	3750	1390 1010	5.66 2.96	20 910



# Standard equipment

Standard equipment	REINOTE
powered only by external aggregate	+
multiplexable device	+
dynamic cooling (ventilated)	+
ecological polyurethane foam insulation	+
a system of low-emission tilting doors with triple glazing in the upper section of the counter	+
set of sliding glass covers	+
quadruple glazing front pane with screen printing in the bottom section of the counter	+
front top panel made of coated aluminum profile – different colors available (Igloo pattern book)	+
front bottom panel made of coated steel - different colors available (Igloo pattern book)	+
base plinth made of stainless steel with a floor seal	+
display space with coloured sheet - selectable colour (IGLOO pattern book)	+
3 levels of rack shelves with possibility to change hanging height + base shelf	+
price stripes - different colors available (IGLOO pattern book)	+
innovative LED lighting (selectable light color: white confectionery or meat)	+
electronic temperature controller with digital display (Carel IR33)	+
2 x display space thermometer	+
automatic defrost (electric heaters)	+
mechanical expansion valve	+
siphoned condensate drain – diameter of the connector pipe Ø 40	+
refrigerant system adapted for R744 / R448A / R449A / R450A / R407F / R404A / R507 agent	+

Options	REMOTE	
insulated side panels made of coated steel - different colors available (Igloo pattern book)	1235	€/set
customizable colour of side panels made of coated steel (contact the Igloo sales department)	140	€/set
insulated side panels made of stainless steel	1545	€/set
custom colors of top front panel (contact the Igloo sales department)	35	€/meter
custom colors of bottom front panel (contact the Igloo sales department)	35	€/meter
bottom stainless steel front panel	95	€/meter
exposition area made of stainless steel	575	€/meter
exposition area made of acid resistant stinless steel	910	€/meter
chrome rack shelves in the upper display area	65	€/meter of shelf
movable reticulated partition color coated - different colors available (Igloo pattern book)	85	€/pcs
movable reticulated chrome partition	130	€/pcs
electronically switched energy-efficient fans (2.50 - qty 5 / 3.75 - qty 5)	180	€/pcs
front buffer with stainless steel profile	175	€/meter
no thermostat - 2 x temperature sensor NTC [10k $\Omega$ ]	-30	€/set
powder painted evaporator	100	€/meter
top outlets of the cooling circuitry	85	€/pcs
electronic expansion valve*	820	€/set
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	420	€/meter
	*more information - IGLO	O sales department

### REMOTE



# freezing counters and islands

ARIO 3 M
ARIO M - L
ARIO M - H
ANTIAGO M
ASIA 2 M
ING AT M
EOS

NEW	155
	157
	159
	161
	163
	165
	167

₽

# VARIO 3 M



**3M1**(-1/+5°C) / **3M2**(-1/+7°C) / **3H1**(+1/+10°C) / **3L1** (-22/-18°C)

		$\swarrow$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIO 3 M					
VRM330.1100H	VARIO 3/1.56 M 110H-mod/C	1562	1240	4,89	9 840
VRM350.1100H	VARIO 3/2.34 M 110H-mod/C	2343	1860	7,33	13 140
VRM360.1100H	VARIO 3/3.12 M 110H-mod/C	3124	2480	9,78	15 710
VRM370.1100H	VARIO 3/3.90 M 110H-mod/C	3905	3100	12,22	18 920
VARIO 3 M					
VRM330.1100L	VARIO 3/1.56 M 110L-mod/C	1562	1080	4,41	9 260
VRM350.1100L	VARIO 3/2.34 M 110L-mod/C	2343	1620	6,59	12 570
VRM360.1100L	VARIO 3/3.12 M 110L-mod/C	3124	2160	8,80	15 120
VRM370.1100L	VARIO 3/3.90 M 110L-mod/C	3905	2700	10,99	18 340



VARIO 3 M L



VARIO 3 M H

# Standard equipment

Standard equipment	REMOTE
powered only by external aggregate	+
multiplexable device	+
dynamic cooling (ventilated)	+
energy-saving electronically commutated fans	+
ecological polyurethane foam insulation	+
pasywne hinged doors with combined glass - full transparent	+
hinged doors self-closer	+
heated door frame	+
front bottom panel made of coated steel – different colors available (Igloo pattern book)	+
front top panel made of coated aluminum profile – different colors available (Igloo pattern book)	+
base plinth made of stainless steel with a floor seal	+
interior made of coated steel - different colors available (IGLOO pattern book)	+
6 levels of display shelves * with the possibility of changing the height and angle of suspension + bottom base shelf	+
price stripes - selectable colour (IGLOO pattern book)	+
automatic defrost (electric heaters)	+
modern LED lighting (lighting colour options: white confectionery, pink)	+
electronic temperature regulator z cyfrowym wyświetlaczem (Carel IR33 )	+
mechanical expansion valve	+
siphoned condensate drain – diameter of the connector pipe Ø 40	+
refrigerant system adapted for R744 / R448A / R449A / R450A / R407F / R404A / R507 / R452 agent*	+
top outlets of the cooling circuitry	+

Options	REM	IOTE	
insulated side panels made of white coated steel - selectable colour (IGLOO pattern book)	+1	255	€/set
insulated side panels made of stainless steel	+1	440	€/set
custom colour of full insulated sides (after consultation with the IGLOO Sales Department)	+	75	€/set
custom front panel color (after consultation with the IGLOO Sales Department)	+	35	€/meter
custom upper front panel colour (after consultation with the IGLOO Sales Department)	+	35	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	+	130	€/meter
device interior and exposition shelves made of stainless steel	+	665	€/meter
device interior and exposition shelves made of acid-resistant stainless steel	+1	065	€/meter
powder painted evaporator	+:	100	€/meter
fixed partition made of PETG (plexiglass)	+;	240	€/pcs
display space thermometer	+	35	€/pcs
electronic expansion valve*	+;	320	€/set
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*		420	€/meter

VARIO M - L

JE 3L1 (-22/-18°C)



		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIO M -	L (REMOTE)				
VRM156.1000L	VARIO M 1.56L mod/C/2	1564	1256	4.5	9 360
VRM234.1000L	VARIO M 2.34L mod/C/3	2342	1884	6.8	12 650
VRM312.1000L	VARIO M 3.12L mod/C/4	3123	2512	9.1	15 370
VRM390.1000L	VARIO M 3.90L mod/C/5	3898	3139	11.4	18 680



# Standard equipment

Standard equipment	REMOTE
powered only by external aggregate	+
multiplexable device	+
dynamic cooling (ventilated)	+
energy-saving electronically commutated fans	+
ecological polyurethane foam insulation	+
hinged doors with combined glass	+
hinged doors self-closer	+
heated door frame	+
front bottom panel made of coated steel - different colors available (Igloo pattern book)	+
front top panel made of coated aluminum profile - different colors available (Igloo pattern book)	+
base plinth made of stainless steel with a floor seal	+
interior made of coated steel - different colors available (IGLOO pattern book)	+
4 levels of plastified reticulated shelves, with height and angle adjustment + base shelf	+
price stripes - selectable colour (IGLOO pattern book)	+
automatic defrost (electric heaters)	+
display space thermometer	+
modern LED lighting (lighting colour options: white confectionery, pink)	+
electronic temperature controller with digital display (Carel IR33)	+
mechanical expansion valve	+
siphoned condensate drain - diameter of the connector pipe Ø 40	+
refrigerant system adapted for  R744 / R448A / R449A / R450A / R407F / R404A / R507 / R452 agent	+

Options

insulated side panels made of white coated steel - selectable colour (IGLOO pattern book) custom colors of the side panels (after consultation with the IGLOO Sales Department) insulated side panels made of stainless steel custom colors of bottom front panel (after consultation with the IGLOO Sales Department) bottom stainless steel front panel custom colors of top front panel (after consultation with the IGLOO Sales Department) interior made of stainless steel chrome reticulated shelves powder painted evaporator fixed partition made of PETG (plexiglass) front buffer with stainless steel profile top outlets of the cooling circuitry electronic expansion valve\*

cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)  $\!\!\!\!^*$ 

DEMOTE

	REMOTE	
	+1255	€/set
	+75	€/set
	+1440	€/set
t)	+35	€/meter
	+95	€/meter
	+35	€/meter
	+605	€/meter
	+985	€/meter
	+65	€/meter of shelf
	+100	€/meter
	+240	€/pcs
	+175	€/meter
	+80	€/set
	+820	€/meter
	+420	€/pcs

VARIO M - H	F	3L1 (-22/-18°C)
	-	-
and the second	FF	
	EF	
	15	

		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
VARIO M - H	(REMOTE)				
VRM156.1000H	VARIO M 1.56H mod/C/2	1564	1416	5.4	10 440
VRM234.1000H	VARIO M 2.34H mod/C/3	2342	2109	8.2	13 940
VRM312.1000H	VARIO M 3.12H mod/C/4	3123	2823	10.9	16 650
VRM390.1000H	VARIO M 3.90H mod/C/5	3898	3543	13.7	20 050



# Standard equipment

Standard equipment	REMOTE
powered only by external aggregate	+
multiplexable device	+
dynamic cooling (ventilated)	+
energy-saving electronically commutated fans	+
ecological polyurethane foam insulation	+
hinged doors with combined glass	+
hinged doors self-closer	+
heated door frame	+
front bottom panel made of coated steel – different colors available (Igloo pattern book)	+
front top panel made of coated aluminum profile – different colors available (Igloo pattern book)	+
base plinth made of stainless steel with a floor seal	+
interior made of coated steel - different colors available (IGLOO pattern book)	+
5 levels of plastified reticulated shelves, with height and angle adjustment + base shelf	+
price stripes - selectable colour (IGLOO pattern book)	+
automatic defrost (electric heaters)	+
display space thermometer	+
modern LED lighting (lighting colour options: white confectionery, pink)	+
electronic temperature controller with digital display (Carel IR33)	+
mechanical expansion valve	+
siphoned condensate drain - diameter of the connector pipe Ø 40	+
refrigerant system adapted for R744 / R448A / R449A / R450A / R407F / R404A / R507 / R452 agent	+

Options	REMOTE	
insulated side panels made of white coated steel - selectable colour (IGLOO pattern book)	+1255	€/set
custom colors of the side panels (after consultation with the IGLOO Sales Department)	+75	€/set
insulated side panels made of stainless steel	+1440	€/set
custom colors of bottom front panel (after consultation with the IGLOO Sales Department)	+35	€/meter
bottom stainless steel front panel	+95	€/meter
custom colors of top front panel (after consultation with the IGLOO Sales Department)	+35	€/meter
interior made of stainless steel	+605	€/meter
interior made of acid resistant steel	+985	€/meter
chrome reticulated shelves	+65	€/meter of shelf
powder painted evaporator	+100	€/meter
fixed partition made of PETG (plexiglass)	+240	€/pcs
front buffer with stainless steel profile	+175	€/meter
top outlets of the cooling circuitry	+80	€/set
electronic expansion valve*	+820	€/meter
cooling system adopted to factor R744 (CO2) (only with electronic expansion valve)*	+420	€/pcs

# SANTIAGO M

ŀ -20 / -12 °C





		K			EUR
ID Nam	ie	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
SANTIAGO M (PLUG-IN)					
SA101M SAN	TIAGO M 1.4W	1380	240	0,9	6 220
SA102M SAN	TIAGO M 1.7W	1680	300	1,2	6 930
SA103M SAN	TIAGO M 2.1W	2010	360	1,4	8 230
SA104M SAN	TIAGO M 2.5W	2540	400	1,6	10 040

Devices variants		PLUG-IN	
DRE	e.g., a wooden front panel and front base, wooden external sides, no bumper	+430	€/meter

# Standard equipment

Standard equipment	PLUG-IN
internal freezing aggregate	+
dynamic cooling (ventilated)	+
body with service-side base flashing composed of white, coated sheet metal	+
front base sheets and front panel with color – coated sheet – selectable color (IGLOO pattern book)	+
ecological polyurethane foam insulation	+
exposition area made of stainless steel	+
grey granite worktop (thickness 20 mm)	+
internal frame and aluminum profiles anodised color silver or gold (IGLOO pattern book)	+
curved front glass - telescopic lifting system	+
night blinds made of plexi glass	+
LED lamp (color of choice: white, confectionery or pink )	+
bumper – different colors available (IGLOO pattern book)	+
double insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display (Carel)	+
condenser impurity or fan operation failure alarm	+

# Options

device without side panels prepared for multiplexing (MOD/A)
housing with base panel from staff side made of stinaless steel
custom front panel color (after consultation with the IGLOO Sales Department)
front panel color - selectable colour (IGLOO pattern book)
custom base panel color (after consultation with the IGLOO Sales Department)
base panel made of stainless steel
exposition area made of acid resistant stinless steel
powder painted evaporator
worktop - granite Balmoral (thickness : 20 mm)
worktop - granite black (thickness : 20 mm)
worktop - stainless steel
set of wheels (castors)
addtional LED light in top lamp profile
electronic temperature recorder + software
temperature recorder wire
customer front shelf (aluminum profile anodised color silver or gold)
the front shelf for the customer made of wooden profiles with stainless elements - selectab
runner for small movable table
small movable table for scale or cash register (400x500mm)

	PLUG-IN	
	-255	€/pcs
	+230	€/meter
	+45	€/meter
	+180	€/meter
	+45	€/meter
	+95	€/meter
	+205	€/meter
	+100	€/meter
	+70	€/meter
	+165	€/meter
	0	€/meter
	+205	€/meter
	+115	€/meter
	+115	€/set
	+45	€/pcs
	+125	€/meter
able color (IGLOO color guide)	+240	€/meter
	+60	€/meter
	+215	€/pcs

BASIA	Μ	

.18 / -12 ℃





		$\swarrow$	$\widehat{\mathbb{O}}$		EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
BASIA 2 M (PL	BASIA 2 M (PLUG-IN)				
KI101W	BASIA 2/1.4M	1380	240	0,9	5 500
KI102W	BASIA 2/1.7M	1680	300	1,2	6 500
KI103W	BASIA 2/2.1M	2010	360	1,4	7 560
KI104W	BASIA 2/2.5M	2540	400	1,6	9 580

# Standard equipment

internal freezing aggregate
dynamic cooling (ventilated)
body with service-side base flashing composed of white, coated sheet metal
front base sheets and front panel with color - coated sheet - selectable color (IGLOO patte
ecological polyurethane foam insulation
exposition area made of stainless steel
worktop - stainless steel
silver or gold aluminium profiles (IGLOO pattern book)
curved front glass openable
night blinds made of plexi glass
LED lamp (color of choice: white, confectionery or pink )
bumper – different colors available (IGLOO pattern book)
double insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)
automatic defrost
automatic condenser vaporization
electronic temperature controller with digital display (Carel )
condenser impurity or fan operation failure alarm

# Options

device without side panels prepared for multiplexing (MOD/A) housing with base panel from staff side made of stinaless steel custom front panel color (after consultation with the IGLOO Sales Department) front panel color - selectable colour (IGLOO pattern book) custom base panel color (after consultation with the IGLOO Sales Department) base panel made of stainless steel display space with coloured sheet - selectable colour (IGLOO pattern book) exposition area made of acid resistant stinless steel powder painted evaporator worktop - granite grey (thickness : 20 mm) worktop - granite Balmoral (thickness : 20 mm) worktop - granite black (thickness : 20 mm) set of wheels (castors) addtional LED light in top lamp profile electronic temperature recorder + software temperature recorder wire customer front shelf (aluminum profile anodised color silver or gold) runner for small movable table small movable table for scale or cash register (400x500mm)

	PLUG-IN
	+
	+
	+
ttern book)	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+

PLUG-IN	
-255	€/pcs
+230	€/meter
+45	€/meter
+180	€/meter
+45	€/meter
+95	€/meter
0	€/meter
+140	€/meter
+100	€/meter
+85	€/meter
+125	€/meter
+215	€/meter
+205	€/meter
+115	€/meter
+115	€/set
+45	€/pcs
+125	€/meter
+60	€/meter
+215	€/pcs





<u>.</u>		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
KING AT M (P	LUG-IN)				
KG108MAT	KING M 0.79 AT	890	460	2	6 580
KG102MAT	KING M 1.6 AT	1660	920	4	9 780
KING AT M (REMOTE)					
KG108MAT-c	KING M 0.79 AT-mod/C	790	460	2	3 690
KG102MAT-c	KING M 1.6 AT-mod/C	1560	920	4	6 520



KING AT M mod/C



Standard equipment	PLUG-IN	REMOTE
energy efficient cooling aggregate HITACHI placed on the back of the device	+	-
powered only by external aggregate	-	+
dynamic cooling (ventilated)	+	+
multiplexable device	0	+
insulated side panels made of white coated steel - thickness : 40 mm	+	0
ecological polyurethane foam insulation	+	+
opened top panel illuminated with LED lightining - different plexiglass colors available (IGLOO pattern book)	+	+
front bottom panel made of coated steel - different colors available (Igloo pattern book)	+	+
rack interior with coloured sheet - selectable colour (IGLOO pattern book)	+	+
6 levels of display shelves with possibility to change the hanging height and angle + lower base shelf	+	+
price stripes - selectable colour (IGLOO pattern book)	+	+
self-closing hinged door with insulated glass - selectable opening direction	+	+
automatic defrost	+	+
automatic condensate pump (up to 0,6m height)	+	+
internal top and side illumination – LED lights	+	+
electronic temperature controller with digital display (Carel IR33 )	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
device without side panels prepared for multiplexing (MOD/A)	-400	S	€/pcs
insulated side panels made of coated steel - selectable colour (IGLOO pattern book)	S	+940	€/set
custom colors of the side panels (after consultation with the IGLOO Sales Department)	+65	+65	€/set
insulated side panels made of stainless steel	+155	+1090	€/set
custom front panel color (after consultation with the IGLOO Sales Department)	+60	+60	€/meter
front panel color - selectable colour (IGLOO pattern book)	+170	+170	€/meter
base and front panel made of white coated steel (after consultation with the IGLOO Sales Department)	0	0	€/meter
top full panel made of stainless steel	+75	+75	€/meter
custom colors of device interior and exposition shelves (after consultation with the IGLOO Sales Department)	+155	+155	€/meter
interior made of stainless steel	+280	+280	€/meter
interior made of acid resistant steel	+485	+485	€/meter
chrome reticulated shelves	+365	+365	€/meter
exposition shelves on frame made of powder painted steel - selectable colour (IGLOO pattern book)	0	0	€/meter
exposition shelves made of stainless steel	+145	+145	€/meter
exposition shelf made of acid-resistant stainless steel	+250	+250	€/meter
good securing fence	+25	+25	€/meter of shelf
powder painted evaporator	+100	+100	€/meter
fixed partition made of PETG (plexiglass)	+215	+215	€/pcs
electronic temperature recorder + software	+115	+115	€/set
temperature recorder wire	+45	+45	€/pcs

ŀ

-20 / -12 °C



		K	$\widehat{\mathbb{O}}$		EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
<b>KEOS (REM</b>	MOTE)				
KS100	KEOS 2-mod/C	1560	1360	4,2	6 400
KS101	KEOS 3-mod/C	2335	2000	6,3	8 690



# Standard equipment

Standard equipment	REMOTE
powered only by external aggregate	+
multiplexable device	+
dynamic cooling (ventilated)	+
mechanical expansion valve	+
interior made of white coated steel	+
upper and lower front panel with coloured sheet - selectable colour (IGLOO pattern book)	+
ecological polyurethane foam insulation	+
self - closing hinged doors with heated combined glass - choice of door opening direction	+
hinged doors self-closer	+
heated door frame	+
4 levels of plastified reticulated strengthened shelves, with height and angle adjustment	+
price stripes – different colors available (IGLOO pattern book)	+
automatic defrost	+
internal top and side illumination – LED lights	+
fan stopping switch	+
electronic temperature controller with digital display (Carel IR33)	+
refrigerant system adapted for R744 / R448A / R449A / R450A / R407F / R404A / R507 / R452 agent	+

# Options

insulated side panels made of coated steel - selectable colour (IGLOO pattern book) custom colors of the side panels custom upper front panel colour (after consultation with the IGLOO Sales Department) custom front panel color (after consultation with the IGLOO Sales Department) interior made of stainless steel interior made of acid resistant steel chrome reticulated strengthened shelves additional plasticized and reinforced grid shelf (w. 600mm) + set of brackets additional chrome reinforced grid shelf (w. 600mm) + set of brackets electronic temperature recorder + software

temperature recorder wire

REMOTE	
+960	€/set
+80	€/set
+20	€/meter
+60	€/meter
+375	€/meter
+650	€/meter
+65	€/meter of shelf
+65	€/pcs
+110	€/pcs
+110	€/set
+40	€/pcs

# pastry display counters

PASTELLA SWEET N PASTELLA PASTELLA N PASTELLA BAKE INNOVA INNOVA - NEUTRAL INNOVA T CUBE 2 CUBE 2 NEUTRAL CUBE 2 OPEN CUBE 2 BAKE CUBE CUBE OPEN GASTROLINE CUBE GASTROLINE CUBE OPEN KAMELEO KAMELEO N JAMAJKA JAMAJKA OPEN JAMAJKA N BEATA 2 JULIA NADSTAWKA JOLA 4

NEW	171
NEW	
NEW	173
NEW	175
NEW	177
NEW	179
	181
	183
	185
	187
	189
	191
NEW	193
	195
	197
	197 199
	199
	199
	199 201
	199 201 203
	199 201 203 205 207
	199 201 203
	199 201 203 205 207 209 211
	199 201 203 205 207
	199 201 203 205 207 209 211
	199 201 203 205 207 209 211
	199 201 203 205 207 209 211 213 215

# **PASTELLA SWEET**



₽

+4 / +10°C

Δ	
1200±10	
V	370±10 430±10
	670
	850

# PASTELLA SWEET

# Standard equipment

Internal cooling aggregate R290
powered only by external aggregate
openable front glass with bending radius R20
dynamic cooling (ventilated) z automatycznym odszranianianiem
external housing made of coated steel sheet in a colour from the (IGLOO pattern book)
side panels made of melamine plate - different colors available (IGLOO pattern book)
wooden melamine front panel - different colors available (IGLOO pattern book)
ecological polyurethane foam insulation
3 glass exposition shelves with height and angle adjustment placed on the frame
internal frame painted - different colors available (IGLOO pattern book)
bottom shelf made of painted steel - different colors available (IGLOO pattern book)
upper interior lighting + backlight of each shelf LED
automatic condenser vaporization
electronic temperature controller with digital display (Igloo/Carel)
condenser impurity or fan operation failure alarm

### Options

device prepared for multiplexing (mod/A) side panels made of melamine plate – different colors available (IGLOO pattern book) custom of wooden melamine front panel - (after consultation with the IGLOO Sales Depart bottom shelf made of stainless steel bottom shelf made of acid resistant stainless steel permanent glass partition to connect PASTELLA devices wooden front panel made of veneer or TREND - different colors available (IGLOO pattern b electronic temperature recorder + software temperature recorder wire set of wheels (castors)

humidity control system

		K	$\widehat{\bigcirc}$		EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PASTELLA	SWEET (PLUG-IN)	EW			
PSTS60W	PASTELLA SWEET 0.6W	660	215	0.9	3740
PSTS90W	PASTELLA SWEET 0.9W	960	395	1.2	4480
PSTS130W	PASTELLA SWEET 1.3W	1360	582	1.8	5170
PASTELLA	SWEET (REMOTE)	EW			
PSTS60W-c	PASTELLA SWEET 0.6W mod/C	600	215	0.9	3350
PSTS90W-c	PASTELLA SWEET 0.9W mod/C	900	395	1.2	3770
PSTS130W-c	PASTELLA SWEET 1.3W mod/C	1300	582	1.8	4360

# Devices variants PLUG-IN REMOTE CUSTOM device prepared for individual design (lack of the front panel and sides) -45 -25 €/meter PRALINES operating temperature range +10°C to +15°C (humidity control system and drying heaters) +395 +395 €/pcs

PLUG-IN	REMOTE
+	-
-	+
+	+
+	+
+	+
+	-
+	+
+	+
+	+
+	+
+	+
+	+
+	-
+	+
+	+

	PLUG-IN	REMOTE	
	-65	S	€/pcs
	S	+140	€/set
rtment)	+45	+45	€/meter
	+75	+75	€/meter
	+120	+120	€/meter
	+165	+165	€/pcs
book)	+220	+220	€/meter
book)	+295	+295	€/set
	+115	+115	€/pcs
	+45	+45	€/pcs
	+260	-	€/pcs
	+300	+300	€/pcs

# **PASTELLA SWEET N**





PASTELLA SWEET N

# Standard equipment

ambient device without cooling system and possibility of installing it openable front glass with bending radius R20 bottom housing made of black melamine (wood) side panels made of melamine plate - different colors available (IGLOO pattern book) wooden melamine front panel - different colors available (IGLOO pattern book) 3 glass exposition shelves with height and angle adjustment placed on the frame internal frame painted - different colors available (IGLOO pattern book) bottom shelf made of painted steel - different colors available (IGLOO pattern book) socket with fuse upper interior lighting + backlight of each shelf LED

Options

multiplexable device

side panels made of melamine plate - different colors available (IGLOO pattern book) custom of wooden melamine front panel - (after consultation with the IGLOO Sales Depart bottom shelf made of stainless steel

bottom shelf made of acid resistant stainless steel

permanent glass partition to connect PASTELLA devices

wooden front panel made of veneer or TREND - different colors available (IGLOO pattern b wooden sides panel made of veneer or TREND - different colors available (IGLOO pattern b set of wheels (castors)

		$\mathbb{R}$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PASTELLA	SWEET N NEW				
PSTS60N	PASTELLA SWEET 0.6N	660	215	0.9	2160
PSTS90N	PASTELLA SWEET 0.9N	960	395	1.2	2660
PSTS130N	PASTELLA SWEET 1.3N	1360	582	1.8	3130

### **Devices variants**

CUSTOM device prepared for individual design (lack of the front panel and sides)	-45	€/meter
--	-----	---------

PASTELLA SWEET N
+
+
+
+
+
+
+
+
+
+

	PLUG IN	REMOTE	
	-65	S	€/pcs
	S	+140	€/set
rtment)	+45	+45	€/meter
	+65	+75	€/meter
	+120	+120	€/meter
	+165	+165	€/pcs
i book)	+220	+220	€/meter
n book)	+295	+295	€/set
	+260		€/pcs

# PASTELLA W



₽

+4 / +10°C

### Presented device includes accessories

			K			EUR
ID	Name		Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PASTELLA (PLUG-IN)						
PST90W	PASTELLA 0.9 W		930	94	0,52	3850
PST130W	PASTELLA 1.3 W		1330	138	0,77	4730
PASTELLA	(REMOTE)	NEW				
PST90W-c	PASTELLA 0.9 W mod/C		860	94	0,52	3240
PST130W-c	PASTELLA 1.3 W mod/C		1260	138	0,77	3970

Devices va	ariants	PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design (lack of the front panel and sides)	-75	-25	€/meter
PG	heated exposition area, lamp panel with infrared halogens (only Plug-in) ( $+30 \div +60^{\circ}\text{C}$ )	-105	-	€/meter

# **PASTELLA W**



# **PASTELLA PG**



# Standard equipment

internal cooling aggregate R290
powered only by external aggregate
openable front glass with bending radius R20
dynamic cooling with automatic defrost
external housing made of coated steel sheet in a colour from the (IGLOO pattern book)
side panels made of melamine plate - different colors available (IGLOO pattern book)
grey granite worktop (thickness 20 mm)
wooden melamine front panel – different colors available (IGLOO pattern book)
ecological polyurethane foam insulation
internal frame painted - different colors available (IGLOO pattern book)
display space from color-coated sheet - colors to choose from (IGLOO pattern book)
socket with fuse
internal top illumination - LED light
automatic condenser vaporization
electronic temperature controller with digital display (Igloo/Carel)
condenser impurity or fan operation failure alarm
bakery tray rack 400x600 - (0.9 - none; 1.3 - 10 pcs.)

### Options

device prepared for multiplexing (mod/A) side panels made of melamine plate - different colors available (IGLOO pattern book) custom of wooden melamine front panel - (after consultation with the IGLOO Sales Depar exposition area made of stainless steel exposition area made of acid resistant stinless steel worktop - granite Balmoral (thickness : 20 mm) worktop – granite black (grubość: 20mm) device without granite worktop small movable table for scale or cash register (400x500mm) - worktop variants to choose high bracket of the cash register or scale on a fixed profile - worktop variants to choose fro permanent partition, insulated, to connect heating and cooling devices permanent glass partition to connect CUBE (R20) devices wooden front panel made of veneer or TREND - different colors available (IGLOO pattern b wooden sides from veneered board or TREND - different colors available (IGLOO pattern b electronic temperature recorder + software additional LED-illuminated shelf on the frame temperature recorder wire set of wheels (castors)

PLUG-IN	REMOTE
+	-
-	+
+	+
+	+
+	+
+	-
+	+
+	+
+	+
+	+
+	+
+	+
+	+
+	-
+	+
+	+
+	+

	PLUG-IN	REMOTE	
	-65	S	€/pcs
	S	+140	€/set
rtment)	+70	+70	€/meter
	+75	+75	€/meter
	+120	+120	€/meter
	+70	+70	€/meter
	+165	+165	€/meter
	-45	-45	€/meter
e from: black polyethylene/stainless steel	+265	+265	€/pcs
om: black polyethylene/stainless steel	+135	+135	€/set
	+330	+330	€/pcs
	+220	+220	€/pcs
book)	+220	+220	€/meter
book)	+295	+295	€/set
	+115	+115	€/pcs
	+240	+240	€/meter of shelf
	+45	+45	€/pcs
	+260	-	€/set

# PASTELLA N



Presented device includes accessories



Presented device includes accessories

		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PASTELL					
PST90N	PASTELLA 0.9 N	930	94	0,52	2190
PST130N	PASTELLA 1.3 N	1330	138	0,77	2600
PSTNZ90N	PASTELLA NZ90 N	1300	164	0,91	4160

# **Devices variants**

CUSTOM	device prepared for individual design (lack of the front panel and sides)	-75	€/meter
--------	---	-----	---------

# **PASTELLA N**





PASTELLA N NZ90

# Standard equipment

ambient device without cooling system and possibility of installing it openable front glass with bending radius R20 bottom housing made of black melamine (wood) side panels made of melamine plate - different colors available (IGLOO pattern book) grey granite worktop (thickness 20 mm) wooden melamine front panel - different colors available (IGLOO pattern book) internal frame painted - different colors available (IGLOO pattern book) display space from coated sheet (IGLOO pattern book) socket with fuse internal top illumination - LED light

Options	PLUG-IN	REMOTE	
multiplexable device	-65	S	€/pcs
side panels made of melamine plate – different colors available (IGLOO pattern book)	S	+140	€/set
custom of wooden melamine front panel - (after consultation with the IGLOO Sales Department)	+70	+70	€/meter
exposition area made of stainless steel	+75	+75	€/meter
exposition area made of acid resistant stinless steel	+120	+120	€/meter
worktop - granite Balmoral (thickness : 20 mm)	+70	+70	€/meter
worktop – granite black (grubość: 20mm)	+165	+165	€/meter
device without granite worktop	-45	-45	€/meter
permanent partition, insulated, to connect heating and cooling devices	+330	+330	€/pcs
permanent glass partition to connect CUBE (R20) devices	+220	+220	€/pcs
wooden front panel made of veneer or TREND - different colors available (IGLOO pattern book)	+220	+220	€/meter
wooden sides from veneered board or TREND - colors to choose from (IGLOO pattern book)	+295	+295	€/set
additional LED-illuminated shelf on the frame	+240	+240	€/meter of shelf
set of wheels (castors)	+260		€/pcs

### PASTELLA N

+
+
+
+
+
+
+
+
+
+

# PASTELLA BAKE



### Presented device includes accessories

**Devices variants** 

CUSTOM

		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PASTELLA					
PST90NB	PASTELLA 0.9N BAKE	930	94	0,52	2570
PST130NB	PASTELLA 1.3N BAKE	1330	138	0,77	2980
PSTNZ90NB	PASTELLA NZ90 N BAKE	1300	164	0,91	4560

device prepared for individual design (lack of the front panel and sides)

-75

€/meter

# **PASTELLA BAKE**





PASTELLA N NZ90

# Standard equipment

ambient device without cooling system and possibility of installing it
openable front glass with bending radius R20
body from melamine board - colors to choose from (IGLOO pattern book)
side panels made of melamine plate - different colors available (IGLOO pattern book)
grey granite worktop (thickness 20 mm)
wooden melamine front panel - different colors available (IGLOO pattern book)
internal frame painted - different colors available (IGLOO pattern book)
wooden rack
stainless crumb trays
bakery tray rack - (0.9 - 10 pcs.; 1.3 - 20 pcs.)
socket with fuse
internal top illumination - LED light

### Options

multiplexable device side panels made of melamine plate - different colors available (IGLOO pattern book) custom of wooden melamine front panel - (after consultation with the IGLOO Sales Depart worktop - granite balmoral (thickness : 20 mm) worktop - granite black (grubość: 20mm) device without granite worktop small movable table for scale or cash register (400x500mm) - worktop variants to choose for high bracket of the cash register or scale on a fixed profile - worktop variants to choose for permanent partition, insulated, to connect heating and cooling devices permanent glass partition to connect CUBE (R20) devices wooden front panel made of veneer or TREND - different colors available (IGLOO pattern b additional LED-illuminated shelf on the frame set of wheels (castors)

PLUG-IN
+
+
+
+
+
+
+
+
+
+
+
+

	PLUG-IN	REMOTE	
	-65	S	€/pcs
	S	+140	€/set
rtment)	+70	+70	€/meter
	+70	+70	€/meter
	+165	+165	€/meter
	-45	-45	€/meter
e from: black polyethylene/stainless steel	+265	+265	€/pcs
om: black polyethylene/stainless steel	+135	+135	€/set
	-	+330	€/pcs
	-	+220	€/pcs
i book)	+220	+220	€/meter
book)	+295	+295	€/set
	+240	+240	€/meter of shelf
	+260		€/pcs



INNOVA



₽

+2 / +15 °C

INNOVA HALF OPEN

		$\bigvee$			EUR				
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €				
INNOVA (PLUG-IN)									
INN70.110	INNOVA 70.110	700	245	1	4690				
INN100.110	INNOVA 100.110	1000	362	1	5660				
INN140.110	INNOVA 140.110	1400	513	1,3	6600				
INN70.140	INNOVA 70.140	700	395	1,2	5420				
INN100.140	INNOVA 100.140	1000	582	1,8	6370				
INN140.140	INNOVA 140.140	1400	825	2,5	7300				
INN100.170	INNOVA100.170	1000	582	2,35	8490				
INN140.170	INNOVA140.170	1400	1072	3,25	9430				
INNNZ45.110	INNOVA NZ45.110		500	1,4	6450				
INNNZ45.140	INNOVA NZ45.140	-	636	1,75	7060				
INNOVA (	REMOTE)								
INN70.110-c	INNOVA 70.110-MOD/C	700	245	1	4130				
INN100.110-c	INNOVA 100.110-MOD/C	1000	362	1	5010				
INN140.110-c	INNOVA 140.110-MOD/C	1400	513	1,3	5860				
INN70.140-c	INNOVA 70.140-MOD/C	700	395	1,2	4860				
INN100.140-c	INNOVA 100.140-MOD/C	1000	582	1,8	5720				
INN140.140-c	INNOVA 140.140-MOD/C	1400	825	2,5	6540				
INN110.170-c	INNOVA 100.170-MOD/C	1000	582	2,35	7640				
INN140.170-c	INNOVA 140.170-MOD/C	1400	1072	3,25	8450				
INNNZ45.110-c	INNOVA NZ45.110-MOD/C	-	500	1,4	5800				
INNNZ45.140-c	INNOVA NZ45.140-MOD/C	-	636	1,75	6440				
INNOVA (	BEMAR)								
INN100.140B	INNOVA BEMAR 100.140	1000	582	1,8	6570				
INN140.140B	INNOVA BEMAR 140.140	1400	825	2,5	7750				
INNOVA (	HOT)								
INN70.140H	INNOVA G 70.140	700	395	1,2	6330				
INN100.140H	INNOVA G 100.140	1000	582	1,8	7140				
INN140.140H	INNOVA G 140.140	1400	825	2.5	8250				

Devices va	riants	PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design	-25	-25	€/meter
PRALINES	operating temperature range +10°C to +15°C / humidity control system and drying heaters/	+395	+395	€/pcs
HALF OPEN	device with the hole in the front glass for self service (for cooling devices)	+230	+230	€/meter











Standard equipment	INNOVA BEMAR	INNOVA HOT	INNOVA (W) PLUG-IN	INNOVA (W) REMOTE
internal cooling aggregate R290	-	-	+	-
dynamic cooling with automatic defrost	-	-	+	+
external glass elements made of combined glass with argon filling and black silkscreen, white or gray RAL7042	+	+	+	+
innovative system of withdrawable front with electromagnetic lock	+	+	+	+
external wooden elements - different colors available (IGLOO pattern book)	+	+	+	+
wooden top worktop - different colors available (IGLOO pattern book)	-	+	+	+
internal frame painted - different colors available (IGLOO pattern book)	+	+	+	+
bottom shelf made of stainless steel	-	+	+	+
glass exposition shelves with height and angle adjustment placed on the frame	-	+	+	+
back sliding doors with combined glass (INNOVA 70 - hinged doors with choice of door opening direction)	-	+	+	+
kick plinth made of stainless steel	+	+	+	+
housing with base from staff side made of coated steel - different colors available (IGLOO pattern book)	+	+	+	+
exposition area made of acid-resistant stainless steel, prepared for GN containers	+	-	-	-
water level sensor	+	-	-	-
top internal LED illumination front frame LED illumination	-	-	+	+
top lamp with ceramic heaters and oven lightbulbs	+	-	-	-
internal upper and front frame fluorescent lighting	-	+	-	-
automatic condenser vaporization	-	-	+	-
mechanical temperature control unit with temperature sensor	+	+	-	-
electronic temperature controller with digital display (Igloo/Carel)	-	-	+	+
condenser impurity or fan operation failure alarm	-	-	+	-

Options	INNOVA BEMAR	INNOVA HOT	INNOVA (W) PLUG-IN	INNOVA (W) REMOTE	
multiplexable device	-65	-65	-65	-	€/pcs
top granite worktop color – grey (thickness: 20 mm)	-	+105	+105	+105	€/meter
top granite worktop color – balmoral (thickness: 20 mm)	-	+205	+205	+205	€/meter
top granite worktop color – black (thickness: 20 mm)	-	+345	+345	+345	€/meter
internal frame made of stainless steel (does not apply to aluminum shelf frame)	-	+170	+170	+170	€/meter
humidity control system	-	-	+320	+320	€/set
additional each shelf LED illumination	-	-	+115	+115	€/meter of shelf
electronic temperature recorder + software	-	-	+115	+115	€/set
temperature recorder wire	-	-	+45	+45	€/pcs
set of wheels (castors)	+255	+260	+260	-	€/set
gastronomic container GN 1/1 - depth 150 mm	55	-	-	-	€/pcs
gastronomic container GN 1/3 - depth 150 mm	25	-	-	-	€/pcs
gastronomic container GN 1/6 - depth 150 mm	25	-	-	-	€/pcs
gastronomic container GN 2/4 - depth 150 mm	40	-	-	-	€/pcs
additional crossbar for GN container	25	25	-	-	€/pcs
rear sliding door made of double-glazed units with Venetian mirror (in model 70, hinged door with Venetian mirror)	-	+105	+105	+105	€/meter



# **INNOVA - NEUTRAL**



INNOVA N

INNOVA N HALF OPEN

		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
INNOVA -	NEUTRAL				
INN-N70.110	INNOVA N 70.110	700	245	1	3770
INN-N100.110	INNOVA N 100.110	1000	362	1	4150
INN-N140.110	INNOVA N 140.110	1400	513	1	4620
INN-N70.140	INNOVA N 70.140	700	395	1	4620
INN-N100.140	INNOVA N 100.140	1000	582	1,8	4960
INN-N140.140	INNOVA N 140.140	1400	825	2,5	5190
INN-N100.170	INNOVA N 100.170	1000	582	2,35	6050
INN-N140.170	INNOVA N 140.170	1400	1072	3,25	6680
INNNZ45.110	INNOVA NZ45.110	~1350	500	1,4	4890
INNNZ45.140	INNOVA NZ45.140	~1350	636	1,75	5470

Devices va	riants	PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design	-25	-25	€/meter
HALF OPEN	device with the hole in the front glass for self service (for cooling devices)	+100	+100	€/meter









Standard equipment	INNOVA BEMAR	INNOVA HOT	INNOVA (W) PLUG-IN	INNOVA (W) REMOTE
internal cooling aggregate R290	-	-	+	-
dynamic cooling with automatic defrost	-	-	+	+
external glass elements made of combined glass with argon filling and black silkscreen, white or gray RAL7042	+	+	+	+
innovative system of withdrawable front with electromagnetic lock	+	+	+	+
external wooden elements - different colors available (IGLOO pattern book)	+	+	+	+
wooden top worktop - different colors available (IGLOO pattern book)	-	+	+	+
internal frame painted - different colors available (IGLOO pattern book)	+	+	+	+
bottom shelf made of stainless steel	-	+	+	+
glass exposition shelves with height and angle adjustment placed on the frame	-	+	+	+
back sliding doors with combined glass (INNOVA 70 - hinged doors with choice of door opening direction)	-	+	+	+
kick plinth made of stainless steel	+	+	+	+
housing with base from staff side made of coated steel - different colors available (IGLOO pattern book)	+	+	+	+
exposition area made of acid-resistant stainless steel, prepared for GN containers	+	-	-	-
water level sensor	+	-	-	-
top internal LED illumination front frame LED illumination	-	-	+	+
top lamp with ceramic heaters and oven lightbulbs	+	-	-	-
internal upper and front frame fluorescent lighting	-	+	-	-
automatic condenser vaporization	-	-	+	-
mechanical temperature control unit with temperature sensor	+	+	-	-
electronic temperature controller with digital display (Igloo/Carel)	-	-	+	+
condenser impurity or fan operation failure alarm	-	-	+	-

# Options

mu	ultiplexable device
top	p granite worktop color – grey (thickness: 20 mm)
top	p granite worktop color – balmoral (thickness: 20 mm)
top	p granite worktop color – black (thickness: 20 mm)
int	ternal frame made of stainless steel (does not apply to aluminum shelf frame)
ade	lditional each shelf LED illumination
set	t of wheels (castors)
rea	ar sliding door made of double-glazed units with Venetian mirror (in INNOVA 70, hinged door with Venetian mirror)

NEUTRAL -65 €/pcs +105 €/meter +205 €/meter +345 €/meter +170 €/set +115 €/meter of shelf +260 €/set +100 €/meter



+5 / +15°C



		$\swarrow$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
INNOVA T	(PLUG-IN)				
INN-T74	INNOVA T 74	740	820	1,7	6320

Devices variants		PLUG-IN	
CUSTOM	device prepared for individual design	-25 €/meter	

# Standard equipment

internal cooling aggregate R290 dynamic cooling with automatic defrost external glass elements made of insulating glass with argon filling and silkscreen black, whi external wooden elements - different colors available (IGLOO pattern book) internal frame painted - different colors available (IGLOO pattern book) bottom shelf made of stainless steel glass exposition shelves with height adjustment placed on the frame back hinged doors with combined glass (choice of door opening direction) kick plinth made of stainless steel housing with base from staff side made of black coated steel front frame LED illumination automatic condenser vaporization electronic temperature controller with digital display condenser impurity or fan operation failure alarm

### Options

rotating glass shelves (without height adjustment) internal frame made of stainless steel additional glass shelf + handle set electronic temperature recorder + software temperature recorder wire set of wheels (castors)

### PLUG-IN

	+
	+
nite or gray screen, RAL 7042 print	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+

PLUG-IN	
+675	€/set
+275	€/set
+100	€/set
+115	€/set
+45	€/pcs
+260	€/set

CUBE 2	ŀ	+2 / +15 °C
		$\geq$
		-
CUBE 2	CUBE 2 N	Z90W



				EUR
ID	Name	Length [mm]	The area of shelves [m2]	Price €
CUBE 2 (	PLUG-IN)			
CU203.3	CUBE 2 0.6W 3P	640	1,13	4 630
CU202.3	CUBE 2 0.9W 3P	940	1,74	5 450
CU201.3	CUBE 2 1.3W 3P	1340	2,55	6 250
CU295.3	CUBE 2 NZ90W 3P	1470	1,57	8 120
CU203.2	CUBE 2 0.6W 2P	640	0,95	4 090
CU202.2	CUBE 2 0.9W 2P	940	1,47	4 880
CU201.2	CUBE 2 1.3W 2P	1340	2,15	5 580
CU295.2	CUBE 2 NZ90W 2P	1470	1,08	7 440
CUBE 2 (	REMOTE)			
CU203.3-c	CUBE 2 0.6W 3P mod/C	640	1,13	3 890
CU202.3-c	CUBE 2 0.9W 3P mod/C	940	1,74	4 570
CU201.3-c	CUBE 2 1.3W 3P mod/C	1340	2,55	5 250
CU295.3-c	CUBE 2 NZ90W 3P mod/C	1470	1,57	7 390
CU203.2-c	CUBE 2 0.6W 2P mod/C	640	0,95	3 480
CU202.2-c	CUBE 2 0.9W 2P mod/C	940	1,47	4 090
CU201.2-c	CUBE 2 1.3W 2P mod/C	1340	2,15	4 690
CU295.2-c	CUBE 2 NZ90W 2P mod/C	1470	1,08	6 710

Devices va	PLUG-IN	REMOTE		
CUSTOM	device prepared for individual design	-25	-25	€/meter
HALF OPEN	device with the hole in the front glass for self service	+220	+220	€/meter
G	heated device (dry heaters) temperature range (+30/+60 °C)	-105	-	€/meter
PRALINES	operating temperature range +10°C to +15°C (humidity control system and drying heaters)	+400	+400	€/pcs





# Standard equipment

internal cooling aggregate R290 powered only by external aggregate external glass elements made of combined glass with argon filling and black silkscreen, wh dynamic cooling with automatic defrost external housing made of coated steel - different colors available (IGLOO pattern book) wooden melamine front panel - different colors available (IGLOO pattern book) ecological polyurethane foam insulation internal frame painted - different colors available (IGLOO pattern book) back sliding doors with combined glass (Cube 2 0.6 - hinged doors with choice of door open kick plinth made of painted steel - different colors available (IGLOO pattern book) glass exposition shelves with height and angle adjustment placed on the frame bottom shelf made of stainless steel top internal LED illumination front frame LED illumination automatic condenser vaporization electronic temperature controller with digital display condenser impurity or fan operation failure alarm

Options	PLUG-IN	REMOTE	
multiplexable device	-90		€/pcs
internal frame made of stainless steel	+170	+170	€/meter
kick plinth made of stainless steel	+55	+55	€/meter
custom of wooden melamine front panel - (after consultation with the IGLOO Sales Department)	+40	+40	€/meter
wooden front panel made of veneer or TREND - different colors available (IGLOO pattern book)	+220	+220	€/meter
additional each shelf LED illumination	+115	+115	€/meter of shelf
humidity control system	+300	+300	€/pcs
front panel with color-coated sheet - selectable color (IGLOO pattern book)	+155	+155	€/meter
electronic temperature recorder + software	+115	+115	€/set
temperature recorder wire	+45	+45	€/pcs
set of wheels (castors)	+260		€/pcs
rear sliding door made of double-glazed units with Venetian mirror (in model 0.6 hinged door)	+105	+105	€/meter

	PLUG-IN	REMOTE
	+	-
	-	+
hite or gray RAL7042	+	+
	+	+
	+	+
	+	+
	+	+
	+	+
pening direction))	+	+
	+	+
	+	+
	+	+
	+	+
	+	-
	+	+
	+	+

# CUBE 2 N





		${\leftarrow}$	$\widehat{\mathbb{O}}$		EUR
ID	Name	Length [mm]		The area of shelves [m2]	Price €
CUBE 2	2 NEUTRAL				
CU203.3N	CUBE 2 0.6N 3P 1400	640		1,13	3 430
CU202.3N	CUBE 2 0.9N 3P 1400	940		1,74	3 970
CU201.3N	CUBE 2 1.3N 3P 1400	1340		2,55	4 760
CU295.3N	CUBE 2 NZ90N 3P 1400	1470		1,57	6 330
CU203.2N	CUBE 2 0.6N 2P 1200	640		0,95	2 910
CU202.2N	CUBE 2 0.9N 2P 1200	940		1,47	3 410
CU201.2N	CUBE 2 1.3N 2P 1200	1340		2,15	4 090
CU295.2N	CUBE 2 NZ90N 2P 1200	1470		1,08	5 650

Devices v	ariants	PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design	-25	-25	€/meter



# Standard equipment

ambient device without cooling system and possibility of installing it	+
bottom housing made of melamine (wood) – different colors available (IGLOO pattern book)	+
external glass elements made of combined glass with argon filling and black silkscreen, white or gray RAL7042	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+
internal frame painted - different colors available (IGLOO pattern book)	+
back sliding doors with combined glass (Cube 2 0.6 – hinged doors with choice of door opening direction))	+
kick plinth made of painted steel – different colors available (IGLOO pattern book)	+
glass exposition shelves with height and angle adjustment placed on the frame	+
bottom shelf made of stainless steel	+
top internal LED illumination front frame LED illumination	+

top i

# Options

multiplexable device internal frame made of stainless steel kick plinth made of stainless steel custom of wooden melamine front panel - (after consultation with the IGLOO Sales Depart wooden front panel made of veneer or TREND - different colors available (IGLOO pattern b additional each shelf LED illumination front panel with color-coated sheet - selectable color (IGLOO pattern book)

set of wheels (castors)

rear sliding door made of double-glazed units with Venetian mirror (in CUBE 2 0.6 hinged d

### CUBE 2 N

	PLUG-IN	REMOTE	
	-85	-85	€/pcs
	+170	+170	€/meter
	+45	+45	€/meter
rtment)	+40	+40	€/meter
book)	+220	+220	€/meter
	+115	+115	€/meter of shelf
	+155	+155	€/meter
	+260	-	€/pcs
door with Venetian mirror)	+110	+110	€/meter

# CUBE 2 OPEN



		${\leftarrow}$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
CUBE 2 O	PEN (PLUG-IN)				
CU203.3O	CUBE 2 0.6W 3P OPEN	640	360	1,13	4520
CU202.3O	CUBE 2 0.9W 3P OPEN	940	550	1,74	5350
CU201.3O	CUBE 2 1.3W 3P OPEN	1340	800	2,55	6160
CU203.2O	CUBE 2 0.6W 2P OPEN	640	250	0,95	3990
CU202.2O	CUBE 2 0.9W 2P OPEN	940	390	1,47	4780
CU201.2O	CUBE 2 1.3W 2P OPEN	1340	570	2,15	5480
CUBE 2 O	PEN (REMOTE)				
CU203.3O-c	CUBE 2 0.6W 3P OPEN mod/C	640	360	1,13	3790
CU202.3O-c	CUBE 2 0.9W 3P OPEN mod/C	940	550	1,74	4470
CU201.3O-c	CUBE 2 1.3W 3P OPEN mod/C	1340	800	2,55	5160
CU203.2O-c	CUBE 2 0.6W 2P OPEN mod/C	640	250	0,95	3370
CU202.2O-c	CUBE 2 0.9W 2P OPEN mod/C	940	390	1,47	4000
CU201.2O-c	CUBE 2 1.3W 2P OPEN mod/C	1340	570	2,15	4590

Devices va	ariants	PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design	-25	-25	€/meter

CUBE 2 OPEN

+5 / +15 °C



Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
external glass elements made of combined glass with argon filling and black silkscreen, white or gray RAL7042	+	+
dynamic cooling with automatic defrost	+	+
external housing made of coated steel sheet in a colour from the (IGLOO pattern book)	+	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+	+
ecological polyurethane foam insulation	+	+
internal frame painted - different colors available (IGLOO pattern book)	+	+
internal and external back of the device made of painted steel (IGLOO pattern book)	+	+
kick plinth made of painted steel (IGLOO pattern book)	+	+
glass exposition shelves with height and angle adjustment placed on the frame	+	+
bottom shelf made of stainless steel	+	+
top internal LED illumination front frame LED illumination	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display ( Igloo/Carel )	+	+
condenser impurity or fan operation failure alarm	+	+

# Options

multiplexable device custom of wooden melamine front panel - (after consultation with the IGLOO Sales Depart wooden front panel made of veneer or TREND - different colors available (IGLOO pattern b front panel with color-coated sheet - different colors available (IGLOO pattern book) internal frame made of stainless steel (does not apply to aluminum shelf frame) internal back of device made of stainless steel kick plinth made of stainless steel electronic temperature recorder + software temperature recorder wire

set of wheels (castors)

	PLUG-IN	REMOTE	
	-90	S	€/pcs
rtment)	+45	+45	€/meter
book)	+220	+220	€/meter
	+155	+155	€/meter
	+225	+225	€/meter
	+125	+125	€/meter
	+55	+55	€/meter
	+115	+115	€/set
	+45	+45	€/pcs
	+260	-	€/set

# **CUBE 2 BAKE**







Devices va	riants	PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design	-25	-25	€/meter



# Standard equipment

Standard equipment	57442
ambient device without cooling system and possibility of installing it	+
external glass elements made of insulating glass with argon filling and silkscreen black, white or gray screen, RAL 7042 print	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+
internal frame painted - different colors available (IGLOO pattern book)	+
wooden rack	+
stainless crumb trays	+
bakery tray rack 400x600 (0.6 - 6 pcs.; 0.9 - 6 pcs.; 1.3 - 12 pcs.)	+
socket with fuse	+
glass exposition shelves with height and angle adjustment placed on the frame	+
back sliding doors with combined glass (Cube 2 0.6 - hinged doors with choice of door opening direction))	+
kick plinth made of painted steel (IGLOO pattern book)	+
bottom housing made of melamine (wood) - different colors available (IGLOO pattern book)	+
top internal LED illumination front frame LED illumination	+

# Options

multiplexable device internal frame made of stainless steel (does not apply to aluminum shelf frame) kick plinth made of stainless steel custom of wooden melamine front panel - (after consultation with the IGLOO Sales Depar wooden front panel made of veneer or TREND - different colors available (IGLOO pattern additional shelf illumination - LED light

set of wheels (castors)

BAKE

	BAKE	
	-90	€/pcs
	+165	€/meter
	+55	€/meter
artment)	+45	€/meter
n book)	+220	€/meter
	+115	€/meter of shelf
	+260	€/set



		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
CUBE (PLU	JG-IN)				
CU103.2	CUBE 0.6W 2P	610	320	0,87	3 400
CU102.2	CUBE 0.9W 2P	910	480	1,3	3 990
CU101.2	CUBE 1.3W 2P	1310	690	1.9	4 410
CU103.3	CUBE 0.6W 3P	610	360	1,13	3 480
CU102.3	CUBE 0.9W 3P	910	550	1,74	4 120
CU101.3	CUBE 1.3W 3P	1310	800	2,55	4 580
CUBE (REM	MOTE)				
CU103.2-c	CUBE 0.6W 2P-mod/C	610	320	0,87	2 820
CU102.2-c	CUBE 0.9W 2P-mod/C	910	480	1,3	3 330
CU101.2-c	CUBE 1.3W 2P-mod/C	1310	690	1.9	3 650
CU103.3-c	CUBE 0.6W 3P-mod/C	610	360	1,13	2 900
CU102.3-c	CUBE 0.9W 3P-mod/C	910	550	1,74	3 450
CU101.3-c	CUBE 1.3W 3P-mod/C	1310	800	2,55	3 830

Devices va	riants	PLUG-IN	REMOTE	
CUSTOM	device intended to be built in individually (lack of the front panel and sides)	-25	-25	€/meter
G	heated device (dry heaters) temperature range (+30/+60 °C)	-105	-	€/meter
PRALINES	operating temperature range +10°C to +15°C / humidity control system and drying heaters/	+400	-	€/pcs
N 0.6 2P	neutral (ambient device without cooling system and possibility of installing it)	2015	-	€
N 0.9 2P	neutral (ambient device without cooling system and possibility of installing it)	2605	-	€
N 1.3 2P	neutral (ambient device without cooling system and possibility of installing it)	2980	-	€
N 0.6 3P	neutral (ambient device without cooling system and possibility of installing it)	2095	-	€
N 0.9 3P	neutral (ambient device without cooling system and possibility of installing it)	2730	-	€
N 1.3 3P	neutral (ambient device without cooling system and possibility of installing it)	3165	-	€





Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
multiplexable device	0	+
dynamic cooling (ventilated)	+	+
external housing made of black coated steel	+	+
side panels made of black coated steel	+	0
wooden melamine front panel – different colors available (IGLOO pattern book)	+	+
glass side panels or combined glass divider for multiplexable devices	+	+
ecological polyurethane foam insulation	+	+
internal frame painted silver,gold or black (IGLOO pattern book)	+	+
3 glass exposition shelves with height and angle adjustment placed on the frame	+	+
wooden bottom internal melamine shelf – different colors available (IGLOO pattern book)	+	+
upper interior lighting + additional illumination of each shelf - LED lights (confectionery color)	+	+
automatic defrost	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
device without side panels prepared for multiplexing (MOD/A)	-60	S	€/pcs
side panels made of colored coated steel - different colors available (IGLOO pattern book)	S	+100	€/set
stainless steel or mirror strip on wooden melamine front panel (60 mm)	+95	+95	€/meter
custom of wooden melamine front panel - (after consultation with the IGLOO Sales Department)	+60	+60	€/meter
wooden front panel made of veneer or TREND - different colors available (IGLOO pattern book)	+220	+220	€/meter
front panel with color-coated sheet - selectable color (IGLOO pattern book)	+165	+165	€/meter
internal frame made of stainless steel for 0.6 model	+155	+155	€/pcs
internal frame made of stainless steel for 0.9 model	+180	+180	€/pcs
internal frame made of stainless steel for 1.3 model	+230	+230	€/pcs
humidity control system	+300	+300	€/pcs
bottom shelf made of stainless steel	+75	+75	€/meter
electronic temperature recorder + software	+115	+115	€/set
temperature recorder wire	+45	+45	€/pcs
small tray (400mm x 340mm)	+60	+60	€/pcs
medium tray (400mm x 420mm)	+65	+65	€/pcs
big tray (400mm x 510mm)	+70	+70	€/pcs
bottom tray (400mm x 520mm)	+70	+70	€/pcs
set of wheels (castors)	+260	-	€/set
rear sliding door made of double-glazed units with Venetian mirror (in model 0.6 hinged door)	+105	+105	€/meter

# CUBE W OPEN



F

+5 / +15 °C



### 

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
CUBE OPE	N (PLUG-IN)				
CU103.2/OP	CUBE 0.6W 2P OPEN	610			3320
CU102.2/OP	CUBE 0.9W 2P OPEN	910			3700
CU101.2/OP	CUBE 1.3W 2P OPEN	1310			4120
CU103.3/OP	CUBE 0.6W 3P OPEN	610	360	1,13	3400
CU102.3/OP	CUBE 0.9W 3P OPEN	910	550	1,74	3820
CU101.3/OP	CUBE 1.3W 3P OPEN	1310	800	2,55	4300
CUBE OPE	N (REMOTE)				
CU103.2/OP-c	CUBE 0.6W 2P OPEN-mod/C				2750
CU102.2/OP-c	CUBE 0.9W 2P OPEN-mod/C				3030
CU101.2/OP-c	CUBE 1.3W 2P OPEN-mod/C				3380
CU103.3/OP-c	CUBE 0.6W 3P OPEN-mod/C	610	360	1,13	2820
CU102.3/OP-c	CUBE 0.9W 3P OPEN-mod/C	910	550	1,74	3150
CU101.3/OP-c	CUBE 1.3W 3P OPEN-mod/C	1310	800	2,55	3550

Devices va	riants	PLUG-IN	REMOTE	
CUSTOM	device intended to be built in individually (lack of the front panel)	-25	-25	€/meter





Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
multiplexable device	0	+
dynamic cooling (ventilated)	+	+
external housing made of black coated steel	+	+
side panels made of black coated steel	+	0
wooden melamine front panel – different colors available (IGLOO pattern book)	+	+
glass side panels or combined glass divider for multiplexable devices	+	+
ecological polyurethane foam insulation	+	+
internal frame painted silver,gold or black (IGLOO pattern book)	+	+
internal and external back of the device made of gold or silver painted steel (IGLOO pattern book)	+	+
3 glass exposition shelves with height and angle adjustment placed on the frame	+	+
wooden bottom internal melamine shelf – different colors available (IGLOO pattern book)	+	+
front glass screen (h. 120 mm)	+	+
upper interior lighting + additional illumination of each shelf – LED lights (confectionery color)	+	+
automatic defrost	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
device without side panels prepared for multiplexing (MOD/A)	-60	S	€/pcs
side panels made of colored coated steel - different colors available (IGLOO pattern book)	S	+100	€/set
stainless steel or mirror strip on wooden front panel (60 mm)	+95	+95	€/meter
custom of wooden melamine front panel - (after consultation with the IGLOO Sales Department)	+60	+60	€/meter
wooden front panel made of veneer or TREND - different colors available (IGLOO pattern book)	+220	+220	€/meter
front panel with color-coated sheet - different colors available (IGLOO pattern book)	+165	+165	€/meter
internal back of device made of stainless steel	+110	+110	€/meter
internal frame made of stainless steel for 0.6 model	+155	+155	€/pcs
internal frame made of stainless steel for 0.9 model	+180	+180	€/pcs
internal frame made of stainless steel for 1.3 model	+230	+230	€/pcs
bottom shelf made of stainless steel	+75	+75	€/meter
electronic temperature recorder + software	+115	+115	€/set
temperature recorder wire	+45	+45	€/pcs
small tray (400mm x 340mm)	+60	+60	€/pcs
medium tray (400mm x 420mm)	+65	+65	€/pcs
big tray (400mm x 510mm)	+70	+70	€/pcs
bottom tray (400mm x 520mm)	+70	+70	€/pcs
set of wheels (castors)	+260	-	€/set

# GASTROLINE CUBE (W)



€

+5 / +15 °C

		K N			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
GASTRO	LINE CUBE (PLUG-IN)				
GC103.2	GASTROLINE CUBE 0.6W 2P	610	320	0,87	3310
GC102.2	GASTROLINE CUBE 0.9W 2P	910	480	1,3	3540
GC101.2	GASTROLINE CUBE 1.3W 2P	1310	690	1.9	3910
GC103.3	GASTROLINE CUBE 0.6W 3P	610	360	1,13	3520
GC102.3	GASTROLINE CUBE 0.9W 3P	910	550	1,74	3860
GC101.3	GASTROLINE CUBE 1.3W 3P	1310	800	2,55	4360
GASTRO	LINE CUBE (REMOTE)				
GC103.2-c	GASTROLINE CUBE 0.6W 2P-mod/C	610	320	0,87	2750
GC102.2-c	GASTROLINE CUBE 0.9W 2P-mod/C	910	480	1,3	2900
GC101.2-c	GASTROLINE CUBE 1.3W 2P-mod/C	1310	690	1.9	3150
GC103.3-c	GASTROLINE CUBE 0.6W 3P-mod/C	610	360	1,13	2960
GC102.3-c	GASTROLINE CUBE 0.9W 3P-mod/C	910	550	1,74	3210
GC101.3-c	GASTROLINE CUBE 1.3W 3P-mod/C	1310	800	2,55	3600

Devices va	riants	PLUG-IN	REMOTE	
CUSTOM	device intended to be built in individually (lack of the front panel)	-25	-25	€/meter
HALF OPEN	device with the hole in the front glass for self service	+230	+230	€/meter
G	heated device (dry heaters) temperature range (+30/+60 °C)	-105	-	€/meter
PRALINES	operating temperature range +10°C to +15°C (humidity control system and drying heaters)	+400	-	€/pcs
N 0.6 2P	neutral (ambient device without cooling system and possibility of installing it)	1840	-	€/pcs
N 0.9 2P	neutral (ambient device without cooling system and possibility of installing it)	1950	-	€/pcs
N 1.3 2P	neutral (ambient device without cooling system and possibility of installing it)	2150	-	€/pcs
N 0.6 3P	neutral (ambient device without cooling system and possibility of installing it)	2060	-	
N 0.9 3P	neutral (ambient device without cooling system and possibility of installing it)	2280	-	
N 1.3 3P	neutral (ambient device without cooling system and possibility of installing it)	2630	_	



Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
multiplexable device	0	+
dynamic cooling (ventilated)	+	+
external housing made of black coated steel	+	+
side panels made of black coated steel	+	0
wooden melamine front panel with stainless steel or mirror strip - different colors available (IGLOO pattern book)	+	+
glass side panels or combined glass divider for multiplexable devices	+	+
straight front glass	+	+
ecological polyurethane foam insulation	+	+
internal frame painted silver,gold or black (IGLOO pattern book)	+	+
2 glass exposition shelves with height and angle adjustment placed on the frame	+	+
wooden bottom internal melamine shelf – different colors available (IGLOO pattern book)	+	+
back sliding doors with combined glass (GASTROLINE CUBE 0.6 - hinged doors with choice of door opening direction)	+	+
upper interior lighting + additional illumination of each shelf - LED lights (confectionery color)	+	+
automatic defrost	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
device without side panels prepared for multiplexing (MOD/A)	-60	S	€/pcs
side panels made of colored coated steel - different colors available (IGLOO pattern book)	S	+100	€/set
custom of wooden melamine front panel - (after consultation with the IGLOO Sales Department)	+60	+60	€/meter
wooden front panel made of veneer or TREND - different colors available (IGLOO pattern book)	+240	+240	€/meter
front panel with color-coated sheet - selectable color (IGLOO pattern book)	+165	+165	€/meter
internal frame made of stainless steel for 0.6 model	+155	+155	€/pcs
internal frame made of stainless steel for 0.9 model	+180	+180	€/pcs
internal frame made of stainless steel for 1.3 model	+230	+230	€/pcs
humidity control system	+300	+300	€/pcs
bottom shelf made of stainless steel	+75	+75	€/meter
electronic temperature recorder + software	+115	+115	€/set
temperature recorder wire	+45	+45	€/pcs
small tray (400mm x 340mm)	+60	+60	€/pcs
medium tray (400mm x 420mm)	+65	+65	€/pcs
big tray (400mm x 510mm)	+70	+70	€/pcs
bottom tray (400mm x 520mm)	+70	+70	€/pcs
set of wheels (castors)	+260	+260	€/set
rear sliding door made of double-glazed units with Venetian mirror (in model 0.6 hinged door)	+105	+105	€/meter

# GASTROLINE CUBE (W) OPEN €

+5 / +15 °C



					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
GASTROL	INE CUBE OPEN (PLUG-I	N)			
GC103.20	GASTROLINE CUBE 0.6W 2P OPEN	610	320	0,87	3390
GC102.2O	GASTROLINE CUBE 0.9W 2P OPEN	910	480	1,3	3490
GC101.2O	GASTROLINE CUBE 1.3W 2P OPEN	1310	690	1.9	3850
GC103.30	GASTROLINE CUBE 0.6W 3P OPEN	610	360	1,13	3620
GC102.3O	GASTROLINE CUBE 0.9W 3P OPEN	910	550	1,74	3820
GC101.30	GASTROLINE CUBE 1.3W 3P OPEN	1310	800	2,55	4320
GASTROL	NE CUBE OPEN (REMO	ΓE)			
GC103.2O-c	GASTROLINE CUBE 0.6W 2P OPEN- mod/C	610	320	0,87	2810
GC102.2O-c	GASTROLINE CUBE 0.9W 2P OPEN- mod/C	910	480	1,3	2940
GC101.2O-c	GASTROLINE CUBE 1.3W 2P OPEN- mod/C	1310	690	1.9	3120
GC103.3O-c	GASTROLINE CUBE 0.6W 3P OPEN- mod/C	610	360	1,13	3050
GC102.3O-c	GASTROLINE CUBE 0.9W 3P OPEN- mod/C	910	550	1,74	3280
GC101.3O-c	GASTROLINE CUBE 1.3W 3P OPEN- mod/C	1310	800	2,55	3580

Devices v	variants	PLUG-IN	REMOTE	
CUSTOM	device intended to be built in individually (lack of the front panel)	-25	-25	€/meter



Standard equipment	PLUG-IN	REMOTE
internal cooling aggregate R290	+	-
powered only by external aggregate	-	+
multiplexable device	0	+
dynamic cooling (ventilated)	+	+
external housing made of black coated steel	+	+
side panels made of black coated steel	+	0
wooden melamine front panel – different colors available (IGLOO pattern book)	+	+
glass side panels or combined glass divider for multiplexable devices	+	+
ecological polyurethane foam insulation	+	+
internal frame painted silver.gold or black (IGLOO pattern book)	+	+
internal and external back of the device made of gold or silver painted steel (IGLOO pattern book)	+	+
2 glass exposition shelves with height and angle adjustment placed on the frame	+	+
wooden bottom internal melamine shelf – different colors available (IGLOO pattern book)	+	+
front glass screen (h. 120 mm)	+	+
upper interior lighting + additional illumination of each shelf – LED lights (confectionery color)	+	+
automatic defrost	+	+
automatic condenser vaporization	+	-
electronic temperature controller with digital display	+	+
condenser impurity or fan operation failure alarm	+	-

Options	PLUG-IN	REMOTE	
device without side panels prepared for multiplexing (MOD/A)	-60	S	€/pcs
side panels made of colored coated steel - different colors available (IGLOO pattern book)	S	+100	€/set
stainless steel or mirror strip on wooden front panel (60 mm)	+95	+95	€/meter
custom of wooden melamine front panel - (after consultation with the IGLOO Sales Department)	+60	+60	€/meter
wooden front panel made of veneer or TREND - different colors available (IGLOO pattern book)	+240	+240	€/meter
front panel with color-coated sheet - different colors available (IGLOO pattern book)	+165	+165	€/meter
internal back of device made of stainless steel	+110	+110	€/meter
internal frame made of stainless steel for 0.6 model	+155	+155	€/pcs
internal frame made of stainless steel for 0.9 model	+180	+180	€/pcs
internal frame made of stainless steel for 1.3 model	+230	+230	€/pcs
bottom shelf made of stainless steel	+75	+75	€/meter
electronic temperature recorder + software	+115	+115	€/set
temperature recorder wire	+45	+45	€/pcs
small tray (400mm x 340mm)	+60	+60	€/pcs
medium tray (400mm x 420mm)	+65	+65	€/pcs
big tray (400mm x 510mm)	+70	+70	€/pcs
bottom tray (400mm x 520mm)	+70	+70	€/pcs
set of wheels (castors)	+260	-	€/set

# KAMELEO W









		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
KAMELEO (PLU	JG-IN)				
JA103K	KAMELEO 0.6W	705	334	1,2	4120
JA102K	KAMELEO 0.9W	1005	496	1,8	4330
JA101K	KAMELEO 1.3W	1405	715	2,6	4800
<b>KAMELEO</b> (REI	MOTE)				
JA103K-c	KAMELEO 0.6W-MOD/C	625	334	1,2	3490
JA102K-c	KAMELEO 0.9W-MOD/C	925	496	1,8	3580
JA101K-c	KAMELEO 1.3W-MOD/C	1325	715	2,6	3970

Devices va	ariants	PLUG-IN	REMOTE	
CUSTOM	device intended to be built in individually (lack of the front panel and sides)	-160	-115	€/meter
G	heated device (dry heaters) temperature range (+30/+60 °C)	-105	-	€/meter
PRALINES	operating temperature range +10°C to +15°C (humidity control system and drying heaters)	+395	-	€/pcs



# Standard equipment

internal cooling aggregate R290 powered only by external aggregate multiplexable device dynamic cooling (ventilated) wooden front panel and kick plinth - different colors available (IGLOO pattern book) small and thin wooden side panels - different colors available (IGLOO pattern book) glass side panels or combined glass divider for multiplexable devices curved front glass openable ecological polyurethane foam insulation internal frame painted silver,gold or black (IGLOO pattern book) 3 glass exposition shelves with height and angle adjustment placed on the frame bottom shelf made of stainless steel back sliding doors with combined glass (KAMELEO 0.6 - hinged doors with choice of door of upper interior lighting + additional illumination of each shelf - LED lights (confectionery cold automatic defrost automatic condenser vaporization electronic temperature controller with digital display condenser impurity or fan operation failure alarm

C

d

Options	PLUG-IN	REMOTE	
device without wooden side panels prepared for multiplexing (mod/A)	-305	S	€/pcs
small and thin wooden side panels - different colors available (IGLOO pattern book)	S	+735	€/set
additional base plinth – different colors available (IGLOO pattern book)	+85	+85	€/meter
additional front panel – different colors available (IGLOO pattern book)	+215	+215	€/meter
additional side panels – different colors available (IGLOO pattern book)	+390	+390	€/set
additional thin side panels – different colors available (IGLOO pattern book)	+330	+330	€/set
internal frame made of stainless steel for 0.6 model	+155	+155	€/pcs
internal frame made of stainless steel for 0.9 model	+180	+180	€/pcs
internal frame made of stainless steel for 1.3 model	+230	+230	€/pcs
humidity control system	+300	+300	€/pcs
electronic temperature recorder + software	+115	+115	€/set
temperature recorder wire	+45	+45	€/pcs
small tray (400mm x 420mm)	+65	+65	€/pcs
medium tray (400mm x 510mm)	+70	+70	€/pcs
big tray (400mm x 590mm)	+75	+75	€/pcs
bottom tray (400mm x 520mm)	+70	+70	€/pcs
rear sliding door made of double-glazed units with Venetian mirror (in KAMELEO 0.6 hinged door )	+105	+105	€/meter

	PLUG-IN	REMOTE
	+	-
	-	+
	-	+
	+	+
	+	+
	+	
	+	+
	+	+
	+	+
	+	+
	+	+
	+	+
r opening direction)	+	+
olor)	+	+
	+	+
	+	-
	+	+
	+	-

# KAMELEO N



		$\sim$			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
KAMELEO	N				
JA103KN	KAMELEO 0.6N	700	203	0,96	2 550
JA102KN	KAMELEO 0.9N	1000	305	1,5	2 710
JA10K1N	KAMELEO 1.3N	1400	440	2,1	3 010
JANZ90KN	KAMELEO NZ90N	2200	575	2,88	4 570

Devices va	riants	Neutral	
CUSTOM	udevice prepared for individual design (without wooden housing)	-160	€/meter

# Standard equipment

ambient device without cooling system and possibility of installing it wooden external housing – different colors available (IGLOO pattern book) glass side panels or combined glass divider for multiplexable devices curved front glass openable internal frame painted - different colors available (IGLOO pattern book) glass exposition shelves with height and angle adjustment placed on the frame bottom wooden shelf – different colors available (IGLOO pattern book) back sliding doors with combined glass (JAMAJKA 0.6 hinged doors with choice of door openin bottom housing made of black melamine (wood) upper interior lighting + additional illumination of each shelf – LED lights (confectionery color)

### Options

device without wooden side panels prepared for multiplexing (mod/A) wooden side panels – different colors available (IGLOO pattern book) additional base plinth – different colors available (IGLOO pattern book) additional front panel – different colors available (IGLOO pattern book) additional side panels – different colors available (IGLOO pattern book) additional side panels – different colors available (IGLOO pattern book) additional thin side panels – different colors available (IGLOO pattern book) internal frame made of stainless steel for 0.6 model internal frame made of stainless steel for 0.9 model internal frame made of stainless steel for 1.3 model small tray (400mm x 420mm) medium tray (400mm x 510mm) big tray (400mm x 520mm)

	Neutral
	+
	+
	+
	+
	+
	+
	+
opening direction)	+
	+
color)	+

Neutral	
-305	€/pcs
S	€/set
+85	€/meter
+215	€/meter
+390	€/set
+330	€/set
+155	€/pcs
+180	€/pcs
+230	€/pcs
+65	€/pcs
+70	€/pcs
+75	€/pcs
+70	€/pcs



ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JAMAJKA	(PLUG-IN)				
JA103	JAMAJKA 0.6W	700	203	0,96	3420
JA102	JAMAJKA 0.9W	1000	305	1,5	3880
JA101	JAMAJKA 1.3W	1400	440	2,1	4320
JAMAJKA	(REMOTE)				
JA103-c	JAMAJKA 0.6W-mod/C	610	203	0,96	2850
JA102-c	JAMAJKA 0.9W-mod/C	910	305	1,5	3220
JA101-c	JAMAJKA 1.3W-mod/C	1310	440	2,1	3560

Devices va	riants	PLUG-IN	REMOTE	
CUSTOM	device prepared for individual design (without wooden housing)	-245	-115	€/meter
RETRO	external wooden veneered housing with decora- tive elements	+105	+105	€/meter
TREND	wooden external housing in trend style	+190	+190	€/meter
INOX	external housing made of stainless steel	+155	+155	€/meter
HALF OPEN	device with the hole in the front glass for self service	+255	+255	€/meter
G	heated device (dry heaters) temperature range (+30/+60 °C)	-105	-	€/meter
PRALINES	Operating temperature range +10°C to +15°C (humidity control system and drying heaters)	+400	-	€/pcs





EUR

JAMAJKA RETRO





# Standard equipment

internal cooling aggregate R290 powered only by external aggregate multiplexable device dynamic cooling (ventilated) wooden external housing - different colors available (IGLOO pattern book) wooden side panels - different colors available (IGLOO pattern book) glass side panels or combined glass divider for multiplexable devices curved front glass openable ecological polyurethane foam insulation internal frame painted silver,gold or black (IGLOO pattern book) 3 glass exposition shelves with height and angle adjustment placed on the frame bottom wooden shelf - different colors available (IGLOO pattern book) back sliding doors with combined glass (JAMAJKA 0.6 hinged doors with choice of door op upper interior lighting + additional illumination of each shelf - LED lighting (confectionery automatic defrost automatic condenser vaporization electronic temperature controller with digital display condenser impurity or fan operation failure alarm

# Options

device without wooden side panels prepared for multiplexing (mod/A)
wooden side panels – different colors available (IGLOO pattern book)
internal frame made of stainless steel for 0.6 model
internal frame made of stainless steel for 0.9 model
internal frame made of stainless steel for 1.3 model
bottom shelf made of stainless steel
humidity control system
electronic temperature recorder + software
temperature recorder wire
small tray (400mm x 375mm)
bottom tray (400mm x 520mm)

rear sliding door made of double-glazed units with Venetian mirror (in JAMAJKA 0.6 hinged door)



	PLUG-IN	REMOTE
	+	-
	-	+
	0	+
	+	+
	+	+
	+	0
	+	+
	+	+
	+	+
	+	+
	+	+
	+	+
pening direction)	+	+
v color)	+	+
	+	+
	+	
	+	+
	+	-

	PLUG-IN	REMOTE	
	-180	S	€/pcs
	S	+395	€/set
	+155	+155	€/pcs
	+180	+180	€/pcs
	+230	+230	€/pcs
	+75	+75	€/meter
	+300	+300	€/pcs
	+115	+115	€/set
	+45	+45	€/pcs
	+65	+65	€/pcs
	+70	+70	€/pcs
ed door)	+105	+105	€/meter



ID Nar		Length [mm]	Capacity [dm3]	The area of shelves		
JAMAJKA OP			[]	[m2]	Price €	
	EN (PLUG-IN)					
JA103O JAN	1AJKA 0.6 W OPEN	700	264	1,02	3420	
JA102O JAN	1AJKA 0.9 W OPEN	1000	396	1,57	3880	
JA101O JAN	IAJKA 1.3 W OPEN	1400	572	2,3	4320	
JAMAJKA OPEN (REMOTE)						
JA103O-c JAN	1AJKA 0.6 W OPEN - mod/C	610	264	1,02	2850	
JA102O-c JAN	1AJKA 0.9 W OPEN - mod/C	910	396	1,57	3230	
JA1010-c JAN	1AJKA 1.3 W OPEN - mod/C	1310	572	2,3	3570	

Devices va	riants	PLUG-IN	REMOTE	
CUSTOM	udevice prepared for individual design (without wooden housing)	-245	-115	€/meter
RETRO	external wooden veneered housing with decorative elements	+105	+105	€/meter
TREND	wooden external housing in trend style	+190	+190	€/meter
INOX	external housing made of stainless steel	+155	+155	€/meter
HALF OPEN	device with the hole in the front glass for self service	+255	+255	€/meter









# Standard equipment

internal cooling aggregate R290 powered only by external aggregate multiplexable device dynamic cooling (ventilated) wooden external housing - different colors available (IGLOO pattern book) wooden side panels - different colors available (IGLOO pattern book) glass side panels or combined glass divider for multiplexable devices front glass screen (h. 120 mm) ecological polyurethane foam insulation internal frame painted silver, gold or black (IGLOO pattern book) internal and external back of the device made of gold or silver painted steel (IGLOO pattern 3 glass exposition shelves with height and angle adjustment placed on the frame bottom wooden shelf - different colors available (IGLOO pattern book) upper interior lighting + additional illumination of each shelf - LED lights (confectionery col automatic defrost automatic condenser vaporization electronic temperature controller with digital display condenser impurity or fan operation failure alarm

### Options

device without wooden side panels prepared for multiplexing (mod/A) wooden side panels - different colors available (IGLOO pattern book) internal back of device made of stainless steel internal frame made of stainless steel for 0.6 model internal frame made of stainless steel for 0.9 model internal frame made of stainless steel for 1.3 model bottom shelf made of stainless steel electronic temperature recorder + software temperature recorder wire

	PLUG-IN	REMOTE
	+	-
	-	+
	0	+
	+	+
	+	+
	+	0
	+	+
	+	+
	+	+
	+	+
rn book)	+	+
	+	+
	+	+
color)	+	+
	+	+
	+	-
	+	+
	+	-

	PLUG-IN	REMOTE	
	-180	S	€/pcs
	S	+405	€/set
	+110	+110	€/meter
	+165	+165	€/pcs
	+190	+190	€/pcs
	+240	+240	€/pcs
	+75	+75	€/meter
	+115	+115	€/set
	+45	+45	€/pcs

# JAMAJKA N



		$\mathbb{R}$			EUR	
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €	
JAMAJKA N						
JA103N	JAMAJKA 0.6N	700	203	0,96	2210	
JA102N	JAMAJKA 0.9N	1000	305	1,5	2380	
JA101N	JAMAJKA 1.3N	1400	440	2,1	2660	
JANZ45N	JAMAJKA NZ45N	1230	270	1,33	2540	
JANZ90N	JAMAJKA NZ90N	2200	575	2,88	4400	
JANW45N	JAMAJKA NW45N	1230	285	1,56	2530	
JANW90N	JAMAJKA NW90N	2200	589	2,92	4380	

Devices va	riants	Neutral	
CUSTOM	device prepared for individual design (without wooden housing)	-240	€/meter
RETRO	external wooden veneered housing with decorative elements	+105	€/meter
TREND	wooden external housing in trend style	+180	€/meter
INOX	external housing made of stainless steel	+150	€/meter
HALF OPEN	device with the hole in the front glass for self service	+250	€/meter







# St am

Standard equipment	Neutral
ambient device without cooling system and possibility of installing it	+
wooden external housing – different colors available (IGLOO pattern book)	+
glass side panels or combined glass divider for multiplexable devices	+
curved front glass openable	+
internal frame painted - different colors available (IGLOO pattern book)	+
glass exposition shelves with height and angle adjustment placed on the frame	+
bottom wooden shelf – different colors available (IGLOO pattern book)	+
back sliding doors with combined glass (JAMAJKA 0.6 hinged doors with choice of door opening direction)	+
bottom housing made of black melamine (wood)	+
upper interior lighting + additional illumination of each shelf – LED lights (confectionery color)	+

# Options

device without wooden side panels prepared for multiplexing (mod/A)
wooden side panels – different colors available (IGLOO pattern book)
internal frame made of stainless steel for 0.6 model
internal frame made of stainless steel for 0.9 model
internal frame made of stainless steel for 1.3 model
bottom shelf made of stainless steel
small tray (400mm x 375mm)
bottom tray (400mm x 520mm)
rear sliding door made of double-glazed units with Venetian mirror (in model 0.6 hinged doo

	Neutral	
	-180	€/pcs
	S	€/set
	+155	€/pcs
	+180	€/pcs
	+230	€/pcs
	+75	€/meter
	+65	€/pcs
	+70	€/pcs
oor)	+105	€/meter









# Standard equipment

internal cooling aggregate R290 static cooling body with service-side base flashing composed of white, coated sheet metal panel frontowy i base, coloured sheet - selectable colour (IGLOO pattern book) ecological polyurethane foam insulation bumper - different colors available (IGLOO pattern book) bottom stainless steel exposition area - movable grey granite worktop (thickness 20 mm) profile i stelaż Internal aluminiowe w kolorze srebrnym lub złotym (wzornik IGLOO) 3 glass exposition shelves na stelażu (górne dwie półki - niechłodzone) upper interior lighting + additional illumination of each shelf - LED lights (confectionery cold curved front glass openable night blinds made of plexi glass insulated plastic sides + glass sides - selectable colour (IGLOO pattern book) automatic defrost automatic condenser vaporization electronic temperature controller with digital display (IGLOO) condenser impurity or fan operation failure alarm

### Options

worktop - granite Balmoral (thickness : 20 mm) worktop - granite black (thickness : 20 mm) worktop - stainless steel electronic temperature recorder + software temperature recorder wire socket with fuse

			$\bigcirc$		EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
BEATA 2 (P	PLUG-IN)				
BE100	BEATA 2/1.0	990	245	1,2	2850
BE101	BEATA 2/1.3	1315	360	1,7	3360
BE102	BEATA 2/1.6	1605	420	2	3680
BE103	BEATA 2/1.9	1895	530	2,5	4200

Devices va	PLUG-IN		
BEATA 3	device without internal aluminum frame (does not apply to modul 1.9)	-105	€/meter

	PLUG-IN
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
olor)	+
	+
	+
	+
	+
	+
	+
	+

PLUG-IN	
+70	€/meter
+155	€/meter
0	€/meter
+115	€/set.
+45	€/pcs €/pcs
+45	€/pcs





₽

+2 / +8°C



Standard	equipment
internal cooling	a aggregate P290

internal cooling aggregate R290
static cooling
housing with base panel from staff side made of stainless steel
base and front panel made of painted steel - different colors available (IGLOO p
ecological polyurethane foam insulation
anodised aluminum profiles color gold or silver (IGLOO pattern book)
external housing made of stainless steel
back sliding doors with combined glass
worktop - stainless steel
curved front glass openable
interior illumination - LED lights (confectionary color)
2 levels of white plastified reticulated shelves + lower base shelf
insulated plastic sides - selectable colour (IGLOO pattern book)
automatic defrost
automatic condenser vaporization
electronic temperature controller with digital display (IGLOO)
condenser impurity or fan operation failure alarm

# Options

housing with base panel from staff side made of stinaless steel internal housing made of acid resistant stainless steel front panel color - different colors available (IGLOO pattern book) base made of stainless steel front panel made of acid-resistant stainless steel base made of acid-resistant stainless steel worktop - acid-resistant stainless steel chrome reticulated shelves additional illumination of 2 levels of shelves - LED lights (confectionery color)

electronic temperature recorder + software

temperature recorder wire

		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
JULIA (PLUG-IN)					
JU100	JULIA 1.3	1290	480	2,15	3020
JU101	JULIA 1.9	1900	720	3,25	4070
JU102	JULIA 2.5	2520	960	4,35	5350

	PLUG-IN
	+
	+
	+
pattern book)	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+

PLUG-IN	
+205	€/meter
+225	€/meter
+115	€/meter
+95	€/meter
+190	€/meter
+155	€/meter
+95	€/meter
+85	€/meter
+250	€/meter
+115	€/set
+45	€/pcs
## JULIA NADSTAWKA



€

-



#### Standard equipment

exposition area made of painted steel - different colors available (IGLOO pattern book) anodised aluminum profiles color gold or silver (IGLOO pattern book) curved front glass

#### Options

exposition area made of stainless steel

additional exposition glass shelf internal LED lights

Ŗ EUR Length Capacity The area [mm] [dm3] [m2] ID Name Price € JULIA NADSTAWKA JN01 JULIA NADSTAWKA 1.3 1210 110 0,7 440 JN02 1820 590 JULIA NADSTAWKA 1.9 190 1,1

PLUG-IN
+
+
+

NEUTRAL	
+85	€/meter
+85	€/meter
+105	€/meter



5010010 (E	JOENTINITE		000	1,5	0010
Devices va	riants		PLUG-II	N	
DRE	external wooden veneered housing		+710		€/pcs
RETRO	external wooden veneered housing with de elements	ecorative	+760		€/pcs
TREND	wooden external housing in trend style		+815		€/pcs







internal cooling aggregate R290 dynamic cooling (ventilated) four side glazed device wooden external housing – different colors available (IGLOO pattern book) hinged doors with combined glass – choice of door opening direction external housing made of stainless steel external housing made of coated steel – different colors available (Igloo pattern book) 5 glass shelves, with height adjustment interior illumination – LED lights (confectionary color) device leveling legs automatic defrost automatic condenser vaporization electronic temperature controller with digital display (IGLOO) condenser impurity or fan operation failure alarm

#### Options

external housing made of stainless steel
rotating glass shelves system
set of wheels (castors)
additional glass shelf + set of brackets
electronic temperature recorder + software
temperature recorder wire
door lock with key

Jola 4 MAL	Jola 4 RETRO	Jola 4 TREND	Jola 4 DRE
+	+	+	+
+	+	+	+
+	+	+	+
-	+	+	+
+	+	+	+
+	+	+	+
+	-	-	-
+	+	+	+
+	+	+	+
-	-	-	+
+	+	+	+
+	+	+	+
+	+	+	+
+	+	+	+

PLUG-IN	
+300	€/pcs
+590	€/pcs
+260	€/set
+75	€/pcs
+115	€/set
+45	€/pcs
+75	€/pcs

# 

# ice-cream dispensers

INNOVA ICE
INNOVA DEEP ICE
CUBE 2 ICE
CUBE 2 DEEP ICE
KAMELEO ICE
ARUBA
ARUBA 2
GELATO 2
GELATO 2 (REMOTE)
WOJTEK
ADRIA ICE



NEW	223
NEW	225
NEW	227
	229
	231
	233
	235
	237
	239
	241
	243

**Devices variants** 

CUSTOM

# **INNOVA ICE**



₽

PLUG-IN

-25

€/meter

-20 / -10°C

		Ϋ́Υ.	EUR
ID	Name	Length [mm]	Price €
INNO	VA ICE (PLUG-IN)	NEW	
INN-ICE1	40 INNOVA ICE 140	1400	9 720

Device prepared for individual design

	1160
1400±10 910±10	

#### INNOVA ICE 10



360 x 165 mm

big containers

360 x 250 mm

#### Standard equipment

freezer fed with an environmentally friendly refrigerant, R290 dynamic cooling with automatic defrost external glass elements made of insulating glass with argon filling and silkscreen black, whi innovative system of withdrawable front with electromagnetic lock external wooden elements - different colors available (IGLOO pattern book) worktop - stainless steel exposition area made of stainless steel prepared for containers (165 mm x 360 mm) (10 flav kick plinth made of stainless steel korpus i housing with base from staff side made of black coated steel night roller blind – manual top internal LED illumination front frame LED illumination automatic condenser vaporization electronic temperature controller with digital display at the base of the device, from the cu condenser impurity or fan operation failure alarm

#### Options

multiplexable device
night blinds made of polycarbonate
exposition area prepared for containers (250mm x 360 mm) (6 flavours)
scoop washer container
scoop washer container with water flow system
set of wheels (castors)
stainless steel container 165x360x120 mm
stainless steel container 250x360x80 mm
temperature recorder wire

	+
	+
ite or gray screen, RAL 7042 print	+
	+
	+
	+
avours)	+
	+
	+
	+
	+
	+
ustomer's side + electronic temperature recorder with software	+
	+

PLUG-IN	
-65	€/pcs
+100	€/meter
0	€/pcs
+75	€/pcs
+395	€/pcs
+260	€/set
+40	€/pcs
+45	€/pcs
+45	€/pcs

**Devices variants** 

CUSTOM



-20 / -10°C



			EUR
ID	Name	Length [mm]	Price €
INNOVA	A DEEP ICE (PLUG-IN)	NEW	
INN-ICE140.1	14 INNOVA DEEP ICE 140 14	1400	11 120
INN-ICE175.1	18 INNOVA DEEP ICE 175 18	1750	13 550

device prepared for individual design

PLUG-IN

-25

€/meter

	1460	
	1150	
_	610	
1400±10 910±10		

INNOVA ICE DEEP

#### INNOVA ICE DEEP 14



standard containers



INNOVA ICE DEEP 18



standard containers 360 x 165 mm



big containers 360 x 250 mm

#### Standard equipment

internal freezing aggregate	+
refrigerant system adapted for R448A / R449A	+
dynamic cooling with automatic defrost	+
external glass elements made of insulating glass with argon filling and silkscreen black, white or gray screen, RAL 7042 print	+
innovative system of withdrawable front with electromagnetic lock	+
external wooden elements - different colors available (IGLOO pattern book)	+
worktop - stainless steel	+
exposition area made of stainless steel prepared for containers (165 mm x 360 mm) (10 flavours)	+
kick plinth made of stainless steel	+
korpus i housing with base from staff side made of black coated steel	+
night roller blind - manual	+
front frame LED illumination	+
automatic condenser vaporization	+
electronic temperature controller with digital display (IGLOO) + rejestrator temperatury z oprogramowaniem	+
condenser impurity or fan operation failure alarm	+

#### Options

multiplexable device
exposition area prepared for containers (250mm x 360 mm) (6 flavours)
scoop washer container
scoop washer container with water flow system
set of wheels (castors)
stainless steel container 165x360 mm
stainless steel container 250x360 mm
temperature recorder wire
night blinds made of polycarbonate

PLUG-IN	
-65	€/pcs
0	€/pcs
+75	€/pcs
+395	€/pcs
+260	€/set
+40	€/pcs
+45	€/pcs
+45	€/pcs
+85	€/meter

## CUBE 2 ICE

₽ -20 / -10°C



			EUR
ID	Name	Length [mm]	Price €
CUBE 2 ICE	(PLUG-IN)	IEW	
CU2-ICE140.140	CUBE 2 ICE 140.140	1400	9 140
CU2-ICE140.120	CUBE 2 ICE 140.120	1400	8 520

Devices	variants	PLUG-IN	
CUSTOM	device prepared for individual design	-25	€/meter



CUBE 2 ICE 1200



#### CUBE 2 ICE 10



standard containers



big containers

360 x 250 mm

#### Standard equipment

Standard equipment	PLOG-IN
freezer fed with an environmentally friendly refrigerant, R290	+
dynamic cooling with automatic defrost	+
external glass elements made of insulating glass with argon filling and silkscreen black, white or gray screen, RAL 7042 print	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+
worktop - stainless steel	+
exposition area made of stainless steel przygotowana pod pojemniki 165 x 360 mm	+
kick plinth made of stainless steel	+
housing with base from staff side made of coated steel - different colors available (IGLOO pattern book)	+
night roller blind – manual	+
top internal LED illumination front frame LED illumination	+
automatic condenser vaporization	+
electronic temperature controller with digital display at the base of the device, from the customer's side + electronic temperature recorder with software	+
condenser impurity or fan operation failure alarm	+

#### Options

nultiplexable device
night blinds made of polycarbonate
exposition area prepared for containers (250mm x 360 mm) (6 flavours)
scoop washer container
scoop washer container with water flow system
set of wheels (castors)
stainless steel container 165x360 mm
stainless steel container 250x360 mm
emperature recorder wire

PLUG-IN	
-65	€/pcs
+100	€/meter
0	€/pcs
+75	€/pcs
+395	€/pcs
+260	€/set
+40	€/pcs
+45	€/pcs
+45	€/pcs
	-65 +100 0 +75 +395 +260 +40 +45



			EUR
ID	Name	Length [mm]	Price €
CUBE 2 DE	EP ICE (PLUG-IN)	NEW	
CU2-ICE140.14	CUBE 2 DEEP ICE 140	1400	9 920
CU2-ICE175.18	CUBE 2 DEEP ICE 175	1750	12 360

Devices	variants	PLUG-IN	
CUSTOM	device prepared for individual design	-25	€/meter



#### CUBE 2 DEEP ICE 14



standard containers

360 x 165 mm



big containers

CUBE 2 DEEP ICE 18



standard containers 360 x 165 mm



big containers 360 x 250 mm

#### Standard equipment

agregat mroźniczy wewnętrzny refrigerant system adapted for R448A / R449A dynamic cooling with automatic defrost external glass elements made of insulating glass with argon filling and silkscreen black, whi wooden melamine front panel - different colors available (IGLOO pattern book) worktop - stainless steel exposition area made of stainless steel prepared for containers (165 mm x 360 mm) kick plinth made of stainless steel housing with base from staff side made of coated steel - different colors available (IGLOO night roller blind – manual top internal LED illumination front frame LED illumination automatic condenser vaporization  $\mathsf{IGLOO}\ electronic\ temperature\ controller\ with\ digital\ display\ +\ electronic\ temperature\ records and the second seco$ condenser impurity or fan operation failure alarm

#### Options

multiplexable device exposition area prepared for containers (250mm x 360 mm) (6 flavours) scoop washer container scoop washer container with water flow system set of wheels (castors) stainless steel container 165x360 mm stainless steel container 250x360 mm temperature recorder wire night blinds made of polycarbonate

	+
	+
	+
ite or gray screen, RAL 7042 print	+
	+
	+
	+
	+
) pattern book)	+
	+
	+
	+
corder with software	+
	+

PLUG-IN	
-65	€/pcs
0	€/pcs
+75	€/pcs
+395	€/pcs
+260	€/set
+40	€/pcs
+45	€/pcs
+45	€/pcs
+85	€/meter

## KAMELEO ICE

₽ -20 / -10°C





			EUR
ID	Name	Length [mm]	Price €
KAMELEO ICE (PLUG-IN)			
JA101KM	KAMELEO 1.3 ICE	1400	7 570

	1
	standard con
	360 x 165 mm

ndard	containers	

Devices va	riants	PLUG-IN	
CUSTOM	device prepared for individual design	-215	€/pcs

big containers 360 x 250 mm

#### ndard equin Ct-

Standard equipment	PLUG-IN
Standard equipment	I LOG IN
internal freezing aggregate	+
refrigerant system adapted for R448A / R449A	+
dynamic cooling (ventilated)	+
wooden front panel and kick plinth - different colors available (IGLOO pattern book)	+
small and thin wooden side panels – different colors available (IGLOO pattern book)	+
glass side panels or combined glass divider for multiplexable devices	+
bent front glass unit with silk – screen printing	+
ecological polyurethane foam insulation	+
exposition area made of stainless steel prepared for containers (165 mm x 360 mm) (10 flavours)	+
worktop - stainless steel	+
internal frame and anodised aluminum profiles color gold or silver (IGLOO pattern book)	+
manual shutter (from the personnel side)	+
internal top illumination – LED lamp (confectionary color)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display + electronic temperature recorder with software	+
condenser impurity or fan operation failure alarm	+

#### Options

device without wooden side panels prepared for multiplexing (mod/A)
additional base plinth - different colors available (IGLOO pattern book)
additional front panel – different colors available (IGLOO pattern book)
additional side panels - different colors available (IGLOO pattern book)
additional thin side panels - different colors available (IGLOO pattern book)
internal frame made of stainless steel
scoop washer container
scoop washer container with water flow system
stainless steel container 360x165x120 mm
exposition area made of stainless steel prepared for containers (360x250) (6 flavours)
stainless steel container 360x250x80 mm
internal backlight advertising panel
internal backlight price panel
temperature recorder wire

PLUG-IN	
-305	€/pcs
+115	€/pcs
+275	€/pcs
+390	€/set
+330	€/set
+160	€/pcs
+75	€/pcs
+395	€/pcs
+40	€/pcs
0	€/pcs
	+45
+295	€/pcs
+160	€/pcs
+45	€/pcs

ARUBA

-20 / -10°C





			EUR
ID	Name	Length [mm]	Price €
ARUBA	(PLUG-IN)		
AB101	ARUBA 1.25	1 385	7 980
AB102	ARUBA 2.5	2 635	12 660

Devices variants		PLUG-IN	
CUSTOM	device prepared for individual design	-205	€/meter
RETRO	external wooden veneered housing with decorative elements - selectable colour (IGLOO pattern book)	+135	€/meter
TREND	external wooden housing in trend style - selectable colour (IGLOO pattern book)	+195	€/meter





1170	>
1165	



### Standard equipment

Standard equipment	PLUG-IN
internal freezing aggregate	+
refrigerant system adapted for R448A / R449A	+
dynamic cooling (ventilated)	+
wooden external housing - different colors available (IGLOO pattern book)	+
glass sides	+
curved front glass - telescopic lifting system	+
ecological polyurethane foam insulation	+
exposition area made of stainless steel prepared for containers (360mm x 165mm) (ARUBA 1.25 = 14 flavours, ARUBA 2.5 = 28 flavours)	+
worktop - stainless steel	+
anodised aluminum profiles color gold or silver (IGLOO pattern book)	+
manual shutter (from the personnel side)	+
internal top illumination – LED lamp (confectionary color)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display + rejestrator temperatury z oprogramowaniem	+
condenser impurity or fan operation failure alarm	+

#### Options

scoop washer container scoop washer container with water flow system stainless steel container 360x165x120 mm temperature recorder wire

PLUG-IN	
+75	€/pcs
+395	€/pcs
+40	€/pcs
+45	€/pcs



		K N	EUR
ID	Name	Length [mm]	Price €
ARUBA	2 (PLUG-IN)		
AB200	ARUBA 2/1.0	1 070	6 040
AB201	ARUBA 2/1.25	1 385	6 920

Devices va	riants	PLUG-IN	
CUSTOM	device prepared for individual design	-200	€/meter
RETRO	external wooden veneered housing with decorative elements - selectable colour (IGLOO pattern book)	+135	€/meter
TREND	external wooden housing in trend style - selectable colour (IGLOO pattern book)	+190	€/meter
STRAIGHT GLAS	S device with straight front glass	+40	€/pcs





refrigerant system adapted for R448A / R449A dynamic cooling (ventilated) wooden external housing - different colors available (IGLOO pattern book) glass sides curved front glass - telescopic lifting system ecological polyurethane foam insulation exposition area made of stainless steel prepared for containers (360mm x 165mm) (ARUBA 2/1.0 = 7 flavours, ARUBA 2/1.25 = 10 flavours)	Standard equipment	
dynamic cooling (ventilated) wooden external housing - different colors available (IGLOO pattern book) glass sides curved front glass - telescopic lifting system ecological polyurethane foam insulation exposition area made of stainless steel prepared for containers (360mm x 165mm) (ARUBA 2/1.0 = 7 flavours, ARUBA 2/1.25 = 10 flavours) worktop - stainless steel anodised aluminum profiles color gold or silver (IGLOO pattern book) manual shutter (from the personnel side) internal top illumination - LED lamp (confectionary color) automatic defrost	internal freezing aggregate	+
wooden external housing - different colors available (IGLOO pattern book) glass sides curved front glass - telescopic lifting system ecological polyurethane foam insulation exposition area made of stainless steel prepared for containers (360mm x 165mm) (ARUBA 2/1.0 = 7 flavours, ARUBA 2/1.25 = 10 flavours) worktop - stainless steel anodised aluminum profiles color gold or silver (IGLOO pattern book) manual shutter (from the personnel side) internal top illumination - LED lamp (confectionary color) automatic defrost	refrigerant system adapted for R448A / R449A	+
glass sides curved front glass - telescopic lifting system ecological polyurethane foam insulation exposition area made of stainless steel prepared for containers (360mm x 165mm) (ARUBA 2/1.0 = 7 flavours, ARUBA 2/1.25 = 10 flavours) worktop - stainless steel anodised aluminum profiles color gold or silver (IGLOO pattern book) manual shutter (from the personnel side) internal top illumination - LED lamp (confectionary color) automatic defrost	dynamic cooling (ventilated)	+
curved front glass - telescopic lifting system ecological polyurethane foam insulation exposition area made of stainless steel prepared for containers (360mm x 165mm) (ARUBA 2/1.0 = 7 flavours, ARUBA 2/1.25 = 10 flavours) worktop - stainless steel anodised aluminum profiles color gold or silver (IGLOO pattern book) manual shutter (from the personnel side) internal top illumination - LED lamp (confectionary color) automatic defrost	wooden external housing – different colors available (IGLOO pattern book)	+
ecological polyurethane foam insulation exposition area made of stainless steel prepared for containers (360mm x 165mm) (ARUBA 2/1.0 = 7 flavours, ARUBA 2/1.25 = 10 flavours) worktop - stainless steel anodised aluminum profiles color gold or silver (IGLOO pattern book) manual shutter (from the personnel side) internal top illumination - LED lamp (confectionary color) automatic defrost	glass sides	+
exposition area made of stainless steel prepared for containers (360mm x 165mm) (ARUBA 2/1.0 = 7 flavours, ARUBA 2/1.25 = 10 flavours) worktop - stainless steel anodised aluminum profiles color gold or silver (IGLOO pattern book) manual shutter (from the personnel side) internal top illumination - LED lamp (confectionary color) automatic defrost	curved front glass - telescopic lifting system	+
worktop - stainless steel anodised aluminum profiles color gold or silver (IGLOO pattern book) manual shutter (from the personnel side) internal top illumination - LED lamp (confectionary color) automatic defrost	ecological polyurethane foam insulation	+
anodised aluminum profiles color gold or silver (IGLOO pattern book) manual shutter (from the personnel side) internal top illumination – LED lamp (confectionary color) automatic defrost	exposition area made of stainless steel prepared for containers (360mm x 165mm) (ARUBA 2/1.0 = 7 flavours, ARUBA 2/1.25 = 10 flavours)	+
manual shutter (from the personnel side) internal top illumination – LED lamp (confectionary color) automatic defrost	worktop - stainless steel	+
internal top illumination – LED lamp (confectionary color) automatic defrost	anodised aluminum profiles color gold or silver (IGLOO pattern book)	+
automatic defrost	manual shutter (from the personnel side)	+
	internal top illumination – LED lamp (confectionary color)	+
automatic condenser vaporization	automatic defrost	+
	automatic condenser vaporization	+
electronic temperature controller with digital display + electronic temperature recorder with software	electronic temperature controller with digital display + electronic temperature recorder with software	+
condenser impurity or fan operation failure alarm	condenser impurity or fan operation failure alarm	+

#### Options

scoop washer container scoop washer container with water flow system stainless steel container 360x165x120 mm temperature recorder wire

PLUG-IN	
+75	€/pcs
+395	€/pcs
+40	€/pcs
+45	€/pcs







		K	EUR
ID	Name	Length [mm]	Price €
GELAT	O 2 (PLUG-IN)		
GT200	GELATO 2/06	900	4 650
GT202	GELATO 2/08	1 150	6 020
GT201	GELATO 2/10	1 400	7 770

Device	es variants	PLUG-IN	
CUSTOM	device prepared for individual design ( without work top and external housing )	-350	€/meter







Standard equipment	PLUG-IN
freezing unit based on piston-type compressor (R290)	+
external housing and rear wind girder with coloured sheet - selectable colour (IGLOO pattern book)	+
stainless steel and polished sheet work table with the openings for round cuvettes ø200x250 (7L) - (6 flavours, 10 flavours)	+
internal tubes made of stainless steel containing 2 round cuvettes ø200x250 (7L)	+
masking rings made of stainless steel - polished	+
flat covers, insulated, made of stainless steel - polished	+
organic polyurethane foam insulation	+
stainless steel plinth - polished	+
tool-less access to the condenser	+
electronic temperature controller with digital display (IGLOO)	+
audible alarm on the condenser pollution	+
adjustable feet (± 10mm)	+
	*more information - IGLOO sales department

Options	PLUG-IN	
bent tempered glass extension with the mounting system for GELATO 2/06	+595	€/set
bent tempered glass extension with the mounting system for GELATO 2/08	+630	€/set
bent tempered glass extension with the mounting system for GELATO 2/10	+690	€/set
external housing and rear wind girder with custom-coloured sheet (after consultation with the Igloo sales department)	+100	€/meter
external housing and rear wind girder made of stainless steel	+375	€/meter
external housing and rear wind girder made of stainless steel	+625	€/meter
external housing - TREND (rear wind girder - polished stainless steel)	+720	€/meter
external housing - DRE (rear wind girder - polished stainless steel)	+780	€/meter
round container ø200x250 (7L) with antirotation (AR) system made of stainless steel - polished	+85	€/pcs
surcharge for the decorative insulated cover made of stainless steel - polished	+365	€/pcs
scoop washer container	+75	€/pcs
scoop washer container with water flow system	+395	€/pcs
electronic temperature controller with digital display (IGLOO) + electronic temperature recorder with software	+115	€/set
set of castors	+260	€/set

#### GELATO 2 MOD/C



F

-20 / -10°C





		K	EUR
ID	Name	Length [mm]	Price €
GELATO	2 (REMOTE)		
GT200-c	GELATO 2/06 mod/C	900	3 920
GT202-c	GELATO 2/08 mod/C	1 140	4 840
GT201-c	GELATO 2/10 mod/C	1 400	5 630







#### Standard equipment

external aggregate device prepared for individual design internal tubes made of stainless steel containing 2 round cuvettes ø200x250 (7L) masking rings made of stainless steel - polished flat covers, insulated, made of stainless steel - polished ecological polyurethane foam insulation electronic temperature controller with digital display (IGLOO) tool-less access to the condenser electronic temperature controller with digital display (IGLOO) audible alarm on the condenser pollution adjustable feet (± 10mm)

#### Options

bent tempered glass extension with the mounting system for GELATO 2/06 bent tempered glass extension with the mounting system for GELATO 2/08 bent tempered glass extension with the mounting system for GELATO 2/10 stainless steel and polished sheet work table with the openings for round cuvettes ø200x2 stainless steel and polished sheet work table with the openings for round cuvettes ø200x2 stainless steel and polished sheet work table with the openings for round cuvettes ø200x2 round container ø200x250 (7L) with antirotation (AR) system made of stainless steel - polished surcharge for the decorative insulated cover made of stainless steel - polished scoop washer container scoop washer container with water flow system

electronic temperature controller with digital display (IGLOO) + electronic temperature rec

#### REMOTE

REMOTE
+
+
+
+
+
+
+
+
+
+
+

	REMOTE	
	+600	€/set
	+630	€/set
	+695	€/set
250 (7L) - (6 flavours)	+260	€/pcs
250 (7L) - (8 flavours)	+325	€/pcs
250 (7L) - (10 flavours)	+380	€/pcs
lished	+85	€/pcs
	+370	€/pcs
	+75	€/pcs
	+395	€/pcs
ecorder with software	+120	€/set

# WOJTEK

-20 / -10°C





			EUR
ID	Name	Length [mm]	Price €
WOJTE	K (PLUG-IN)		
WO100	WOJTEK 1.0W	1050	4 300
WO101	WOJTEK 1.7W	1710	6 760



standard containers



#### Standard equipment

internal freezing aggregate	+
refrigerant system adapted for R448A / R449A	+
dynamic cooling (ventilated)	+
body with service-side base flashing composed of white, coated sheet metal	+
front base sheets and front panel with color - coated sheet - selectable color (IGLOO color guide)	+
exposition area made of stainless steel prepared for containers (360mm x 165mm) (WOJTEK 1.0 = 8 flavours, WOJTEK 1.7 = 14 flavours)	+
insulated plastic sides + glass sides - selectable colour (IGLOO pattern book)	+
curved front glass openable	+
ecological polyurethane foam insulation	+
worktop - stainless steel	+
anodised aluminum profiles color gold or silver (IGLOO pattern book)	+
night roller blind (from staff side)	+
internal top illumination – LED lamp (confectionary color)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display + rejestrator temperatury z oprogramowaniem	+
condenser impurity or fan operation failure alarm	+

#### Options

housing with base panel from staff side made of stinaless steel front panel made of stainless steel base panel made of stainless steel scoop washer container scoop washer container with water flow system stainless steel container 360x165x120 mm temperature recorder wire



standard containers

360 x 165 mm

PLUG-IN	
+285	€/meter
+145	€/meter
+90	€/meter
+75	€/pcs
+395	€/pcs
+40	€/pcs
+45	€/pcs

### **ADRIA ICE**

.-20 / -10℃





		EUR
Name	Length [mm]	Price €
ADRIA ICE (PLUG-IN)		
ADRIA ICE 1.25	1250	8 140

#### Standard equipment

agregat Internaldynamic cooling with automatic defrostdual cooling system for temperature stabilityelements made of double-glazed units with silkscreen printing in RAL 7042exposition area made of polished stainless steelup to 14 VGN containersdual LED upper lightingnight roller blind - manualdevice prepared for individual designdevice powered with an ecological refrigerant R-290automatic condenser vaporizationelectronic temperature regulator IGLOO + electronic temperature recorderaudible alarm on the condenser pollution

#### Options

scoop washer container scoop washer container with water flow system temperature recorder wire set of wheels (castors) stainless steel container 165x360 mm external metal housing - selectable colour (IGLOO pattern book) external wooden housing in trend style - selectable colour (IGLOO pattern book) external wooden veneered housing - selectable colour (IGLOO pattern book)

PLUG-IN
+
+
+
+
+
+
+
+
+
+
+
+
+

PLUG-IN	
+75	€/pcs
+395	€/pcs
+45	€/pcs
+260	€/set
+40	€/pcs
+215	€/pcs
+410	€/pcs
+365	€/pcs



# salad display units

GASTROLINE IBIZA KASIA





		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
GASTROL	INE (PLUG-IN)				
GL107	GASTROLINE 1.0	1 000	240	0,5	2 820
GL100	GASTROLINE 1.5	1 500	386	0,8	3 180
GL101	GASTROLINE 2.0	2000	576	1	3 680
GL102	GASTROLINE 2.5	2500	726	1,2	4 600

Devices variants		PLUG-IN	
CUSTOM	device without front panel	-35	€/meter
BAIN-MARIE	device with heated water bemar (without: plexi night blinds, storage chamber, additional glass shelf) - available lengths 1.0 / 1.5 / 2.0	-90	€/meter
OPEN	device with self-service stainless steel sheet extension with glass screens (i.a., no night-time covers and no additional glass shelf )	+210	€/meter







internal cooling aggregate
dynamic cooling (ventilated)
external housing made of black coated steel
wooden melamine front panel with stainless steel or mirror strip - different colors available (
glass top with straight front glass
frame prepared for GN containers
storage chamber made of white coated steel with adjustable shelf
hinged back doors
ecological polyurethane foam insulation
worktop – granite grey (thickness : 20 mm, depth: 800 mm)
internal top illumination – LED lamp
automatic defrost
automatic condenser vaporization
electronic temperature controller with digital display (IGLOO)
condenser impurity or fan operation failure alarm

#### Ontions

Options	PLUG-IN	
external housing color – different colors available (IGLOO pattern book)	0	€/meter
external housing made of stainless steel	+340	€/meter
external housing made of coated steel	+560	€/meter
custom of wooden melamine front panel - (after consultation with the IGLOO Sales Department)	+85	€/meter
wooden front panel made of veneer or TREND - different colors available (IGLOO pattern book)	+305	€/meter
front panel color - different colors available (IGLOO pattern book)	+180	€/meter
front panel made of acid-resistant stainless steel	+285	€/meter
worktop – granite Balmoral (thickness : 30 mm, depth: 800 mm)	+180	€/meter
worktop – granite black (thickness : 30 mm, depth: 800 mm)	+430	€/meter
worktop – granite grey (thickness : 30 mm, depth: 900 mm)	+60	€/meter
worktop – granite Balmoral (thickness : 30 mm, depth: 900 mm)	+250	€/meter
worktop – granite black (thickness : 30 mm, depth: 900 mm)	+530	€/meter
storage chamber made of stainless steel with adjustable height shelf (in Gastroline 1.0 - no shelf)	+245	€/meter
storage chamber made of acid-resistant stainless steel with adjustable height shelf (in Gastroline 1.0 - no shelf)	+380	€/meter
night blinds made of plexi glass	+105	€/meter
additional exposition glass shelf	+95	€/meter
customer front shelf (stainless steel profile)	+215	€/meter
customer front folding shelf (stainless steel profile)	+260	€/meter
set of wheels (castors)	+215	€/meter
base plinth made of stainless steel with a floor seal	+50	€/meter
electronic temperature recorder + software	+115	€/set
temperature recorder wire	+45	€/pcs
gastronomic container GN 1/1 - depth 100 mm	+45	€/pcs
gastronomic container GN 2/4 - depth 100 mm	+40	€/pcs
additional crossbar for GN container	+25	€/pcs
ceramic heaters + oven light bulbs (instead of regular lighting) placed in the stainless steel gantry (applies only to BEMAR variant)	+205	€/meter

	+
	+
	+
le (IGLOO pattern book)	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+



	700	
Å.	110 110	7
1245±10 865±10	300±10 	845±10
	<u>м</u>	



	560	-7
	360	
<sup>'</sup>		
) <b>-</b>		-

560

					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
IBIZA (I	PLUG-IN)				
IB02	IBIZA 0.6	560	90	0,28	1 850
IB01	IBIZA 0.9	900	160	0,45	2 220

Devices va	riants	PLUG-IN	
HOT DOG	e.g., full stainless worktop, refrigerated storage drawers, interior made of stainless steel	+680	€/meter
OPEN	device for self service with adjustable expostion shelf, without back door, with small straight glass, without plexi night blinds - available length 1.0	1985	€
STRAIGHT GLASS	device with top glass with straight front glass	+30	€/meter

	900				
GN 1/4 GN 1/4	GN 1/4 GN 1/4	GN 1/4 GN 1/4	GN 1/4 GN 1/4	630	GN 1/4 GN 1/4

#### Standard equipment

internal cooling aggregate
dynamic cooling (ventilated)
external housing made of coated steel - different colors available (Igloo pattern book)
glass top with curved front glass (not openable)
frame prepared for GN containers
storage chamber made of white coated steel
hinged back doors
ecological polyurethane foam insulation
worktop - stainless steel
night blinds made of plexi glass
internal top illumination - LED lamp
automatic defrost
automatic condenser vaporization
electronic temperature controller with digital display

#### Options

external housing color - different colors available (IGLOO pattern book) external housing made of stainless steel external housing made of coated steel worktop made of polythelyne worktop - acid-resistant stainless steel storage chamber made of stainless steel storage chamber made of acid - resistant stainless steel additional exposition glass shelf set of wheels (castors) gastronomic container GN 1/4 - depth 65 mm gastronomic container GN 1/4 - depth 150 mm additional crossbar for GN container

PLUG-IN
+
+
+
+
+
+
+
+
+
+
+
+
+
+

PLUG-IN	
+125	€/meter
+280	€/meter
+465	€/meter
+60	€/meter
+75	€/meter
+240	€/meter
+375	€/meter
+105	€/meter
+175	€/set
+20	€/pcs
+25	€/pcs
+25	€/pcs



		K.			EUR
ID	Name	Length [mm]	n Capacity [dm3]	The area of shelves [m2]	Price €
KASIA (P	LUG-IN)				
KA100TS	KASIA 1.0	990	57	0,5	1 830
KA101TS	KASIA 1.3	1 300	77	0,67	2 240
KA102TS	KASIA 1.5	1500	90	0,77	2 400
KA103TS	KASIA 1.7	1700	100	0,88	2 550
KA104TS	KASIA 1.9	1950	120	1,02	2 650

Devices va	PLUG-IN		
z	device with cooled storage chamber, with sliding doors (KASIA 1.0 - storage chamber with hinged doors)	+485	€/meter
GRZ	device with heated water bemar (without: plexi night blinds, storage chamber, additional glass shelf) - does not apply to KASIA 1.9	+440	€/meter
Z GRZ	device with a water bain-marie and a storage compart- ment with sliding doors (in KASIA 1.0 hinged door); (i.a., no night-time covers and no possibility to select an additional glass shelf) - not applicable to KASIA 1.9	+670	€/meter
Z GASTRO	device with wooden melamine front panel with stainless steel or mirror strip - different colors available (IGLOO pattern book) and grey granite worktop and storage chamber with sliding doors (KASIA 1.0 - storage chamber with hinged doors)	+800	€/meter





1/1 1/1 1/1 1/1 1/1	Kasia 1.7	1/1 1/1 1/1	Kasia 1.0
1/1 1/1			
		1/1 GN	Kasia 1.3
	] -	1/1 1/1	1.3
11 GN	Kasia 1.9		
1/1 G	1.9		
1/1 1/1		11 GN	Kasia 1.5
11 <b>G</b>		11 GR	a 1.5
1/4		1 G	
		11 GQ	

i	nternal cooling aggregate
s	static cooling
е	external top housing made of coated steel - different colors available (Igloo pattern book)
e	ecological polyurethane foam insulation
е	exposition area made of stainless steel, prepared for GN containers
v	worktop - stainless steel
a	anodised aluminum profiles color gold or silver (IGLOO pattern book)
с	curved front glass openable
n	night blinds made of plexi glass
L	LED lamp (color of choice: white, confectionery or meaty "deep pink")
a	automatic defrost
с	condenser outlet to container
е	electronic temperature controller with digital display (IGLOO)
с	condenser impurity or fan operation failure alarm

#### Options

#### external top housing color - different colors available (IGLOO pattern book) external top housing made of stainless steel external bottom housing color - different colors available (IGLOO pattern book) external bottom housing made of stainless steel exposition area made of acid resistant stinless steel worktop - acid-resistant stainless steel additional exposition glass shelf set of wheels (castors) automatic condenser vaporization (gas evaporator) electronic temperature recorder + software temperature recorder wire gastronomic container GN 1/1 - depth 40 mm gastronomic container GN 1/4 - depth 40 mm

PLOG-IN
+
+
+
+
+
+
+
+
+
+
+
+
+
+

PLUG-IN	
+75	€/meter
+120	€/meter
+95	€/meter
+140	€/meter
+75	€/meter
+70	€/meter
+95	€/meter
+215	€/meter
+45	€/pcs
+115	€/set
+45	€/pcs
+35	€/pcs
+25	€/pcs
+25	€/pcs

# cash counters & bakery display units

COUNTER INNOVA COUNTER INNOVA LS P COUNTER CUBE 2 COUNTER CUBE 2 P COUNTER PASTELLA / PS COUNTER PASTELLA / PS2 HORNADA MICHAŁ TADEUSZ LADA KAMELEO LADA JAMAJKA COUNTER GASTROLINE/ COUNTER CUBE COUNTER SAMOS COUNTER SANTIAGO COUNTER LUZON COUNTER BASIA 2 COUNTER SUMBA COUNTER MONIKA COUNTER BEATA

											2	2	Į		5			2	
											2	2	Į		2			2	
				1			,		1										
	•	•	i	•	·	ľ	1	i	Ì		-	2		i	2		ł		
1	N	I	E	1	<i>•</i>	V			]		2	2			2		Ī	1	
0	0																		
1	N	l	E	١	<i>•</i>	V					2	2	Į		2		-	2	
•	•																		
	N	l	E	1	V	V					2	2	ļ	í	9			J	
•	•	•	•	•	•	•	•	•	1										
		l	E	1	V	V					ļ	2	2	(		9	ĺ		
											2	2	ļ	Î	)		Ď	5	
											2	2	ľ		2			2	
														Ì			Ī	ĺ	
											2	2	l	1	5	ļ		)	
											2	2	ļ		2		-	2	
											2	2	(	í	2		Į	ĺ	
											4	2	ļ	Î	2		l		
												2						5	
											-	2	ļ	ļ	2		ľ	1	
											į	)	ľ		2	l	9	)	
											2	2	Ì	Ì	l		i		
											ļ	2	2	ļ	7		ļ	1	
												ĺ			l				
												2		Į	1			3	
											2	2	ĺ	ļ	ĺ			3	
											2	2			ĺ		ŝ	2	







		K	EUR
ID	Name	Length [mm]	Price €
COUNTE	R INNOVA		
INN-LS70	INNOVA LS70	700	3 310
INN-LS100	INNOVA LS100	1000	3 690
INN-LS140	INNOVA LS140	1400	4 0 4 0

ID	Name	Length [mm]	Price €
COUNTER	R INNOVA LS P		
(COUNTE	R WITHOUT GLASS ELEMENTS)		
INN-LS-P70	INNOVA LS70 P	700	1 460
INN-LS-P100	INNOVA LS100 P	1 000	1 620
INN-LS-P140	INNOVA LS140 P	1400	1 780

external glass elements made of combined glass with black silkscreen innovative system of withdrawable front with electromagnetic lock external wooden elements – different colors available (IGLOO pattern book) wooden top worktop – different colors available (IGLOO pattern book) internal frame painted - different colors available (IGLOO pattern book) bottom shelf made of stainless steel kick plinth made of stainless steel bottom housing made of black melamine (wood)

top internal LED illumination front frame LED illumination

single electrical outlet

#### Options

multiplexable devicetop granite worktop color - grey (thickness: 20 mm)top granite worktop color - balmoral (thickness: 20 mm)top granite worktop color - black (thickness: 20 mm)internal frame made of stainless steel (does not apply to aluminum shelf frame)set of wheels (castors)dodatkowe socket

#### Standard equipment

external wooden elements - different colors available (IGLOO pattern book) wooden top table - different colors available (IGLOO pattern book) full slide-out drawer kick plinth made of stainless steel black melamine plate housing double electrical outlet

#### Options

top granite worktop color – grey (thickness: 20 mm) top granite worktop color – balmoral (thickness: 20 mm) top granite worktop color – black (thickness: 20 mm) set of wheels (castors)

#### INNOVA LS

+	
+	
+	
+	
+	
+	
+	
+	
+	
+	

INNOVA LS	
-65	€/pcs
+110	€/meter
+215	€/meter
+345	€/meter
+165	€/set
+260	€/set
+45	€/pcs

#### INNOVA LS P

+
+
+
+
+
+

INNOVA LS P	
+310	€/meter
+545	€/meter
+910	€/meter
+260	€/set







	885	
Δ		
900±10		_
		120±10
<u>v</u>		
	⊲040	

Standard equipment	CUBE 2 LS
external glass elements made of insulating glass with argon filling and silkscreen black, white or gray screen, RAL 7042 print	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+
worktop - granite grey	+
internal frame painted - different colors available (IGLOO pattern book)	+
bottom shelf made of painted steel (IGLOO pattern book)	+
kick plinth made of painted steel (IGLOO pattern book)	+
bottom housing made of melamine (wood) – different colors available (IGLOO pattern book)	+
top internal LED illumination front frame LED illumination	+
single electrical outlet	+

#### Options

multiplexable device
top granite worktop color – balmoral (thickness: 20 mm)
top granite worktop color – black (thickness: 20 mm)
internal frame made of stainless steel (does not apply to aluminum shelf frame)
base plinth made of stainless steel with a floor seal
set of wheels (castors)
additional electrical outlet

#### Standard equipment

Standard equipment	CUBE 2 LS P
external glass elements made of insulating glass with argon filling and silkscreen black, white or gray screen, RAL 7042 print	+
wooden melamine front panel – different colors available (IGLOO pattern book)	+
worktop - granite grey	+
internal frame painted - different colors available (IGLOO pattern book)	+
bottom shelf made of painted steel (IGLOO pattern book)	+
kick plinth made of painted steel (IGLOO pattern book)	+
bottom housing made of melamine (wood) - different colors available (IGLOO pattern book)	+
top internal LED illumination front frame LED illumination	+
single electrical outlet	+

#### Options

			PLN
ID	Name	Length [mm]	Price €
COUNTER	CUBE 2 NEW		
CU2-LS70	CUBE 2 LS70	700	2 870
CU2-LS100	CUBE 2 LS100	1 000	3 160
CU2-LS140	CUBE 2 LS140	1400	3 550

ID	Name	Length [mm]	Price €
COUNTER C			
CU2-LS-P70	CUBE 2 LS70 P	700	1 310
CU2-LS-P100	CUBE 2 LS100 P	1 000	1 4 4 0
CU2-LS-P140	CUBE 2 LS140P	1400	1 550

Price €	
-65	€/pcs
+215	€/meter
+360	€/meter
+165	€/set
+60	€/meter
+260	€/set
+45	€/pcs

Price €	
-65	€/pcs
+110	€/meter
+215	€/meter
+360	€/meter
+165	€/set
+260	€/set
+45	€/pcs



			EUR
ID	Name	Length [mm]	Price €
COUNTE	R PASTELLA / PS		
LS/PST50	LADA PASTELLA 0.5 - 1 stopniowa	500	630
LS/PST60	LADA PASTELLA 0.6 - 1 stopniowa	600	740
LS/PST70	LADA PASTELLA 0.7 - 1 stopniowa	700	840
LS/PST80	LADA PASTELLA 0.8 - 1 stopniowa	800	940
LS/PST90	LADA PASTELLA 0.9 -1 stopniowa	900	1 040
LS/PST100	LADA PASTELLA 1.0 - 1 stopniowa	1000	1 140
LS/PST110	LADA PASTELLA 1.1 - 1 stopniowa	1100	1 250
LS/PST120	LADA PASTELLA 1.2 - 1 stopniowa	1200	1 350
LS/PST130	LADA PASTELLA 1.3 - 1 stopniowa	1300	1 460
LS/PST140	LADA PASTELLA 1.4 - 1 stopniowa	1400	1 550
LS/PST150	LADA PASTELLA 1.5 - 1 stopniowa	1500	1 670

ID	Name	Length [mm]	Price €
COUNTER	R PASTELLA / PS2		
LS/PS2T50	LADA PASTELLA 0.5 - 2 stopniowa	500	660
LS/PS2T60	LADA PASTELLA 0.6 - 2 stopniowa	600	780
LS/PS2T70	LADA PASTELLA 0.7 - 2 stopniowa	700	880
LS/PS2T80	LADA PASTELLA 0.8 - 2 stopniowa	800	990
LS/PS2T90	LADA PASTELLA 0.9 - 2 stopniowa	900	1 100
LS/PS2T100	LADA PASTELLA 1.0 - 2 stopniowa	1000	1 200
LS/PS2T110	LADA PASTELLA 1.1 - 2 stopniowa	1100	1 310
LS/PS2T120	LADA PASTELLA 1.2 - 2 stopniowa	1200	1 4 3 0
LS/PS2T130	LADA PASTELLA 1.3 - 2 stopniowa	1300	1 530
LS/PS2T140	LADA PASTELLA 1.4 - 2 stopniowa	1400	1 620
LS/PS2T150	LADA PASTELLA 1.5 - 2 stopniowa	1500	1 740





external housing made of black melamine (wood) - different colors available (IGLOO patter front panel made of melamine board - different colors available (IGLOO pattern book) slide-out drawer (does not apply to the table with length 0.5.) grey granite worktop (thickness 20 mm)

Options	PLUG-IN	
wooden front panel made of veneer or TREND - selectable colour (IGLOO pattern book)	+245	€/meter
side LEFT or RIGHT from melamine board - selectable colour (IGLOO pattern book)	+70	€/pcs
side LEFT or RIGHT from veneered board or TREND - selectable colour (IGLOO pattern book)	+155	€/pcs
worktop - granite balmoral (thickness : 20 mm)	+230	€/meter
worktop – granite black (thickness : 20 mm)	+470	€/meter
set of wheels (castors)	+260	€/set

#### Standard equipment

external housing made of black melamine (wood) - different colors available (IGLOO pattern front panel made of melamine board - different colors available (IGLOO pattern book) slide-out drawer (does not apply to the table with length 0.5.) grey granite worktop (thickness 20 mm)

#### Options

wooden front panel made of veneer or TREND - selectable colour (IGLOO pattern book) side LEFT or RIGHT from melamine board - selectable colour (IGLOO pattern book) side LEFT or RIGHT from veneered board or TREND - selectable colour (IGLOO pattern bo worktop - granite balmoral (thickness : 20 mm) worktop – granite black (thickness : 20 mm) set of wheels (castors)

	PLUG-IN
ern book)	+
	+
	+
	+

	PLUG-IN
rn book)	+
	+
	+
	+

	Price €	
	+245	€/meter
	+70	€/pcs
ook)	+155	€/pcs
	+230	€/meter
	+450	€/meter
	+260	€/set

				EUR	HORNADA 800
	Name	Length [mm]	The area of shelves [m2]	Price €	
HORNADA	NEW		snelves [m2]		
	HORNADA 800	800	1,76	1 460	• • • • • • • • • • • • • • • • • • •
	HORNADA 1600 DP	1 600	3,52	2 950	

bottom cabinet with movable shelf made of melamine (wood) - different colors available (IGLOO pattern book)	+
wooden rack na półkach wiszących z możliwością zmiany wysokości oraz kąta zawieszenia	+
internal frame painted - different colors available (IGLOO pattern book)	+
PETG plastic fence for the goods (vivak)	+
stainless crumb trays	+
Backlighting of each shelf - variants to choose from (IGLOO pattern book)	+

#### Options

back of the device made of mirrors additional movable shelf illumination – LED light bottom cabinet with hinged doors made of melamine top front panel with illumination – LED light

HORNADA 1600

735

#### HORNADA

Price €	
+220	€/meter
+165	€/meter
0	€/meter
+210	€/meter





				EUR
ID	Name	Length [mm]	The area of shelves [m2]	Price €
MICHAŁ				
MC100	MICHAŁ 1.0	920	2	1 300
MC101	MICHAŁ 1.3	1 230	2	1 590
MC102	MICHAŁ 1.6	1530	2	1 870
MC103	MICHAŁ 1.9	1830	3	2 170
MC104	MICHAŁ 2.5	2445	4	2 830
ID	Name	Length [mm]	The area of shelves [m2]	Price €
TADEUS	Z			
TD100	TADEUSZ 0.7	700	1	1 680
TD101	TADEUSZ 0.8	800	2	1 850
TD102	TADEUSZ 0.9	900	2	1 990
TD103	TADEUSZ 1.0	1000	2	2 190
TD104	TADEUSZ 1.1	1100	2	2 360
TD105	TADEUSZ 1.2	1200	3	2 540
TD106	TADEUSZ 1.3	1300	2,72	2 730
TD107	TADEUSZ 1.4	1400	2,93	2 920
TD108	TADEUSZ 1.5	1500	3,15	3 110
TD109	TADEUSZ 1.6	1600	3,36	3 310
TD110	TADEUSZ 1.7	1700	3,57	3 500
TD111	TADEUSZ 1.8	1800	3,79	3 670
TD112	TADEUSZ 1.9	1900	4	3 850
TD113	TADEUSZ 2.0	2000	4,22	4 0 4 0
TD114	TADEUSZ 2.1	2100	4,43	4 210
TD115	TADEUSZ 2.2	2200	4,64	4 410
TD116	TADEUSZ 2.3	2300	4,86	4 570
TD117	TADEUSZ 2.4	2400	5,07	4 740
TD118	TADEUSZ 2.5	2500	5,29	4 930





Standard equipment	MICHAŁ
bottom cabinet with movable shelf made of melamine (wood) - different colors available (IGLOO pattern book)	+
exposition shelves on frame ,with height and angle adjustment, made of gold or silver powder painted steel (IGLOO pattern book)	+
melamine worktop – different colors available (IGLOO pattern book)	+
back of the device made of melamine – different colors available (IGLOO pattern book)	+
top mirror	+
upper interior lighting + additional illumination of each shelf - LED lights (confectionery color)	+

Standard equipment

bottom cabinet with sliding doors made of melamine (wood) (height 550 mm) - different color frame made of aluminum profiles anodised color silver or gold (IGLOO pattern book) exposition shelves made of gold or silver anodised tubular aluminum profile (IGLOO pattern b top mirror grey granite worktop (thickness 20 mm) upper interior lighting + additional illumination of each shelf - LED lights (confectionery color

#### 0-+--

Options	TADEUSZ	
device without bottom cabinet	-155	€/meter
bottom cabinet (height 900 mm)	0	€/meter
bottom cabinet with movable shelf made of melamine (wood) - selectable colour (IGLOO pattern book)	0	€/meter
worktop – granite balmoral (thickness : 20 mm)	+155	€/meter
worktop – granite black (thickness : 20 mm)	+330	€/meter
exposition shelves made of closed profile (30x20 mm)	+190	€/meter
additional movable shelf illumination - LED light (confectionary color)	+160	€/meter
back of the device made of melamine - selectable colour (IGLOO pattern book)	+100	€/meter
back of the device made of mirrors (angle suspended)	+230	€/meter

	TADEUSZ
ors available (IGLOO pattern book)	+
	+
book)	+
	+
	+
or)	+





			EUR		
ID	Name	Length [mm]	Price €		
LADA KAN	<b>MELEO</b>				
LS/JA600K	LADA KAMELEO 0.6	690	1 320		
LS/JA900K	LADA KAMELEO 0.9	990	1 740		
LS/JA1300K	LADA KAMELEO 1.3	1390	2 160		
Devices variants Price €					
CUSTOM	Device prepared for individual design	-165	€/meter		



ID	Name	Length [mm]	Price €		
LADA JAMAJKA					
LS/JA790	LADA JAMAJKA 0.79	790	1 0 3 0		
LS/JA1060	LADA JAMAJKA 1.06	1060	1 470		
LS/JA1300	LADA JAMAJKA 1.3	1300	1 590		
LS/JA1700	LADA JAMAJKA 1.7	1700	1 970		
LS/JANW90	LADA JAMAJKA NW90	1500	2 780		
LS/JANZ90	LADA JAMAJKA NZ90	1500	3 160		

#### **Devices variants**

RETRO	external wooden veneered housing with decorative elements	+115	€/meter
TREND	wooden external housing in trend style	+155	€/meter

#### Standard equipment

wooden front panel and kick plinth - different colors available (IGLOO pattern book) small and thin wooden side panels - different colors available (IGLOO pattern book) glass side panels or combined glass divider for multiplexable devices curved front glass openable internal frame painted silver or gold (IGLOO pattern book) glass display shelf on the rack with adjustable height and suspension angle bottom shelf made of stainless steel upper interior lighting + additional illumination of each shelf - LED lights (confectionery co socket

#### Options

the device without the wooden sides adapted for serial connection (mod)
additional base plinth – different colors available (IGLOO pattern book)
additional front panel - different colors available (IGLOO pattern book)
additional side panels - different colors available (IGLOO pattern book)
additional thin side panels - different colors available (IGLOO pattern book)
internal frame made of stainless steel for 0.6 model
internal frame made of stainless steel for 0.9 model
internal frame made of stainless steel for 1.3 model
worktop – granite grey (thickness : 20 mm)
worktop – granite balmoral (thickness : 20 mm)
worktop – granite black (thickness : 20 mm)

#### Standard equipment

wooden housing with sides - selectable colour (IGLOO pattern book) wooden top table curved front glass openable internal glass display shelf interior illumination - LED lights (confectionary color) socket

#### Options

worktop – granite grey (thickness : 20 mm) worktop – granite balmoral (thickness : 20 mm) worktop – granite black (thickness : 20 mm) additional shelf illumination - LED light additional customer wooden front shelf

#### KAMELEO

	+
	+
	+
	+
	+
	+
	+
olor)	+
	+

KAMELEO	
-255	€/pcs
+80	€/meter
+210	€/meter
+395	€/set
+300	€/set
+95	€/pcs
+130	€/pcs
+180	€/pcs
+275	€/meter
+410	€/meter
+555	€/meter

#### JAMAJKA

+
+
+
+
+
+





			EUR
ID	Name	Length [mm]	Price €
COUNTER G	ASTROLINE/ COUNTER (	CUBE	
LS/GL50	LADA GASTROLINE 0.5	500	590
LS/GL60	LADA GASTROLINE 0.6	600	680
LS/GL70	LADA GASTROLINE 0.7	700	780
LS/GL80	LADA GASTROLINE 0.8	800	870
LS/GL90	LADA GASTROLINE 0.9	900	980
LS/GL100	LADA GASTROLINE 1.0	1000	1 050
LS/GL110	LADA GASTROLINE 1.1	1100	1 150
LS/GL120	LADA GASTROLINE 1.2	1200	1 250
LS/GL130	LADA GASTROLINE 1.3	1300	1 360
LS/GL140	LADA GASTROLINE 1.4	1400	1 430
LS/GL150	LADA GASTROLINE 1.5	1500	1 530
LS/GLNW90.130	LADA GASTROLINE NW90	1300	1 930
LS/GLNZ90.130	LADA GASTROLINE NZ90	1300	2 040

ID	Name	Length [mm]	Price €
COUNTER S	AMOS		
LS/SA2/400	LADA SAMOS 0.4	400	580
LS/SA2/500	LADA SAMOS 0.5	500	690
LS/SA2/600	LADA SAMOS 0.6	600	810
LS/SA2/700	LADA SAMOS 0.7	700	930
LS/SA2/800	LADA SAMOS 0.8	800	1 050
LS/SA2/900	LADA SAMOS 0.9	900	1 170
LS/SA2/1000	LADA SAMOS 1.0	1000	1 270
LS/SA2/1100	LADA SAMOS 1.1	1100	1 380
LS/SA2/1200	LADA SAMOS 1.2	1200	1 510
LS/SA2/1300	LADA SAMOS 1.3	1300	1 610
LS/SA2/1400	LADA SAMOS 1.4	1400	1 730
LS/SA2/1500	LADA SAMOS 1.5	1500	1 840
LS/SA2/NW	LADA SAMOS NW90	1500	3 000
LS/SA2/NZ	LADA SAMOS NZ90	1500	3 1 3 0



external housing made of black melamine (wood) wooden melamine front panel with stainless steel or mirror strip - different colors available wooden melamine front panel - different colors available (IGLOO pattern book) slide-out drawer (does not apply to the table with length 0.4 and 0.5.) grey granite worktop (thickness 30 mm)

Options	GASTROLINE	
wooden front panel made of veneer or TREND - different colors available (IGLOO pattern book)	+320	€/meter
front panel color - different colors available (IGLOO pattern book)	+195	€/meter
front panel made of acid-resistant stainless steel	+315	€/meter
worktop – granite Balmoral (thickness : 30 mm, depth: 800 mm)	+230	€/meter
worktop – granite black (thickness : 30 mm, depth: 800 mm)	+450	€/meter
worktop – granite grey (thickness : 30 mm, depth: 900 mm)	+50	€/meter
worktop – granite Balmoral (thickness : 30 mm, depth: 900 mm)	+300	€/meter
worktop – granite black (thickness : 30 mm, depth: 900 mm)	+550	€/meter
customer front shelf (stainless steel profile)	+230	€/meter
customer front folding shelf (stainless steel profile)	+260	€/meter
set of wheels (castors)	+260	€/set
base plinth made of stainless steel with a floor seal	+45	€/meter
glass extension	+305	€/meter
glass top with illumination - LED light	+490	€/meter

#### Standard equipment

external housing with furniture panels - selectable colour (IGLOO pattern book) slide-out drawer (does not apply to the table with length 0.4 and 0.5.) bumper – different colors available (IGLOO pattern book) worktop - granite grey (thickness: 20 mm) socket

#### Options

insulated plastic side LEFT or RIGHT - selectable colour (IGLOO pattern book) LEFT or RIGHT wooden side panel - selectable colour (IGLOO pattern book) worktop – stainless steel worktop – granite balmoral (thickness : 20 mm) worktop - granite black (thickness : 20 mm)

	CUBE	GASTROLINE
	+	+
le (IGLOO pattern book)	-	+
	+	-
	+	+
	+	+

#### SAMOS

+
+
+
+
+

SAMOS	
+190	€/pcs
+240	€/pcs
0	€/meter
+285	€/meter
+475	€/meter



Image         Image         Length [mm]         Price €           COUNTER SANTIAGO         Length [mm]         Price €           COUNTER SANTIAGO 0.4         400         540           LS/SA400         LADA SANTIAGO 0.4         400         540           LS/SA500         LADA SANTIAGO 0.5         500         630           LS/SA600         LADA SANTIAGO 0.6         600         740           LS/SA700         LADA SANTIAGO 0.7         700         860           LS/SA800         LADA SANTIAGO 0.8         800         960           LS/SA900         LADA SANTIAGO 1.0         1000         1150           LS/SA1000         LADA SANTIAGO 1.1         1100         1270           LS/SA1200         LADA SANTIAGO 1.2         1200         1370           LS/SA1200         LADA SANTIAGO 1.3         1300         1470           LS/SA1300         LADA SANTIAGO 1.4         1400         1570           LS/SA1400         LADA SANTIAGO 1.5         1500         1660           LS/SA1500         LADA SANTIAGO 1.5         1500         1660           LS/SANTW         LADA SANTIAGO NW90         1500         2820				
COUNTER SANTIAGO         1000           L5/SA400         LADA SANTIAGO 0.4         400         540           L5/SA500         LADA SANTIAGO 0.5         500         630           L5/SA600         LADA SANTIAGO 0.6         600         740           L5/SA700         LADA SANTIAGO 0.7         700         860           L5/SA800         LADA SANTIAGO 0.8         800         960           L5/SA900         LADA SANTIAGO 0.9         900         1050           L5/SA1000         LADA SANTIAGO 1.0         1000         1150           L5/SA1000         LADA SANTIAGO 1.2         1200         1370           L5/SA1200         LADA SANTIAGO 1.3         1300         1470           L5/SA1300         LADA SANTIAGO 1.4         1400         1570           L5/SA1400         LADA SANTIAGO 1.5         1500         1660           L5/SANW         LADA SANTIAGO 1.5         1500         2820				EUR
LS/SA400         LADA SANTIAGO 0.4         400         540           LS/SA500         LADA SANTIAGO 0.5         500         630           LS/SA600         LADA SANTIAGO 0.6         600         740           LS/SA700         LADA SANTIAGO 0.7         700         860           LS/SA800         LADA SANTIAGO 0.8         800         960           LS/SA900         LADA SANTIAGO 0.9         900         1050           LS/SA1000         LADA SANTIAGO 1.0         1000         1150           LS/SA100         LADA SANTIAGO 1.2         1200         1370           LS/SA1200         LADA SANTIAGO 1.3         1300         1470           LS/SA1400         LADA SANTIAGO 1.5         1500         1660           LS/SA1500         LADA SANTIAGO 1.5         1500         2820	ID	Name	Length [mm]	Price €
LS/SA500         LADA SANTIAGO 0.5         500         630           LS/SA600         LADA SANTIAGO 0.6         600         740           LS/SA700         LADA SANTIAGO 0.7         700         860           LS/SA800         LADA SANTIAGO 0.8         800         960           LS/SA900         LADA SANTIAGO 0.9         900         1050           LS/SA1000         LADA SANTIAGO 1.0         1000         1150           LS/SA1000         LADA SANTIAGO 1.1         1100         1270           LS/SA1200         LADA SANTIAGO 1.2         1200         1370           LS/SA1300         LADA SANTIAGO 1.4         1400         1570           LS/SA1400         LADA SANTIAGO 1.5         1500         1660           LS/SANW         LADA SANTIAGO 1.5         1500         2820	COUNTE	R SANTIAGO		
LS/SA600         LADA SANTIAGO 0.6         600         740           LS/SA700         LADA SANTIAGO 0.7         700         860           LS/SA700         LADA SANTIAGO 0.7         700         860           LS/SA800         LADA SANTIAGO 0.8         800         960           LS/SA900         LADA SANTIAGO 0.9         900         1050           LS/SA1000         LADA SANTIAGO 1.0         1000         1150           LS/SA1100         LADA SANTIAGO 1.1         1100         1270           LS/SA1200         LADA SANTIAGO 1.2         1200         1370           LS/SA1300         LADA SANTIAGO 1.3         1300         1470           LS/SA1400         LADA SANTIAGO 1.5         1500         1660           LS/SANW         LADA SANTIAGO NW90         1500         2820	LS/SA400	LADA SANTIAGO 0.4	400	540
LS/SA700         LADA SANTIAGO 0.7         700         860           LS/SA700         LADA SANTIAGO 0.7         700         860           LS/SA800         LADA SANTIAGO 0.8         800         960           LS/SA900         LADA SANTIAGO 0.9         900         1050           LS/SA1000         LADA SANTIAGO 1.0         1000         1150           LS/SA1100         LADA SANTIAGO 1.1         1100         1270           LS/SA1200         LADA SANTIAGO 1.2         1200         1370           LS/SA1300         LADA SANTIAGO 1.3         1300         1470           LS/SA1400         LADA SANTIAGO 1.5         1500         1660           LS/SANW         LADA SANTIAGO NW90         1500         2820	LS/SA500	LADA SANTIAGO 0.5	500	630
LS/SAR00         LADA SANTIAGO 0.8         800         960           LS/SA800         LADA SANTIAGO 0.8         800         960           LS/SA900         LADA SANTIAGO 0.9         900         1050           LS/SA1000         LADA SANTIAGO 1.0         1000         1150           LS/SA1100         LADA SANTIAGO 1.1         1100         1270           LS/SA1200         LADA SANTIAGO 1.2         1200         1370           LS/SA1300         LADA SANTIAGO 1.3         1300         1470           LS/SA1400         LADA SANTIAGO 1.4         1400         1570           LS/SA1500         LADA SANTIAGO 1.5         1500         1660           LS/SANW         LADA SANTIAGO NW90         1500         2820	LS/SA600	LADA SANTIAGO 0.6	600	740
LS/SA900         LADA SANTIAGO 0.9         900         1050           LS/SA1000         LADA SANTIAGO 1.0         1000         1150           LS/SA1100         LADA SANTIAGO 1.1         1100         1270           LS/SA1200         LADA SANTIAGO 1.2         1200         1370           LS/SA1300         LADA SANTIAGO 1.3         1300         1470           LS/SA1400         LADA SANTIAGO 1.4         1400         1570           LS/SA1500         LADA SANTIAGO 1.5         1500         1660           LS/SANW         LADA SANTIAGO NW90         1500         2820	LS/SA700	LADA SANTIAGO 0.7	700	860
LS/SA1000         LADA SANTIAGO 1.0         1000         1150           LS/SA1000         LADA SANTIAGO 1.0         1000         1150           LS/SA1100         LADA SANTIAGO 1.1         1100         1270           LS/SA1200         LADA SANTIAGO 1.2         1200         1370           LS/SA1300         LADA SANTIAGO 1.3         1300         1470           LS/SA1400         LADA SANTIAGO 1.4         1400         1570           LS/SA1500         LADA SANTIAGO 1.5         1500         1660           LS/SANW         LADA SANTIAGO NW90         1500         2820	LS/SA800	LADA SANTIAGO 0.8	800	960
LS/SA1100         LADA SANTIAGO 1.1         1100         1 270           LS/SA1200         LADA SANTIAGO 1.2         1200         1 370           LS/SA1300         LADA SANTIAGO 1.3         1300         1 470           LS/SA1400         LADA SANTIAGO 1.4         1400         1 570           LS/SA1500         LADA SANTIAGO 1.5         1500         1 660           LS/SANW         LADA SANTIAGO NW90         1 500         2 820	LS/SA900	LADA SANTIAGO 0.9	900	1 050
LS/SA1200         LADA SANTIAGO 1.2         1200         1 370           LS/SA1300         LADA SANTIAGO 1.3         1300         1 470           LS/SA1400         LADA SANTIAGO 1.4         1400         1 570           LS/SA1500         LADA SANTIAGO 1.5         1500         1 660           LS/SANW         LADA SANTIAGO NW90         1 500         2 820	LS/SA1000	LADA SANTIAGO 1.0	1000	1 150
LS/SA1300         LADA SANTIAGO 1.3         1300         1470           LS/SA1400         LADA SANTIAGO 1.4         1400         1570           LS/SA1500         LADA SANTIAGO 1.5         1500         1660           LS/SANW         LADA SANTIAGO NW90         1500         2820	LS/SA1100	LADA SANTIAGO 1.1	1100	1 270
LS/SA1400         LADA SANTIAGO 1.4         1400         1 570           LS/SA1500         LADA SANTIAGO 1.5         1500         1 660           LS/SANW         LADA SANTIAGO NW90         1500         2 820	LS/SA1200	LADA SANTIAGO 1.2	1200	1 370
LS/SA1500         LADA SANTIAGO 1.5         1500         1 660           LS/SANW         LADA SANTIAGO NW90         1500         2 820	LS/SA1300	LADA SANTIAGO 1.3	1300	1 470
LS/SANW LADA SANTIAGO NW90 1500 2820	LS/SA1400	LADA SANTIAGO 1.4	1400	1 570
	LS/SA1500	LADA SANTIAGO 1.5	1500	1 660
LS/SANZ LADA SANTIAGO NZ90 1500 2.920	LS/SANW	LADA SANTIAGO NW90	1500	2 820
	LS/SANZ	LADA SANTIAGO NZ90	1500	2 920

ID	Name	Length [mm]	Price €
COUNTER	LUZON		
LS/LU400	LADA LUZON 0.4	400	570
LS/LU500	LADA LUZON 0.5	500	670
LS/LU600	LADA LUZON 0.6	600	760
LS/LU700	LADA LUZON 0.7	700	870
LS/LU800	LADA LUZON 0.8	800	980
LS/LU900	LADA LUZON 0.9	900	1 100
LS/LU1000	LADA LUZON 1.0	1000	1 200
LS/LU1100	LADA LUZON 1.1	1100	1 310
LS/LU1200	LADA LUZON 1.2	1200	1 410
LS/LU1300	LADA LUZON 1.3	1300	1 530
LS/LU1400	LADA LUZON 1.4	1400	1 640
LS/LU1500	LADA LUZON 1.5	1500	1 720
LS/LUNW	LADA LUZON NW90	1500	2 970
LS/LUNZ	LADA LUZON NZ90	1500	3 040











LUZON LS NZ90

#### Standard equipment

external housing with coloured sheet - selectable colour (IGLOO pattern book) slide-out drawer (does not apply to the table with length 0.4 and 0.5.) bumper - different colors available (IGLOO pattern book) worktop - granite grey (thickness: 20 mm) socket

#### Options

insulated plastic side LEFT - selectable colour (IGLOO pattern book) insulated plastic side RIGHT - selectable colour (IGLOO pattern book) LEFT wooden side panel - selectable colour (IGLOO pattern book) RIGHT wooden side panel - selectable colour (IGLOO pattern book) worktop - stainless steel worktop - granite balmoral (thickness : 20 mm) worktop - granite black (thickness : 20 mm)

#### Standard equipment

external housing with furniture panels - selectable colour (IGLOO pattern book) slide-out drawer (does not apply to the table with length 0.4 and 0.5.) bumper - different colors available (IGLOO pattern book) worktop - granite grey (thickness: 20 mm) socket

#### Options

insulated plastic side LEFT or RIGHT - selectable colour (IGLOO pattern book) LEFT or RIGHT wooden side panel - selectable colour (IGLOO pattern book) worktop - stainless steel worktop - granite Balmoral (thickness : 20 mm) worktop - granite black (thickness : 20 mm)

COUNTER SANTIAGO
+
+
+
+
+

COUNTER SANTIAGO	
+220	€/pcs
+220	€/pcs
+260	€/pcs
+260	€/pcs
+0	€/meter
+295	€/meter
+475	€/meter

LUZON
+
+
+
+
+

COUNTER LUZON	
+190	€/pcs
+240	€/pcs
0	€/meter
+275	€/meter
+460	€/meter



			EUR
ID	Name	Length [mm]	Price €
COUNTER	R BASIA 2		
LS/BA400	LADA BASIA 2/0.4	400	520
LS/BA500	LADA BASIA 2/0.5	500	620
LS/BA600	LADA BASIA 2/0.6	600	690
LS/BA700	LADA BASIA 2/0.7	700	790
LS/BA800	LADA BASIA 2/0.8	800	880
LS/BA900	LADA BASIA 2/0.9	900	1 010
LS/BA1000	LADA BASIA 2/1.0	1000	1 100
LS/BA1100	LADA BASIA 2/1.1	1100	1 180
LS/BA1200	LADA BASIA 2/1.2	1200	1 280
LS/BA1300	LADA BASIA 2/1.3	1300	1 380
LS/BA1400	LADA BASIA 2/1.4	1400	1 480
LS/BA1500	LADA BASIA 2/1.5	1500	1 570
LS/BANW	LADA BASIA NW90	1500	2 780
LS/BANZ	LADA BASIA NZ90	1500	2 880
Devices va	ariants	Price €	
DRE	i. a., wooden front panel, base made of stainless steel,no bumper	+395	€/meter
	Name	Length [mm]	Price €
COUNTER	R PICO		
LS/MO2/400	LADA PICO 0.4	400	440
LS/MO2/500	LADA PICO 0.5	500	530
LS/MO2/600	LADA PICO 0.6	600	620
LS/MO2/700	LADA PICO 0.7	700	690
LS/MO2/800	LADA PICO 0.8	800	790
LS/MO2/900	LADA PICO 0.9	900	860
LS/MO2/1000	LADA PICO 1.0	1000	960



. . . . .

780

 $\rightarrow$ 

900±10





#### Standard equipment

external housing with coloured sheet - selectable colour (IGLOO pattern book) slide-out drawer (does not apply to the table with length 0.4 and 0.5.) bumper - different colors available (IGLOO pattern book) worktop - granite grey (thickness: 20 mm) socket

#### Options

insulated plastic side LEFT or RIGHT- selectable colour (IGLOO pattern book) worktop – stainless steel worktop – granite balmoral (thickness : 20 mm) worktop – granite black (thickness : 20 mm)

#### Standard equipment

external housing with furniture panels - selectable colour (IGLOO pattern book) slide-out drawer (does not apply to the table with length 0.4 and 0.5.) bumper - different colors available (IGLOO pattern book) worktop - granite grey (thickness: 20 mm) socket

#### Options

insulated plastic side LEFT or RIGHT - selectable colour (IGLOO pattern book) LEFT or RIGHT wooden side panel - selectable colour (IGLOO pattern book) worktop - stainless steel worktop - granite balmoral (thickness : 20 mm) worktop - granite black (thickness : 20 mm)

Device	s variants	Price €	
DRE	i.a., wooden front panel, base made of stainless steel, no bumper	+395	€/meter

1100

1200

1300

1400

1500

1040

1 1 2 0

1 200

1 280

1 370

LS/MO2/1100 LADA PICO 1.1

LS/MO2/1300 LADA PICO 1.3

LS/MO2/1400 LADA PICO 1.4

LS/MO2/1500 LADA PICO 1.5

LADA PICO 1.2

LS/MO2/1200

#### BASIA 2

+

+
+
+
+
+

COUNTER BASIA 2	
+190	€/pcs
0	€/meter
+285	€/meter
+475	€/meter

PICO
+
+
+
+

PICO	
+170	€/pcs
+215	€/pcs
0	€/meter
+240	€/meter
+380	€/meter









external housing with furniture panels - selectable colour (IGLOO pattern book) slide-out drawer (does not apply to the table with length 0.4 and 0.5.) bumper - different colors available (IGLOO pattern book) worktop - granite grey (thickness: 20 mm) socket

#### Options

insulated plastic side LEFT or RIGHT - selectable colour (IGLOO pattern book) LEFT or RIGHT wooden side panel - selectable colour (IGLOO pattern book) worktop - stainless steel worktop - granite balmoral (thickness : 20 mm) worktop - granite black (thickness : 20 mm)

#### Standard equipment

external housing with coloured sheet - selectable colour (IGLOO pattern book) slide-out drawer (does not apply to the table with length 0.4 and 0.5.) bumper - different colors available (IGLOO pattern book) worktop - granite grey (thickness: 20 mm) socket

#### Options

insulated plastic side LEFT or RIGHT - selectable colour (IGLOO pattern book) worktop - stainless steel worktop - granite balmoral (thickness : 20 mm)

worktop - granite black (thickness : 20 mm)

			EUR
ID	Name	Length [mm]	Price €
COUNTER	R SUMBA		
LS/SU500	LADA SUMBA 0.5	500	730
LS/SU800	LADA SUMBA 0.8	800	1 080
LS/SU1000	LADA SUMBA 1.0	1000	1 320
LS/SU1200	LADA SUMBA 1.2	1200	1 540
LS/SU1500	LADA SUMBA 1.5	1500	1 890
ID	Name	Length [mm]	Price €
COUNTER	R MONIKA		
LS/MO400	LADA MONIKA 2/0.4	400	440
LS/MO500	LADA MONIKA 2/0.5	500	480
LS/MO600	LADA MONIKA 2/0.6	600	540
LS/MO700	LADA MONIKA 2/0.7	700	620
LS/MO800	LADA MONIKA 2/0.8	800	690
LS/MO900	LADA MONIKA 2/0.9	900	770
LS/MO1000	LADA MONIKA 2/1.0	1000	840
LS/MO1100	LADA MONIKA 2/1.1	1100	920
LS/MO1200	LADA MONIKA 2/1.2	1200	1 000
LS/MO1300	LADA MONIKA 2/1.3	1300	1 060
LS/MO1400	LADA MONIKA 2/1.4	1400	1 130
LS/MO1500	LADA MONIKA 2/1.5	1500	1 200

#### SUMBA

+
+
+
+
+

Price €	
+180	€/pcs
+220	€/pcs
0	€/meter
+240	€/meter
+380	€/meter

#### MONIKA

+
+
+
+
+

MONIKA	
+170	€/pcs
0	€/meter
+240	€/meter
+380	€/meter





external housing with coloured sheet - selectable colour (IGLOO pattern book) slide-out drawer (does not apply to the table with length 0.4 and 0.5.) bumper - different colors available (IGLOO pattern book) worktop - granite grey (thickness: 20 mm) socket

#### Options

insulated plastic side LEFT or RIGHT - selectable colour (IGLOO pattern book) worktop - stainless steel worktop - granite balmoral (thickness : 20 mm) worktop - granite black (thickness : 20 mm)

			EUR
ID	Name	Length [mm]	Price €
COUNTER	R BEATA		
LS/BE400	LADA BEATA 2/0.4	400	440
LS/BE500	LADA BEATA 2/0.5	500	520
LS/BE600	LADA BEATA 2/0.6	600	610
LS/BE700	LADA BEATA 2/0.7	700	690
LS/BE800	LADA BEATA 2/0.8	800	770
LS/BE900	LADA BEATA 2/0.9	900	860
LS/BE1000	LADA BEATA 2/1.0	1000	940
LS/BE1100	LADA BEATA 2/1.1	1100	1 020
LS/BE1200	LADA BEATA 2/1.2	1200	1 100
LS/BE1300	LADA BEATA 2/1.3	1300	1 180
LS/BE1400	LADA BEATA 2/1.4	1400	1 270
LS/BE1500	LADA BEATA 2/1.5	1500	1 360

BEATA
+
+
+
+
+

Price €	
+195	€/pcs
0	€/meter
+235	€/meter
+395	€/meter

# 

# special units

FLORES KOMORA ODP IMPULS ROBBEN SMOKING CHAMBER W200

								2	2	)	/	7	í	5	
									2	)	ł	8	3		
								2	2		8	3	5		
								ź	)		8	3			
								ź	2		8	3	5	1	1



J +4 / +10℃





					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
FLORES					
FL100	FLORES 1.0	1000	450	???	4 110



#### Standard equipment

cooling - heating system with aggregate and heaters placed on bottom of the device
base panels, upper and lower front panel with coloured sheet - selectable colour (IGLOO particular)
interior and rack display shelves made of black stainless steel
upper and side interior lighting - fluorescent LED (white)
hinged doors with combined glass
door lock with key
3 levels of exposition area, with position adjustment
6 pcs of steel flower containers powder painted black (450x180x150 mm)
ABS side panels - different colors available (IGLOO pattern book)
ecological polyurethane foam insulation
automatic condenser vaporization (electric evaporator)
electronic temperature controller with digital display (Carel)

#### Options

additional flowers container (450x180x150 mm)

#### FLORES

	+
pattern book)	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+
	+

FLORES	
105	€/pcs

## KOMORA ODP

J +4 / +8℃





				EUR
ID	Name	Length [mm]	Capacity [dm3]	Price €
комо	RA ODP (PLUG-IN)			
KO02	KOMORA ODP 1	1000	480	2 950
KO01	KOMORA ODP 2	1670	1000	4 030









#### Standard equipment

cooling aggregate placed on the side (monoblock) dynamic cooling (ventilated) ecological polyurethane foam insulation external and internal stainless steel housing automatic defrost doors and hatches openable automatic condenser vaporization electronic temperature controller with digital display

#### Options

plastic waste box (capacity 120L)

PLUG-IN
+
+
+
+
+
+
+
+

KOMORA ODP	
+155	€/pcs







Devices variants		PLUG-IN	
DRE	external wooden veneered housing - selectable colour (IGLOO pattern book)	+280	€/pcs







internal cooling aggregate	+
static cooling	+
maintenance – free condenser!	+
external housing with coloured sheet - selectable colour (IGLOO pattern book)	+
base, coloured sheet - selectable colour (IGLOO pattern book)	+
interior made of stainless steel	+
condensate drainage system through an external drain	+
electronic temperature controller with digital display (IGLOO)	+
electronic temperature controller with digital display at the base of the device, from the customer's side	+

#### Options

custom external housing color (after consultation with the IGLOO Sales Department) external housing made of stainless steel custom front panel color (after consultation with the IGLOO Sales Department)

base panel made of stainless steel

internal housing made of acid resistant stainless steel

tilting top lid made of PETG (plexi glass)

PLUG-IN	
+110	€/pcs
+220	€/pcs
+50	€/pcs
+90	€/pcs
+130	€/pcs
+190	€/pcs

## ROBBEN

JF +30 / +60℃



		Ľ	$\sum$			EUR
ID	Name		ngth nm]	Capacity [dm3]	The area of shelves [m2]	Price €
ROBBEN	(PLUG-IN)					
RN101.4P	ROBBEN 1.0	9	60	820	2	4 880



#### Standard equipment

system of heated display shelves	+
side glass with silk-screen printing	+
base and front panel made of colored coated steel – different colors available (Igloo pattern book)	+
top panel illuminated with LED light – different plexiglass colors available (IGLOO pattern book)	+
interior and display shelves made of stainless steel	+
price slats - selectable colour (IGLOO pattern book)	+
buffer with closed stainless steel profile	+
upper interior lighting + backlight of each shelf	+
electronic temperature controller with digital display	+

#### Options

side mirrors base sheets (front and side) made of stainless steel

interior and display shelves made of acid - resistant stainless steel

front display basket of stainless steel

front display basket of acid - resistant stainless steel

set of wheels (castors)

PLUG-IN	
0	€/pcs
+220	€/meter
+420	€/meter
+190	€/meter
+310	€/meter
+265	€/set

#### SMOKING CHAMBER W200





		K		EUR
ID	Name	Length [mm]	Capacity [dm3]	Price €
SMOKING	G CHAMBER W200			
WD200	SMOKING CHAMBER W200	660	200	2 520





#### Standard equipment

external housing made of stainless steel interior made of acid resistant steel full hinged doors with hinges on right side 5 levels of runners adapter for perforated GN 1/1 containers 4 pcs of wooden smoking sticks lower rack with dip tray for fat chimney with adjustable damper heating system with selectable mode smoke generator container for curing chips with an automatic feeder mechanical temperature regulator main heater control lamp

#### Options

external housing made of acid resistant stainless steel glass hinged door with right side hinge wooden smoking stick perforated GN 1/1 container – depth: 65 mm "S" shape hook hook for fish set of wheels (castors)

#### WD200

<b>VV</b> D200
+
+
+
+
+
+
+
+
+
+
+
+

PLUG-IN	
+435	€/pcs
+100	€/pcs
+30	€/pcs
+85	€/pcs
+25	€/pcs
+25	€/pcs
+265	€/set



# petrol collection

LUNA	
PETRO SELECT	
PETRO	
ECOMAX	
PIZZA BAR	
HDM	
FRESH ISLAND	

291				
293				
295				
297				
299				
301				
w 303	NE	[		





		K	EUR
ID	Name	Length [mm]	Price €
LUNA (PI	LUG-IN)		
BL101.144	LUNA 60	600	3 390
BL102.144	LUNA 90	900	3 640
BL103.144	LUNA 120	1200	4 270
BL105.144	LUNA 188	1930	6 940
BL106.144	LUNA 313	3180	10 070
BL107.144	LUNA 375	3800	11 490
ID	Name	Length [mm]	Price €
LUNA CO	ORNER		

LUNA COR	NER		
BLNZ90NP	LUNA 1440 Regał narożny 90° neutralny prawy	600	560
BLNZ90NL	LUNA 1440 Regał narożny 90° neutralny lewy	900	560









internal cooling aggregate R290	+
dynamic cooling (ventilated)	+
external housing, interior and frame made of powder painted steel – selectable colour (IGLOO pattern book)	+
price stripes – selectable colour (IGLOO pattern book)	+
ecological polyurethane foam insulation	+
side glass with silk-screen printing black, white or gray RAL 7042	+
upper interior lighting + additional illumination of each shelf - LED lights (selectable colour - white, confectionery or meat)	+
night roller blind	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display (Igloo/Carel)	+
condenser impurity or fan operation failure alarm	+

Options	PLUG-IN	
custom colors of external housing (after consultation with the IGLOO Sales Department)	145	€/meter
external housing made of stainless steel	315	€/meter
custom colors of interior (after consultation with the IGLOO Sales Department)	105	€/meter
interior made of stainless steel sheet	275	€/meter
custom colors of exposition shelves (after consultation with the IGLOO Sales Department)	55	€/meter
exposition shelves made of stainless steel	85	€/meter
rear panel made of coated steel - selectable colour (Igloo pattern book)	140	€/meter
powder painted evaporator	100	€/meter
electronic temperature recorder + software (Igloo)	120	€/set
temperature recorder wire	50	€/pcs
set of wheels (for models 0.6, 0.9, 1.2)	125	€/set
set of wheels (for models 3.13, 3.75)	265	€/set

#### Standard equipment

left or right version external housing, interior and frame made of powder painted steel - different colors available exposition shelves on frame made of powder painted steel - different colors available (IGLO price stripes - different colors available (IGLOO pattern book)

Options	LUNA COR- NER	
external housing made of stainless steel	+150	€/pcs
stainless steel frame	+125	€/pcs
exposition shelves made of stainless steel	+145	€/set

	LUNA CORNER
	+
able (IGLOO pattern book)	+
.OO pattern book)	+
	+

# ₽ **PETRO SELECT** +2 / +10°C



		K			EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PETRO S	SELECT (PLUG-IN)				
PR100S	PETRO 0.6 SELECT	600	240	1	3 450
PR101S	PETRO 0.9 SELECT	900	370	1,2	4 0 2 0

ID	Name	Length [mm]	Capacity [dm3]	Price €
PETRO SE	LECT - CORNER NEUTRAL			
PRSNZ90NL	PETRO SELECT REGAŁ NAROŻNY 90° NEU- TRALNY LEFT	725	0,6	530
PRSNZ90NP	PETRO SELECT REGAŁ NAROŻNY 90° NEU- TRALNY RIGHT	725	0,6	530









Standard equipment	PETRO SELECT
internal cooling aggregate	+
device powered with an ecological refrigerant R-290	+
dynamic cooling (ventilated)	+
external housing, interior and frame made of powder painted steel - different colors available (IGLOO pattern book)	+
glass exposition shelves on frame	+
price stripes – different colors available (IGLOO pattern book)	+
ecological polyurethane foam insulation	+
side glass with silk-screen printing lub szarym RAL 7042	+
upper interior lighting + additional illumination of each shelf - LED lights (confectionery color)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display at the base of the device, from the customer's side	+
condenser impurity or fan operation failure alarm	+

Options	PETRO SELECT	
custom external housing color – (after consultation with the IGLOO Sales Department)	+150	€/meter
external housing made of stainless steel	+320	€/meter
front panel made of melamine board - selectable colour (IGLOO pattern book)	+135	€/meter
wooden front panel made of veneer or TREND - selectable colour (IGLOO pattern book)	+270	€/meter
custom interior colour – (after consultation with the IGLOO Sales Department)	+105	€/meter
interior and frame made of stainless steel	+300	€/meter
exposition shelves on frame made of powder painted steel - selectable colour (IGLOO pattern book)	+50	€/meter of shelf
exposition shelves on frame made of stainless steel	+85	€/meter of shelf
electronic temperature recorder + software	+115	€/set
temperature recorder wire	+45	€/pcs

#### Standard equipment

left or right version external housing, interior and frame made of powder painted steel - different colors available exposition shelves on frame made of powder painted steel - different colors available (IGLO price stripes 80 mm length - different colors available (IGLOO pattern book) condenser impurity or fan operation failure alarm

#### Options

external housing made of stainless steel stainless steel frame exposition shelves made of stainless steel

	PETRO SELECT - corner
	+
able (IGLOO pattern book)	+
.OO pattern book)	+
	+
	+

PETRO SELECT - narożnik	
+150	€/pcs
+110	€/pcs
+145	€/set





					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PETRO	(PLUG-IN)				
PR100	PETRO 0.6	600	240	0,8	3 710
PR101	PETRO 0.9	900	370	1,2	4 290

ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
PETRO C	OPEN (PLUG-IN)				
PR1000	PETRO 0.6 OPEN	600	240	0,8	3 450
PR1010	PETRO 0.9 OPEN	900	370	1,2	4 0 2 0









internal cooling aggregate	+
device powered with an ecological refrigerant R-290	+
dynamic cooling (ventilated)	+
external housing, interior and frame made of powder painted steel – different colors available (IGLOO pattern book)	+
glass exposition shelves on frame	+
price stripes – different colors available (IGLOO pattern book)	+
ecological polyurethane foam insulation	+
bent front glass unit with silk-screen black, white or gray screen, RAL 7042 print	+
side glass with silk-screen printing lub szarym RAL 7042	+
back sliding doors with combined glass (PETRO 0.6 - hinged doors with choice of door opening direction)	+
upper interior lighting + additional illumination of each shelf - LED lights (confectionery color)	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display at the base of the device, from the customer's side	+
condenser impurity or fan operation failure alarm	+

#### Options

custom external housing color - (after consultation with the IGLOO Sales Department) external housing made of stainless steel front panel made of melamine board - selectable colour (IGLOO pattern book) wooden front panel made of veneer or TREND - selectable colour (IGLOO pattern book) custom interior colour - (after consultation with the IGLOO Sales Department) interior and frame made of stainless steel electronic temperature recorder + software temperature recorder wire

internal cooling aggregate device powered with an ecological refrigerant R-290 dynamic cooling (ventilated) external housing, interior and frame made of powder painted steel - different colors available glass exposition shelves on frame price stripes - different colors available (IGLOO pattern book) ecological polyurethane foam insulation side glass with silk-screen printing lub szarym RAL 7042  $\,$ upper interior lighting + additional illumination of each shelf - LED lights (confectionery col automatic defrost automatic condenser vaporization electronic temperature controller with digital display at the base of the device, from the cus condenser impurity or fan operation failure alarm

Options	PETRO OPE	N
custom external housing color – (after consultation with the IGLOO Sales Department)	+145	€/meter
external housing made of stainless steel	+315	€/meter
front panel made of melamine board - selectable colour (IGLOO pattern book)	+125	€/meter
wooden front panel made of veneer or TREND - selectable colour (IGLOO pattern book)	+260	€/meter
custom interior colour - (after consultation with the IGLOO Sales Department)	+100	€/meter
interior and frame made of stainless steel sheet	+290	€/meter
exposition shelves on frame made of powder painted steel - selectable colour (IGLOO pattern book)	+55	€/meter of shelf
exposition shelves on frame made of stainless steel	+85	€/meter of shelf
electronic temperature recorder + software	+110	€/set
temperature recorder wire	+50	€/pcs

#### PETRO

PETRO	
+145	€/meter
+305	€/meter
+125	€/meter
+260	€/meter
+100	€/meter
+285	€/meter
+105	€/set
+50	€/pcs

	PETRO OPEN
	+
	+
	+
able (IGLOO pattern book)	+
	+
	+
	+
	+
olor)	+
	+
	+
ustomer's side	+
	+

ECOMAX	₽	+2 / +10°C
	1	
	F	
	 ŀ	
	ľ	D

					EUR
ID	Name	Length [mm]	Capacity [dm3]	The area of shelves [m2]	Price €
ECOMAX	K (PLUG-IN)				
VIS100	ECOMAX 0.9	890	720	2,3	5 480
VIS101	ECOMAX 1.3	1260	1040	3,4	6 280
VIS103	ECOMAX 1.9	1930	1610	5,2	7 810
VIS104	ECOMAX 2.5	2460	2070	6,7	9 160



cooling system adapted to factor: R290 dynamic cooling (ventilated)

- side panels made of combined glass with argon filling available silkscreen's colors RAL 704 ecological polyurethane foam insulation base covering made of coated steel - different colors available (Igloo pattern book)
- front bottom panel made of coated steel different colors available (Igloo pattern book)
- top panel made of coated steel different colors available (Igloo pattern book)

top and sides internal LED illumination (selectable colour - white, confectionery or meat)

interior and exposition shelves made of coated steel - different colors available (Igloo patter

exposition shelves with height and angle adjustment

price stripes - different colors available (Igloo pattern book)

night roller blind

automatic defrost automatic condenser vaporization

electronic temperature controller with digital display (Igloo/Carel)

condenser impurity or fan operation failure alarm

	+
	+
042 or RAL 9005	+
	+
	+
	+
	+
	+
tern book)	+
	+
	+
	+
	+
	+
	+
	+





		EUR
Name	Length [mm]	Price €
PIZZA BAR		
PIZZA BAR 0.9	900	1 670

heated device fan external housing and interior made of made of stainless steel drawer for hot water (max 3 liters of water) top lighting

+
+
+
+
+

## HDM HOT DOG

+2 / +10°C





	K	EUR
Name	Length [mm]	Price €
HDM (PLUG-IN)		
HDM 1.0	1000	5 800

#### Standard equipment

internal cooling aggregate dynamic cooling with automatic defrost body of the device made of stainless steel grinding glass extension upper display space illumination double electrical outlet 2 cooling drawers and door at the bottom of the device cooling front with illuminated display space device powered with an ecological refrigerant R-290 automatic condenser vaporization electronic temperature regulator

audible alarm on the condenser pollution

+
+
+
+
+
+
+
+
+
+
+
+

## **FRESH ISLAND**



ŀ

+4 / +6°C



			$\mathbb{R}$		EUR
ID	Name		Length [mm]	The area of shelves [m2]	Price €
FRESH ISLAND (PLUG-IN)		NEW			
FR150	FRESH ISLAND 150		1500	2,1	9 630
FR185	FRESH ISLAND 185		1850	2,9	11 000



### Standard aquin

Standard equipment	FRESH
internal cooling aggregate	+
refrigerant system adapted for R448A / R449A	+
dynamic cooling (ventilated)	+
external and internal housing made of coated steel sheet in a colour from the IGLOO pattern book	+
front panel made of laminate	+
exposition shelves with height adjustment	+
price stripes - different colors available (IGLOO pattern book)	+
ecological polyurethane foam insulation	+
interior lighting + additional illumination of each shelf - LED lights	+
automatic defrost	+
automatic condenser vaporization	+
electronic temperature controller with digital display (IGLOO)	+
condenser impurity or fan operation failure alarm	+

#### Options

- Prione
custom external housing color - (after consultation with the IGLOO Sales Department)
external housing made of stainless steel
custom interior colour - (after consultation with the IGLOO Sales Department)
interior and frame made of stainless steel sheet
custom color of exposition shelves on frame - (after consultation with the IGLOO Sales Dep
exposition shelves on frame made of stainless steel
powder painted evaporator
electronic temperature recorder + software
temperature recorder wire
set of wheels (castors)

	PLUG-IN	
	160	€/meter
	330	€/meter
	100	€/meter
	265	€/meter
epartment)	55	€/meter
	80	€/meter
	95	€/meter
	115	€/set
	45	€/pcs
	260	€/set